

freight rail

Transnet Freight Rail a Division of Transnet SOC Ltd. (Reg. No. 1990/000900/30), invites all interested parties to respond to a request for quotation (RFQ) as indicated below:

All tenders should be submitted on the appropriate tender forms in a sealed envelope. The envelope must indicate the RFQ number, full description and closing date and should be deposited in the tender box before 10h00 on the closing date of the tender/s.

If delivered by hand, the Tender submissions must be addressed to Supply Chain Services, Admin Support, Tender Box, Office No. 2, Property Management Building, Austen Street, Beaconsfield, Kimberley.

ISSUE OF DOCUMENTS - RFQ documents may be obtainable **FREE OF CHARGE** on after **Friday, 30 September 2015** at Transnet Freight Rail, Supply Chain Services, Office No. 2, Property Management Building, Austen Street, Beaconsfield, Kimberley. RFQ documents will only be available, **Monday to Friday** between **08H00 and 15H00**. **Please note that RFQ documents can be e-mailed or physically collected on request prior to cut off time.**

ISSUE OF DOCUMENT – RFQ document will only be issued until (19 October 2015 at 15H00). No RFQ documents will be issued after 15H00.

Tenders can be viewed on the website (http://www.transnetfreightrail-tfr.net/Supplier/Page.aspx

DOCUMENTS and SAFETY APPARAL – Please bring the valid tender document on the day of the briefing as no copy will be issued on site. For safety reason, bring your safety shoes and renective vest for the site meeting/inspection.

For collection of documents, send E-mail to: maggie vain@transnet.net - Tel: 053 838 3341

	PEN (53700
RFQ NUMBER	BFX/53788
SCOPE OF WORK	CLEANING OF COLVERTS AND THE REMOVAL OF DEBRIS TO RESTORE THE RAILWAY PROPELE TO ALLOW WATER TO DRAIN THROUGH CULVERTS FOR A PERIOD OF 3 MONTHS.
REQUIRED AT	BETWEEN BETHLEHEM AND VILLIERS.
BRIEFING DATE	A COMPULSORY INFORMATION MEETING WILL BE HELD AT:
<u> </u>	In the Boardroom, Rail Network Boardroom, Nathan Street, Bloemfontein.
	<u>DATE: 20/10/2015 TIME: 10:00</u> (Companies not attending the compulsory tender briefing / site meeting will be overlooked during the award process.)
COMPULSORY	CIDB Rating of at least GB1
CLOSING DATE	Tuesday, 03 November 2015 at KIMBERLEY
CLOSING TIME	10:000
Technical	Ms Gomotso Maaroganye, Tel: 083 280 2213
	Ref: CW

Transnet SOC Ltd - An Authorised Financial Service Provider - FSP 18828
Transnet Freight Rail urges Clients & Suppliers to report fraud/corruption at Transnet to TIPOFFS ANONYMOUS: 0800 003 056

TRANSNE



freight rail

A Division of Transnet SOC Limited Registration number 1990/00900/30

REQUEST FOR QUOTATION BEX/53788

KBC_19458
CLEANING OF CULVERTS AND THE REMOVAL OF DEBRIS
TO RESTORE THE RAILWAY PROFILE BETWEEN
BETHLEHEM AND VILLIERS

Senior Buyer
Supply Chain Services
TRANSNET FREIGHT RAIL
Austen Street
KIMBERLEY
8301

TRANSNET FREIGHT RAIL, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No IFX 53788

CLEANING OF CULVERTS AND THE REMOVAL OF DERIS TO RESTORE THE
RAILWAY PROFILE TO ALLOW WATER TO DRAIN
THROUGH CULVERTS BETWEEN BETHLEHEM AND

VALLACIO

FOR DELIVERY TO: RAIL NETWORK BLOEMFONTEIN

ISSUE DATE: 30 SEPTEMBER 2015

CLOSING DATE: 3 NOVEMBER 2015

CLOSING TIME: 10:00

SITE MEETING: 10:00 ON 20 OCTOBER 2015 RAIL NETWORK BOARDROOM

NATHAN STREET, BLOEMFONTEIN

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD:

TENDER BOX

CLOSING VENUE:

THE TENDER BOX, ROOM 1, SUPPLY CHAIN SERVICES OFFICE, REAL ESTATE

MANAGER'S BUILDING AUSTEN STREET, BEACONSFIELD, KIMBERLEY, 8315

1 Responses to RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

2 **Broad-Based Black Economic Empowerment [B-BBEE]**

Transnet fully endorses and supports the Government's Breat-Based Black Economic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. As described in more detail in the attacked B-BBEE Claim Form Transnet will allow a "preference" to companies who provide a valid B-BBEL Vernication Certificate.

The value of this bid is estimated to exceed R1000 000 (all applicable taxes included); and therefore the 80/20 system shall be applicable.

Respondents are required to complete Annexure A [the B-BBEE Preference Point Claim Form] and submit it together with proof of their B-BBZE status as stipulated in the Claim Form in order to obtain preference points for their B-BBEE status.

Note: Failure to submit a valid and original B-BBEE certificate or a certified copy thereof at the Closing Date of this Ric will result in a score of zero being allocated for B-BBEE.

3 Communication

Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.

A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name:

CHRISTOPHER WILLIAMS

Email: CHRISTOPHER.WILLIAMS@TRANSNET.NET

Telephone:

053 838 3477

Respondents may also, at any time after the closing date of the RFQ, communicate with the Secretariat of the Transnet Acquisition Council on any matter relating to its RFQ response:

Telephone

011 308 3528

Email: TAC.SECRETARIAT@transnet.net

Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

5 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

6 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

7 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considered.

8 Binding Offer

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

9 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced quotation or an alternative bid;
- reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the prosed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order's between more than one Supplier/Service Provider should it at Transnet's discretion be more advantageous in terms of, amongst others, cost or developmental considerations;
 or
- make no award at all.

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, Transnet reserves the right to cancel the contract.

Transnet reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another bidder.

Transnet reserves the right to conduct Post Tender Negotiations (PTN) with selected Respondents or any number of short-listed Respondents, such PTN to include, at Transnet's discretion, any evaluation criteria listed in the RFQ document.

Should the preferred bidder fail to sign or commence with the contract within a reasonable period after being requested to do so, Transnet reserves the right to award the business to the next highest ranked bidder, provided that he/she is still prepared to provide the required goods at the quoted price.

10 Specification/Scope of Work

Transnet urges its clients, suppliers and the general public to report any fraud or corruption to TIP-OFFS ANONYMOUS: 0800 003 056

CLEANING OF CULVERTS AND THE REMOVAL OF DERIS TO RESTORE THE RAILWAY PROFILE TO ALLOW WATER TO DRAIN THROUGH CULVERTS BETWEEN BETHLEHEM AND VILLIERS

CLOSING VENUE: ROOM1, SCS, REAL ESTATE MANGER'S BUILDING, ASUTEN STREET, BEACONSFIELD, KIMBERLEY

CLOSING DATE & TIME: 3 NOVEMBER 2015 VALIDITY PERIOD: NINETY Business Days

SECTION 2 EVALUATION CRITERA AND RETURNABLE DOCUMENTS

- 1 EVALUATION CRITERIA
- TRANSNET WILL UTILISE THE FOLLOWING CRITERIA (NOT NECESSARILY IN THIS ORDER)
 IN CHOOSING A SUPPLIER/SERVICE PROVIDER, IF THE REQUIRED:

Criterion/Criteria	Explanation (Control of the Control
Administrative	Completeness of response and returnable documents
responsiveness	20X
Substantive	Prequalification riteria, if any, must be met and whether the Bid materially
responsiveness	complies with the scope and/or specification given.
i	
Final weighted	Pricing and price basis [firm]
evaluation based	B-BBEE status of company - Preference points will be awarded to a bidder for
on 80/20	attaining the B-BBEE status level of contribution in accordance with the table
preference point	indicated in Annexure A: B-BBEE Claim Form.

~	• •	11 1		Per	•
3	W-2		m,	vor	

Transnet desires a val	igity belied of an Entire L	Y J Business Days fror	n the closing date o	ir this KFQ.
This RFQ is valid until				

4 Disclosure of Prices Quoted

Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other Respondents:

YES	:	NO	
-----	---	----	--

5 Returnable Documents

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

All Returnable Sections, as indicated in the header and footer of the relevant pages, must be signed, stamped and dated by the Respondent.

Respondents are required to submit with their Quotations the <u>mandatory Returnable</u>
 <u>Documents</u>, as detailed below.

Failure to provide all these Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

Please confirm submission of these mandatory Returnable Documents by so indicating [Yes or No] in the tables below:

Mandatory Returnab	le Documents	Submitted [Yes or No]
SECTION 3 : Quotation Form		
	4	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following **essential Returnable Documents** as detailed below.

Failure to provide all these Returnable Documents may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these documents are returned with their Quetations.

	Submitted [Yes or No]	
	SECTION 2: Evaluation criteria and list of returnable documents	
-	SECTION 4: RFQ Declaration and Breach of Law Form	_
-	Valid and original, or a certified copy, of your entity's B-BBEE Verification Certification as per the requirements stipulated in Annexure A: B-BBEE Claims Form Note: failure to provide these required documents at the closing date and time of the RFQ will result in an automatic score of zero being allocated for preference	
-	Original valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party]	
AN	NEXURE A – B-BBEE Preference Points Claim Form	
-	Letter of Good Standing from the Department of Labour	

CONTINUED VALIDITY OF RETURNABLE DOCUMENTS

The successful Respondent will be required to ensure the validity of all returnable documents, including but not limited to its Tax Clearance Certificate and valid B-BBEE Verification Certificate, for the duration of any contract emanating from this RFQ. Should the Respondent be awarded the contract [the Agreement] and fail to present Transnet with such renewals as and when they become due, Transnet shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate such Agreement forthwith without any liability and without prejudice to any claims which Transnet may have for damages against the Respondent.

"PREVIEW COPY OWLY"

SECTION 3 QUOTATION FORM

hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard RFQ Terms and Conditions for the Supply of Goods or Services to Transnet; and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations thesh and/or having to accept any less favourable offer.

Price Schedule

I/We quote as follows for the goods required, on a "delivered nominated destination" basis, excluding VAT: [for SERVICES, attach a scope of work & pricing schedule]

SCHEDULE OF QUANTITIES APPENDIX A - CULVERTS LIST

Ø	(INETCODE	KILOMETRE	(LINE_DESCR)	CODE	DESCRIPT_1	SPAN	Price Ex
. 1	L150	100.800	BETHLEHEMVILLIERS	D	*** ZARA ***	02,74 * 1	
	L150	101.073	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 1	
3	L150	101.425	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 1	
4	L150	101.783	BETHLEHEMVILLIERS	D	CONC BOX CULVERT	00,69 * 1	
5	L150	102.386	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1	
6	L150	102.614	BETHLEHEMVILLIERS	С	EW PIPE	00,46 * 1	
7	L150	102.738	BETHLEHEMVILLIERS	С	EW PIPE	00,61 * 1	
8	L150	103.182	BETHLEHEMVILLIERS	c	STEEL PIPE	00,61 * 2	
9	L150	103.680	BETHLEHEMVILLIERS	С	CONC PIPE	00,91 * 1	
10	L150	103.750	BETHLEHEMVILLIERS	С	CONC PIPE	00,61	
11	L150	103.980	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1	
12	L150	104.445	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1	
13	L150	104.807	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1	
14	L150	104.887	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1	
15	L150	105.010	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1	

RFQ for the Cleaning of Culverts and the removal of Debris to restore the Railway Profile to allow water to drain through culverts between bethlehem and Villiers

16	L150	105.044	BETHLEHEMVILLIERS	c l	CONC PIPE	00,61 * 1
17	L150	105.315	BETHLEHEMVILLIERS	С	EW PIPE	
18		106.100				00,46 * 1
19	L150	106.200	BETHLEHEMVILLIERS BETHLEHEMVILLIERS	C	BOX CULVERT CONC PIPE	00,91 * 1
20	L150	106.425	-		"	00,30 * 1
21	L150	106.600	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1
22	L150	107.362	BETHLEHEMVILLIERS	<u>C</u>	EW PIPE	00,46 * 1
	L150		BETHLEHEMVILLIERS	С	CONC PIPE BOX CULVERT	00,30 * 1
23	L150	107.517	BETHLEHEMVILLIERS	D	SLAB TOP	00,91 * 1
24	L150	107.618	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
25	L150	108.371	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
26	L150	108.572	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
27	L150	108.650	BETHLEHEMVILLIERS	С	CONC PIPE	00,46 * 1
8د	L150	109.137	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1
و	L150	109.564	BETHLEHEMVILLIERS	С	SONC PIPE	00,61 * 1
30	L150	109.807	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
31	L150	109.956	BETHLEHEMVILLIERS	C	CONC TOP	00,61 * 1
32	L150	110.022	BETHLEHEMVILLIERS	D	R & C TOP	01,220 * 1
33	L150	110.233	BETHLEHEMVILLIERS	C	CONC PIPE	00,61 * 1
34	L150	110.296	BETHLEHEMVILLERS	С	CONC PIPE	00,61 * 1
35	L150	110.357	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
36	L150	110.685	BETHLEHEMULLIERS	С	CONC PIPE	00,46 * 1
37	L150	110.907	BETHLEMEMVILLIERS	D	R & C TOP	02,74 * 2
38	L150	111.161	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
39	L150	111.756	BETHLEHEMVILLIERS		*** MARSALA ***	02,74 * 2
40	L150	112.054	BETHLEHEMVILLIERS	D	R&CTOP	01,22 * 1
41	L150	112.587	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
42	L150	112.887	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 2
·3	L150	113.125	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
44	L150	113.138	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
45	L150	113.225	BETHLEHEMVILLIERS	Р	OVERHEAD BRIDGE	10,70 *1
46	L150	113.250	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
47	L150	113.640	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
48	L150	113.642	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
49	L150	114.234	BETHLEHEMVILLIERS	D	R&CTOP	01,22 * 1
50	L150	114.467	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
51	L150	114.505	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
52	L150	115.026	BETHLEHEMVILLIERS	D	CONC CULVERT SLAB TOP	00,91 * 1
53	L150	115.434	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
54	L150	115.762	BETHLEHEMVILLIERS	D	R & C TOP	02,74 * 1
55	L150	116.053	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
56	L150	116.121	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1
	•			·		· · · · · · · · · · · · · · · · · · ·

RFQ for the Cleaning of Culverts and the removal of Debris to Restore the Railway Profile to allow water to Drain through Culverts between Bethlehem and Villiers

57	L150	116.216	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 2
58	L150	116.565	BETHLEHEMVILLIERS	С	R S JOISTS	01,83 * 1
59	L150	116.578	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
60	2.00	116.825				00,300 *
	L150		BETHLEHEMVILLIERS	С	CONC PIPE	1
61	L150	116.983	BETHLEHEMVILLIERS	D _	R & C TOP	01,83 * 1
62	L150	117.627	BETHLEHEMVILLIERS	С	CONC PIPE	00,91 * 1
63	L150	117.715	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
64	L150	118.459	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
65	L150	118.605	BETHLEHEMVILLIERS	С	CONC PIPE	00,300 * 1
66	L150	119.111	BETHLEHEMVILLIERS	۵	R&CTOP	02,740 * 1
67	L150	119.610	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 2
68	L150	120.092	BETHLEHEMVILLIERS	D	CONC DECK	01,83 * 1
ج9	L150	120.106	BETHLEHEMVILLIERS	D	BOX CULVERT	01,83 * 1
ຸ. ນັ	L150	120.200	BETHLEHEMVILLIERS	D	R C TOP	02,74 * 1
71	L150	120.790	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
72	L150	121.543	BETHLEHEMVILLIERS	C	CONC PIPE	00,61 * 1
73	L150	121.933	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
74	L150	121.947	BETHLEHEMVILLIERS	b	R & C TOP	01,83 * 1
75	L150	122.461	BETHLEHEMVILL ER	D	*** TWEELING ***	01,83 * 1
76	L150	122.611	BETHLEHEMVILLIERS	D	R & C TOP	00,91 * 1
77	L150	123.008	BETHLEHEMULLIERS	С	CONC PIPE	00,30 * 1
78	L150	123.104	BETHLEMEMVILLIERS	С	CONC PIPE	00,30 * 1
79	L150	123.262	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
80	L150	123.305	BETHLEHEMVILLIERS	С	CONCRETE PIPE	00,30 * 1
81	L150	123.464	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
82	L150	123.550	BETHLEHEMVILLIERS	D	R&CTOP	00,91 * 1
83	L150	124.434	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
4	L150	124.499	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
 58 _ا	L150	125.209	BETHLEHEMVILLIERS	D	R & C TOP	02,740 * 2
86		125.992			BOX CULVERT	
	L150		BETHLEHEMVILLIERS	D	SLAB TOP	00,91 * 1
87	L150	126.458	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
88	L150	126.472	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1
89	L150	126.630	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1
90	L150	127.125	BETHLEHEMVILLIERS	С	STEEL PIPE BOX CULVERT	00,61 * 1
91	L150	127.400	BETHLEHEMVILLIERS	D	SLAB TOP	00,91 * 1
92	L150	127.970	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
93	L150	128.334	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 1
94	L150	128.666	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
95	L150	128.930	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1
96	L150	129.156	BETHLEHEMVILLIERS	С	EW PIPE	00,30 * 1
97	L150	129.350	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1

RFQ for the Cleaning of Culverts and the removal of Debris to restore the Railway Profile to allow water to drain through culverts between bethlehem and Villiers

98	L150	129.632	BETHLEHEMVILLIERS	c	STEEL PIPE	00,61 * 2	
99	L150	129.850	BETHLEHEMVILLIERS	D	CONC ARCHES	06,1 * 3	
100	L150	130.050	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 2	
101	L150	130.325	BETHLEHEMVILLIERS	С	STEEL PIPE	00,61 * 1	
102	L150	130.718	BETHLEHEMVILLIERS	D	BOX CULVERT SLAB TOP	00,91 * 1	
103	L150	131.885	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1	
104	L150	132.340	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1	· · ·
105	L150	133.011	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1	
106	L150	133.352	BETHLEHEMVILLIERS	D	BOX CULVERT SLAB TOP	00,61 * 1	
107	L150	134.067	BETHLEHEMVILLIERS	С	CONC PIPE	00,46 * 1	
108	L150	134.178	BETHLEHEMVILLIERS	D	CONC DECK	01,83 * 1	
109	L150	134.242	BETHLEHEMVILLIERS	D	BOX CULVERT SLAB TOP	00,91 * 1	
110	L150	134.477	BETHLEHEMVILLIERS	D	BOX CULVERT SLAB TOP	00,61 * 1	
111	L150	134.873	BETHLEHEMVILLIERS		BOX CULVERT SLAB TOP	00,61 * 1	
112	L150	135.250	BETHLEHEMVILLIERS	D	R & C TOP	02,74 * 2	
113	L150	135.666	BETHLEHEMVILLERS	R	DECK SPAN (PLATE GIRDERS)	14,86 * 1	
114	L150	136.332	BETHLEHEMVILLIERS	D	R&CTOP	01,22 * 1	
115	L150	137.195	BETHLEHEMVILLIERS	С	CONC PIPE	00,300 * 1	
116	L150	137.275	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1	
117	L150	137.305	BETALEHEMVILLIERS	С	CONC PIPE	00,61 * 1	
118	L150	137.334	BETHLEHEMVILLIERS	С	CONC PIPE	00,30 * 1	
119	L150	137.705	SETHLEHEMVILLIERS	D	R&CTOP	01,83 * 1	
120	L150	138.483	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1	
121	L150	138.632	BETHLEHEMVILLIERS	С	CONC PIPE	00,61 * 1	
.22	L150	138.643	BETHLEHEMVILLIERS	С	CONC PIPE AT CROSSING	00,30 * 1	
123	L150	138.926	BETHLEHEMVILLIERS	D	R & C TOP	01,83 * 1	
124	L150	139.262	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 2	
125	L150	139.750	BETHLEHEMVILLIERS	D	R & C TOP	01,22 * 1	
126	L150	139.853	BETHLEHEMVILLIERS	С	EW PIPE	00,30 * 1	
127	L150	140.019	BETHLEHEMVILLIERS	D	R&CTOP	02,74 * 2	
						SUB TOTAL	
						VAT 14%	
						TOTAL	

Delivery Lead-Time from date of purchase order : _	[days/weeks]
Notes to Pricing:	

a) All Prices must be quoted in South African Rand, exclusive of VAT

b) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.

Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

By signing this Quotation Form the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar, and agrees, with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof, including but not limited to the documents stated below and Transnet SOC Ltd will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or otherwise:

- 1. Specifications and drawings included in this RFQ if applicable; and
- 2. The following documents all of which are available on Transnet's website or upon request:
 - 2.1. General Bid Conditions;
 - 2.2. Standard RFQ Terms and Conditions for the Supply of Goods or Services to Transnet;
 - 2.3. Supplier Integrity Pact;
 - 2.4. Non-disclosure Agreement; and
 - 2.5. Vendor Application Form and all supporting documents (first time vendors only)
 Alternatively, for all existing rendors, please provide vendor number(s) here:

Transnet Operating Division	Unique Vendor Number	Yes / No
Transnet Group		
TFR, etc.		

In the Yes/No column above, please confirm that all the information e.g. company address and contact details, banking details etc. are still correct as at the time of allocation of the vendor number(s). Alternatively, Respondents are required to provide the updated information with their bid submission.

SIGNED at	on this day of	20
SIGNATURE OF WITNESSES	ADDRESS OF WITNESSES	
1 Name		
2		

RFQ for the Cleaning of Culverts and the removal of Debris to restore the Railway Profile to allow water to Drain Through Culverts between Bethlehem and Villiers

Name		_		
SIGNATURE OF RESPONDE	NT'S AUTHORISED R	EPRESENTATIVE	<u></u>	 _
NAME:	·			
DESIGNATION:				

SECTION 4

RFQ DECLARATION AND BREACH OF LAW FORM

NAME OF ENTITY:	 	
We	 111	do hereby certify that

- 1. Transnet has supplied and we have received appropriate responses to any/all questions [as applicable] which were submitted by ourselves in RFQ Clarification purposes;
- we have received all information we deemed necessary for the completion of this Request for Quotation [RFQ];
- 3. we have been provided with sufficient access to the existing Transnet facilities/sites and any and all relevant information relevant to the Supply of the Goods as well as Transnet information and Employees, and has had sufficient time in which to conduct and perform a thorough due diligence of transnet's operations and business requirements and assets used by Transnet. Transnet will therefore not consider or permit any pre- or post-contract verification or any related adjustment to pricing, service levels or any other provisions/conditions based on any incorrect assumptions made by the Respondent in arriving at his Bid Price.
- at no stage have we received additional information relating to the subject matter of this RFQ from Transnet sources, other than information formally received from the designated Transnet contact(s) as nominated in the RFQ documents;
- we are satisfied, insofar as our entity is concerned, that the processes and procedures adopted by Transnet in issuing this RFQ and the requirements requested from Bidders in responding to this RFQ have been conducted in a fair and transparent manner; and
- 6. furthermore, we declare that a family, business and/or social relationship exists / does not exist [delete as applicable] between an owner / member / director / partner / shareholder of our entity and an employee or board member of the Transnet Group including any person who may be involved in the evaluation and/or adjudication of this Bid.
- 7. In addition, we declare that an owner / member / director / partner / shareholder of our entity is / is not [delete as applicable] an employee or board member of the Transnet Group.

RFQ for the Cleaning of Culverts and the removal of Debris to restore the Railway profile to allow water to drain through culverts between bethlehem and Villiers

8. If such a relationship as indicated in paragraph 6 and/or 7 exists, the Respondent is to complete

·	the following section:	
	AME OF OWNER/MEMBER/DIRECTOR/ ER/SHAREHOLDER:	ADDRESS:
Indicate	e nature of relationship with Transnet:	1.400
_	to furnish complete and accurate information in this e and may preclude a Respondent from doing future b	
9.	We declare, to the extent that we are aware or be ourselves and Transnet [other than any existing Transnet] which could unfairly advantage our entiry shall notify Transnet immediately in writing or such contains.	and appropriate business relationship with in the forthcoming adjudication process, we
	We further hereby certify that <i>I/we have/have no</i> during the preceding a [five] years of a serious brobbereach of the competition Act, 89 of 1998, by a composition broad that the Respondent is respondent of the competition act, 89 of 1998, by a composition of the competition act, 89 of 1998, by a composition of the competition act, 89 of 1998, by a composition of the competition act, 89 of 1998, by a composition of the competition act, 89 of 1998, by a composition of the competition act, 89 of 1998, by a composition act, 89 of 1998, by a competition act, 80 of 1998, by a compe	each of law, including but not limited to a burt of law, tribunal or other administrative quired to disclose excludes relatively minor es. This includes the imposition of an
	DATE OF BREACH: Furthermore, I/we acknowledge that Transnet SOC L Respondent from the bidding process, should that pe serious breach of law, tribunal or regulatory obligation	erson or entity have been found guilty of a

RFQ for the Cleaning of Culverts and the removal of Debris to Restore the Railway Profile to allow water to Drain through Culverts between Bethlehem and Villiers

SIGNED at	on this day of
For and on behalf of	AS WITNESS:
duly authorised hereto	
Name:	Name:
Position:	Position:
Signature:	Signature:
Date:	Registration No of Company/CC
Place:	Registration Name of Company/CC
»PREVIE	7

Contract Data

The Employer is Name Transnet Limited Trading as Transnet Freight Rail 1st **Address** Floor. **Transwerk** Building, Transnet, Road, **BLOEMFONTEIN** Telephone (053) 838 3477 E-mail Christopher.Williams@transnet.net Cleaning of the culverts and removal of debris and to restore the profile The works is: of the railway line and allow water to drain through the culvert. The culverts are situated on the Branch line from Bethlehem to Villiers The site is Railway line between Bethlehem -Villiers TWO weeks after award of contract The starting date is Three months from The completion date is tart date. The reply period is The defects date is weeks after completion The defect correction period is **2(two)**..... weeks The delay damages are R250..... per day/culvert The assessment day is the ONCE every 2 weeks until project completion The retention is N/A % Does the United Kingdom Housing Grants, Construction and No Regeneration Act (1996) apply? The Adjudicator is Name To be advised if a dispute arises..... **Address Telephone** Fax No.

Contract Data

E-mail

The interest rate on late payment is % per complete week of delay.
The <i>Contractor</i> is not liable to the <i>Employer</i> for loss of or damage to the <i>Employer</i> 's property in excess of for any one event.
The <i>Employer</i> provides this
Insurance Transnet Principal Control Insurance
The minimum amount of cover for the third insurance stated in the
Insurance Table is > R25,000.00 (Limited to R10,000,000.00. for any one event)
The minimum amount of cover for the fourth insurance stated in the
Insurance Table is Not applicable
The adjudicator nominating body is The Chairman of the Association of Abitrators (Southern Africa)
The tribunal is Arbitration
If the tribunal is arbitration, the arbitration procedure is The rules for the Onduct of Arbitrators of the Association of Arbitrators (Southern Africa)
The <i>conditions of contract</i> are the NEC3 Engineering and Construction Short Contract (June 2005) and the following additional conditions:
As mentioned in paragraph (Contractual obligations)
1.0 CONTRACTUAL OPTIGATIONS
<u>A:</u>

- 1.1 This project specification covers Transnet freight rail's requirements for the cleaning of the culverts and removal of debris and to restore the profile of the railway line and allow water to drain through the culvert "in Bethlehem to Villiers line-UNDER THE CONTROL OF THE DEPOT ENGINEER, BLOEMFONTEIN".
 - 1.2 A compulsory site meeting to be held on the 20 October 2015, at BLOEMFONTEIN INFRA DEPOT at 10:00 am.

- 1.1 The Contractor shall not make use of any sub-Contractor to perform the works or parts thereof without prior permission from the Project Manager, failure to comply the contract will be terminated immediately.
- 1.2 The Contractor shall ensure that a safety representative is at site at all times.
- 1.3 The Contractor shall comply with all applicable legislation and Transnet safety requirements adopted from time to time and instructed by the Project Manager / Supervisor. Such compliance shall be entirely at his/her own cost, and shall be deemed to have been allowed for in the rates and prices in the contract.
- 1.4 The Contractor shall, in particular, comply with the following Acts and Transnet Specifications:-
 - 1.4.1 The Compensation for Occupational Injuries and Diseases Act, No. 130 of 1993. The Contractor shall produce proof of his registration and good standing with the Compensation Commissioner in terms of the Act.
 - 1.4.2 The Occupational Health and Safety Act (Act 85 of 1993).
 - 1.4.3 The explosive Act No. 26 of 1956 (as amended). The Contractor shall, when applicable, furnish the Project Manager / Supervisor with copies of the permits authorising him or his employees, to establish an explosives magazine on or near the site and to undertake blasting operations in compliance with the Act.
 - 1.4.4 The Contractor shall comply with the current Transnet Specification E.4E, Safety Arrangements and Procedural Compliance with the Occupational Health and Safety Act, Act 85 of 1993 and Regulations and shall before commencement with the execution of the contract, which shall include site establishment and delivery of plant, ecurpment or materials, submit to the Project Manager / Supervisor.
 - 1.4.5 The Contractor shall comply with the current Specification for Works On, Over, Under or Adjacent to Railway Lines and near High Yoltage Equipment E7/1, if applicable, and shall take particular care of the safety of his employees on or in close proximity to a railway line during track occupations as well as under normal operational conditions.
- 1.5 The Contractor's Health and Safety Programme shall be subject to agreement by the Project Manager / Supervisor, who may in consultation with the Contractor, order supplementary and/or additional safety arrangement, and/or different safe working methods to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act.
- 1.6 In addition to compliance with clause 1.4 hereof, the Contractor shall report all incidents in writing to the Project Marroer / Supervisor. Any incident resulting in the death of or injury to any person on the works shall be reported within 24 hours of its occurrence and any other incident shall be reported within 48 hours of its occurrence.
- 1.7 The Contractor shall make necessary arrangements for **sanitation, water** and electricity at these relevant sites during the installation of the equipments.
- 1.8 A penalty charge of **R250** per day **PER Culvert** will be levied for late completion.
- 1.9 The Contractor shall supply a **site diary** (with triplicate pages). This book shall be used to record any unusual events during the period of the work. Any delays to the work shall also be recorded such as delays caused by poor weather conditions, delays caused by permits being cancelled etc. The appointed Project Manager or Supervisor must countersign such delays. Other delays such as non-availability of equipment from 3rd party suppliers must be communicated to the Project Manager or Technical officer in writing.
- 1.10 The Contractor shall supply a **site instruction book** (with triplicate pages). This book shall be used to record any instructions to the Contractor regarding problems encountered on site for example the quality of work or the placement of equipment. This book shall be filled in by the Project Manager or Supervisor and must be countersigned by the Contractor.
- 1.11 Both books mentioned in 1.9 and 1.10 shall be the property of Transnet Freight Rail and shall be handed over to the Project Manager or Supervisor on the day of energising or handing over.
- 1.12 All processes or the manufacture and assembly of the product components must be subjected to a quality assurance system.

- 1.13 The Contractor will assume full responsibility for assuring that the products purchased meet the requirements of Transnet Freight Rail for function, performance, and reliability, including purchased products from 3rd part suppliers/Manufacturers.
- 1.14 The Contractor shall prove to Transnet Freight Rail that his equipment or those supplied from 3rd party suppliers/manufacturers confirms to Transnet freight rail specifications.
- 1.15 The Contractor will remain liable for contractual delivery dates irrespective of deficiencies discovered during workshop inspections.
- 1.16 The contractor shall supply his own **SAFETY FILE** prior to the commencement of the work, the safety file must include the medical certificate of each person, and the conduction of a safety talk daily and keep records, the contractor has to have a record of all the people who are inducted.

A PREVIEW COPY ONLY

Contract Data	
The Contractor s Offer	
The Contractor is	
Name	***************************************
Address	
Telephone	Fax No
E-mail	
The percentage for overheads	and profit added to the Defined Cost for people is%.
The percentage for overheads	and profit added to other Defined Cost is %.
The <i>Contractor</i> offers to provide the determined in accordance with the c	e Works in accordance with the <i>conditions of contract</i> for an amount to be
The offered total of the Prices is	
Signed on behalf of the Contractor	
Name	
Position	······································
Signature	Date
The Employer's Acceptance	
The Employer accepts the Contracto	r's Offer to Provide the Works
Signed on behalf of the Employer	
Name	
Position	
Signature	Date
ntract Data	

[Works Information]

2. DESCRIPTION OF WORK

The culverts are to be cleaned by removing all the soil/ballast and any material that is obstructing the flow of water from the inlet and the outlet. The cleaning must be done in such a way that water flows out of Transnet boundaries. The inside of the culvert must be cleaned by hand in a way that no water dams up and causes damage to the rail structure. The material removed from cleaning must be removed out of Transnet premises to the nearest waste area indicated by the Technical Officer. Under no circumstances will any of the contractor's tools, equipment or employees be allowed to cross the railway line during the works. Safety must be adhered to and the contractor must notify the railway network control room before and after each shift (The current number will be given to the successful contractor).

NB: All works indicated in the schedule of quantities can and will be allocated to either one Contractor or Numerous contractors based on the time required to complete the works or whether the contractor has sufficient work force.

3. TO BE SUPPLIED BY THE CONTRACTOR

The Contractor is responsible to supply his **own equipment, transport and labour**. The Contractor must provide appointed persons (equipped with a whistle and white flags) to warn people on the site against approaching trains by blowing a whistle. The contractor is responsible to use protective clothing and adhere to the safety rules and regulations of Act 85. The Contractor is responsible for plastic sheeting or canvas to cover the ballast stone to keep it free from and or pollution.

4. PROGRAM FOR THE EXECUTION OF THE WORK

The contractor will be given two weeks after being appointed to make the necessary arrangement for the material, labour and all the equipment needed to execute the work, including accommodation arrangements. It is required of the successful Tenderer to commence work two weeks after the award of contract. It will be expected of the Contractor to inform the Technical Officer about his daily activities and a program must be submitted in advance by the contractor, indicating the area of work. This information is required in order to inform the Train personnel of activities adjacent to railway lines and is important for the safety of the Contractor and his personnel.

5. SAFETY

The Contractor is reminded that working adjacent to railway lines is hazardous and has to be treated as such. The Contractor must ensure that all employees are equipped with **reflector vests or jackets, boots,** and **gloves.** Open fires are not allowed on site. Any fires that may occur should be extinguished immediately at own costs. Any claims due to fire caused by the Contractor will be for his account.

The Contractor is responsible to arrange for two sentinels with white flags who must be on constant lookout for trains in both directions. When a train is approaching the sentinel must blow a whistle and make sure that no workers and/or equipment are on or within 3 metres of the railway line.

All material, which exceeds 2 metres in length, shall be carried below head height near live high-voltage equipment and overhead wire. The utmost care must -be taken to ensure that no part of material comes within 3 metres of any live high-voltage equipment. No water shall be used in the form of a jet if it can make contact with any live high-voltage equipment.

Transnet will provide a safety induction and the Contractor will adhere to this at all times. The workers must wear their PPE at all times while on site.

The Contractor must on a daily basis inform the Operations Office of the time the shift starts and at the end of the day after the shift ends. <u>All Telephone numbers: will be allocated during the tender awarding.</u>

6. PENALTY CLAUSE

In the event that the Contractor does not complete the work within the period agreed upon in the job order, a penalty of R250,00 (VAT incl.) per working day / culvert will be deducted from the contract payment.

7. INSURANCE OF WORKS

The Contractor shall take every precaution to protect the Works against damage of any kind and not to cause damage to property or injury to any person as a result of his execution of the works.

The Contractor shall, in his interests, obtain insurance of his own site establishment, materials, plant, equipment and tools, as well as insurance for his motor vehicles and the common law liabilities of the Contractor as an employer. The contractor shall also have insurance for public liability.

Transnet Freight Rail will arrange Principle Controlled Insurance.

8. FINAL INSPECTION OF THE WORK

Inspection of the work will be done within seven working days after the Contractor has notified the Technical Officer of Transnet in writing that the work has been completed. If the work is found to be satisfactory, the Contractor will be allowed to submit a tax invoice.

9. MEASUREMENTS AND PAYMENT

Measurement will be per culvert cleaned completely

Payment will be made monthly per works completed

10. TEMPORARY CAMPS

No campsites or accommodation will be available to the Contractor on Transnet premises. The Contractor must arrange for all facilities needed and these costs must be included in the tender price.

11. POLLUTION PREVENTION

According to the Environmental Management System of the Bloemfontein Infra Depot, pollution must be prevented as far as possible. Where pollution occurs due to the negligence of the Contractor, he/she will be responsible for corrective actions or he/she will be held liable for corrective actions required.

12. SITE INSPECTION

A compulsory site meeting will be conducted on the???????? 2015 at 10:00 at the Bloemfontein Depot. The Project Manager will be Miss G Maaroganye at 083 280 2213 and the Technical Officer for this contract will be Miss A. Zenani @ 083 470 6872 and she can be contacted in this regard.

13. QUALITY AND INSPECTION

Transnet Freight Rail shall inspect the work completed according to the specification compiled by the Technical Officer.

Contract Data

Works Information

Specifications

NOTE: Any other specifications referenced in the above mentioned specification, will be for information purposes and may be provided on request.

14 Occupational Health and Safety Act No. 85 of 1993 (Available at depot for referral)

15. Constraints on how the Contractor Provides the Works

16 The constraints shall be as specified in the specifications of the particular equipment.

17 Requirements for the programme

17.1. Programme of work : To be submitted by successful Contractor

17.2. CIDB rating : To be submitted

17.3. Format : Bar chart

17.4. Information : How work is going to be executed and commissioned

17.5. Submission : Not Applicable


17.6. Site diary
17.7. Site instruction book
17.8. Safety file
Successful Contractor to supply in triplicates carbon copies
provide safety file prior to commencement of the work.


Contract Data
Site Information

The works shall be performed on the main railway line between Bloemfontein and Springfontein within the Bloemfontein Depot Boundaries.

Annexure 1

FORMATION AND BALLAST: MINIMUM REQUIREMENTS





CLASS OF	Z	Y	κ.	QU/	WITTY (m/km)	
LINE	(mm)	(mm)	(mm)	PY/FY	P2/F4	WOOD
S	300	2 800	1 400	1 600	_	-
N1	280	2 700	1 350	1 500	1 400	-
N2	200	2 700	1 350	-	1 200	1 100

REMARKS:

- 1. Z TO BE MEASURED UNDER THE LOW LEG RAIL ON CURVES.
- 2. DEPTH OF BALLAST (Z) ARE TO BE MEASURED IN THE CONSOLIDATED STATE, THAT IS AFTER 100 000 GROSS TON TRAIN TRAFFIC.

BE 97-04 Sht 1 of 1 DATE : JUNE 2000

CLEANING OF CULVERTS AND THE REMOVAL OF DEBRIS TO RESTORE THE RAILWAY PROFILE TO ALLOW WATER TO DRAIN

THROUGH CULVERTS BETWEEN BETHLEHEM AND VILLIERS

ANNEXURE A: B-BBEE PREFERENCE POINTS CLAIM FORM

This preference form contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [**B-BBEE**] Status Level of Contribution.

1. INTRODUCTION

- 1.1 A total of 20 preference points shall be awarded for B-BBEE Status Level of Contribution.
- 1.2 Failure on the part of a Bidder to fill in and/or to sign this form and submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [SANAS] or a Registered Auditor approved by the Independent Regulatory Board of Auditors [IRBA] or an Accounting Officer as contemplated in the Glose Corporation Act [CCA] together with the bid will be interpreted to mean that proference points for B-BBEE Status Level of Contribution are not claimed.
- 1.3 Transnet reserves the right to require of a Sidder, either before a Bid is adjudicated or at any time subsequently, to substantiate any plant in regard to preferences, in any manner required by Transnet.

2. GENERAL DEFINITIONS

- 2.1 "all applicable taxes include value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 "B-BBEE status of contributor" means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.4 "Bid" means a written offer in a prescribed or stipulated form in response to an invitation by Transnet for the provision of goods, works or services;
- 2.5 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 [Act No. 53 of 2003];
- 2.6 **"comparative price"** means the price after the factors of a non-firm price and all unconditional discounts that can utilised have been taken into consideration;
- 2.7 "consortium or joint venture" means an association of persons for the purpose of combining

- :	
Respondent's Signature	Date & Company Stamp

- their expertise, property, capital, efforts, skills and knowledge in an activity for the execution of a contract;
- 2.8 "contract" means the agreement that results from the acceptance of a bid by Transnet;
- 2.9 "EME" means any enterprise with an annual total revenue of R5 [five] million or less as per the 2007 version of the B-BBEE Codes of Good Practice and means any enterprise with an annual total revenue of R10 [ten] million or less as per the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928;
- 2.10 "firm price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs and excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract;
- 2.11 "functionality" means the measurement according to predetermined norms, as set out in the bid documents, of a service or commodity that is designed to be practical and useful, working or operating, taking into account, among other factors, the quality, reliability, viability and durability of a service and the technical capacity and ability of a biddle.
- 2.12 "non-firm prices" means all prices other than "firm" prices;
- 2.13 "person" includes reference to a juristic person.
- 2.14 "QSE" means any enterprise with an annual total revenue between R5 [five] million and R35 [thirty five] million as per the 2007 version of the B-BBEE Codes of Good Practice and means any enterprise with an annual total revenue of between R10 [ten] million and R50 [fifty] million as per the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928
- 2.15 "rand value" means the total estimated value of a contract in South African currency, calculated at the time of his invitations, and includes all applicable taxes and excise duties;
- 2.16 "subcontract" means the primary contractor's assigning or leasing or making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract:
- 2.17 "total revenue" bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Empowerment Act and promulgated in the Government Gazette on 9 February 2007;
- 2.18 "trust" means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
- 2.19 **"trustee"** means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.

3. ADJUDICATION USING A POINT SYSTEM

Date & Company Stamp

- 3.1 The Bidder obtaining the highest number of total points for the evaluation criteria as enumerated in Section 2 of the RFP will be awarded the contract, unless objective criteria justifies the award to another bidder.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
- 3.3 Points scored will be rounded off to 2 [two] decimal places.
- 3.4 In the event of equal points scored, the Bid will be awarded to the Bidder scoring the highest number of preference points for B-BBEE.
- 3.5 However, when functionality is part of the evaluation process and two or more Bids have scored equal points including equal preference points for B-BBEE, the successful Bid will be the one scoring the highest score for functionality.
- 3.6 Should two or more Bids be equal in all respect, the award shall be decided by the drawing of lots.

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

4.1 In terms of the Preferential Procurement Regulations, 2011, reference points shall be awarded to a Bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of Points [Maximum 20]
1	20
2	18
3	16
4	12
5	8
ACT	6
OX	4
8	2
Non-compliant contributor	0

- 4.2 Bidders who qualify as EMEs in terms of the 2007 version of the Codes of Good Practice must submit a certificate issued by an Accounting Officer as contemplated in the CCA or a Verification Agency accredited by SANAS or a Registered Auditor. Registered auditors do not need to meet the prerequisite for IRBA's approval for the purpose of conducting verification and issuing EME's with B-BBEE Status Level Certificates.
- 4.3 Bidders who qualify as EMEs in terms of the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928 are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R10 million or less and the entity's Level of Black ownership.
- 4.4 In terms of the 2007 version of the Codes of Good Practice, Bidders other than EMEs must submit

Respondent's Signature	Date & Company Stamp

- their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating issued by a Registered Auditor approved by IRBA or a Verification Agency accredited by SANAS.
- 4.5 The Department of Trade and Industry recently revised the Codes of Good Practice on 11 October 2013 [Government Gazette No. 36928]. The Revised Codes will replace the Black Economic Empowerment Codes of Good Practice issued on 9 February 2007. The Revised Codes provide for a transitional period ending 30 April 2015. During the transitional period, companies may elect to be measured in terms of the Revised Codes or the 2007 version of the Codes. Companies which are governed by Sector-specific Codes will be measured in terms of those Sector Codes.
- 4.6 As such, Transnet will accept B-BBEE certificates issued based on the Revised Codes. Transnet will also continue to accept B-BBEE certificates issued in terms of the 2007 version of the Codes provided it was issued before 1 May 2015. Thereafter, Transnet will only accept B-BBEE certificates issued based on the Revised Codes.
- 4.7 In terms of the Revised Codes of Good Practice, Bidders who qualify as QSEs must comply with all the elements of B-BBEE for the purposes of measurement. QSEs that are at least 51% or 100% Black owned are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership. Large enterprises must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substituting their B-BBEE rating issued by a Registered Auditor approved by IRBA or a Verification Agency accredited by SANAS.
- 4.8 A trust, consortium or joint venture will qualify for points for its B-BBEE status level as a legal entity, provided that the entity, status its B-BBEE status level certificate.
- 4.9 A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid.
- 4.10 Tertiary institutions and public entities will be required to submit their B-BBEE status level certificates in terms of the specialised scorecard contained in the B-BBEE Codes of Good Practice.
- 4.11 A person will not be awarded points for B-BBEE status level if it is indicated in the Bid documents that such a Bidder intends subcontracting more than 25% [twenty-five per cent] of the value of the contract to any other enterprise that does not qualify for at least the same number of points that such a Bidder qualifies for, unless the intended subcontractor is an EME that has the capability and ability to execute the subcontract.
- 4.12 A person awarded a contract may not subcontract more than 25% [twenty-five per cent] of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is subcontracted to an EME that has the capability and ability to execute the subcontract.
- 4.13 Bidders are to note that in terms of paragraph 2.6 of Statement 000 of the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928, any

representation made by an entity about its B-BBEE compliance must be supported by suitable evidence or documentation. As such, Transnet reserves the right to request such evidence or documentation from Bidders in order to verify any B-BBEE recognition claimed.

R-R	BEE STATI	JS AND SUBCONTRACTING	
5.1	Bidders who claim points in respect of B-BBEE Status Level of Contribution must		
	comple	te the following:	
	B-BBEE S	Status Level of Contributor = [maximum of 20	points]
	Note: Po	oints claimed in respect of this paragraph 5.1 must be in accorda	ance with the table
	reflected	in paragraph 4.1 above and must be substantiated by means of	a B-BBEE certificate
		y a Verification Agency accredited by SANAS or a Registered Auditor a	approved by IRBA or
	a sworn	affidavit in the case of an EME or QSE.	
5.2	Subcon	tracting:	
	Will any	portion of the contract be subcontracted? YES/NO Idelete which is no	t applicable]
	If YES, in	ndicate:	
	(i)	What percentage of the contract will be subcontracted?	%
	(ii)	The name of the subcontractor	
	(iii)	The B-BBEE status level of the subcontractor	
	(iv)	Is the subcontractor an EME?	YES/NO
5.3	Declarati	ion with regard to Company/Firm	
	(i)	Name of Company/Pirn	****
	(ii)	VAT registration number	
	(iii)	Comp n registration number	•••••
	(iv)	Type Company / Firm [TICK APPLICABLE BOX]	
		☐ Partnership/Joint Venture/Consortium	
		☐One person business/sole propriety	
		☐Close Corporations	
		□Company (Pty) Ltd	
	(v)	Describe Principal Business Activities	
			••••••
	4.5		
	(VI)	Company Classification [TICK APPLICABLE BOX]	
		□Manufacturer	
		□Supplier	
		□Professional Service Provider	

Date & Company Stamp

Respondent's Signature

	(vii)	□Other Service Providers, e.g Transporter, etc Total number of years the company/firm has been in business
BID DECL	ARA	TION
I/we, the	und	ersigned, who warrants that he/she is duly authorised to do so on behalf of the
company/fi	irm,	certify that points claimed, based on the B-BBEE status level of contribution indicated in
paragraph	4 ab	ove, qualifies the company/firm for the preference(s) shown and I / we acknowledge that:
	(i)	The information furnished is true and correct.
	(ii)	In the event of a contract being awarded as a result of points claimed as shown in
		paragraph 6 above, the contractor may be required to furnish documentary proof to the
		satisfaction of Transnet that the claims are correct.
	(iii)	If the B-BBEE status level of contribution has been claimed or obtained on a fraudulent
		basis or any of the conditions of contract have not been fulfilled, Transnet may, in
		addition to any other remedy it may have:
		(a) disqualify the person from the bidding process,
		(b) recover costs, losses or damages it has incurred or suffered as a result of that
		person's conduct;
		(c) cancel the contract and claim any damages which it has suffered as a result of
		having to make less favourable arrangements due to such cancellation;
		(d) restrict the Bidder or contractor, its shareholders and directors, and/or associated
		entities, or only the thareholders and directors who acted in a fraudulent manner,
		from obtaining reginess from Transnet for a period not exceeding 10 years, after
		the audi alkeram partem [hear the other side] rule has been applied; and/or
		(e) forward the matter for criminal prosecution.
WITN	ESSI	ES:
		201
		SIGNATURE OF BIDDER
		DATE:
COMPA	NY N	DATE:
		IAME:

1.

2.

Respondent's Signature

Date & Company Stamp

TRANSNER



TRANSNET FREIGHT RAIL SAFETY HEALTH AND ENVIRONMENTAL (SHE) SPECIFICATIONS FOR CONTRACTORS

PROJECT NAME:	Cleaning of culverts BETHLEHEM- VILLIERS line	
CONTRACT NUMBER:	FS/INFRA/2015/44	
PROJECT SCOPE:	Cleaning of the culverts and removal of debris and to restore the profile of the railway line and allow water to drain through the culvert. The culverts are situated on the Branch line from Bethlehem to Villiers	
PROJECT LOCATION:	Bethlehem to Villiers	
PROJECT DURATION:	3 months	
PROJECT MANAGER:	G. Maaroganye	
TFR CONTRACT REPRESENTATIVE / TECHNICAL OFFICER:	A.Zenani	
AGENT:	no	
	SHE SPECIFICATION APP	ROVAL
	NAME:	SIGNATURE:
PROJECT MANAGER / TFR CONTRACT REPRESENTATIVE / TFR AGENT		DATE:
RISK / ENVIRONMENTAL SPECIALIST		DATE:
İ	1	1

Contractor	Signature	
------------	-----------	--

Date.....

Uncontrolled copy when printed. ©Transnet SOC Ltd

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

-		 DATE:	_

1. Introduction

- 1.1 This Safety, Health and Environmental (SHE) specification is Transnet Freight Rail (TFR) minimum requirements to be met by contractors when performing work for or on behalf of TFR. They set out the requirements to be followed by the Principal Contractor and other contractors so that the health and safety of all person's potentially at risk may receive the same priority as other facets of the project.
- 1.2 The Contractor shall **develop a SHE plan and prepare a SHE file** based on these requirements, risk assessment as well as all the relevant applicable legislation. The contractor shall remain accountable for the quality and execution of his health and safety programme for his employees and sub-contractor employees. This specification in no way releases the contractors from compliance with the relevant legislation.

2 Purpose

- 2.1 The purpose of this specification is to ensure that the Principal Contractor provides and maintains, as far as reasonably practicable a safe working environment for all employees and the public whilst performing work for or on behalf of TFR.
- 2.2 This specification form an integral part of the contract, and the Principal Contractor shall forward this specification to all subcontractors at the bidding stage so that they can in turn prepare health and safety plans telating to their operations

3 Scope and Application

- 3.1 This specification is applicable to all contractors, suppliers and all activities and processes carried out for or on Vehalf of Transnet Freight Rail. The Specification defines the strategies to manage health and Safety and is a compliance document drawn up in terms of the Occupational Health and Safety Act 85 of 1993 and Construction Regulations, February 2014.
- 3.2 This specification shall also apply to any subcontractors as employers in their own right. The Principal Contractor shall furnish the TFR Contract Representative/Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the OHS Act and Regulations and Transnet's safety requirements and procedures.
- 3.3 Every effort has been made to ensure that this specification document is accurate and adequate in all respects. Should it however, contain any errors or omissions they may not be considered as grounds for claims under the contract for additional reimbursement or extension of time, or relieve the Principal Contractor from his responsibilities and accountability in respect of the project to which this specification document pertains. Any such inaccuracies, inconsistencies and/or inadequacies must immediately be brought to the attention of the TFR Contract Representative/Technical Officer or Client Agent.

4 General

Contractor Signature	Date

Uncontrolled copy when printed. ©Transnet SOC Ltd

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

- 4.1 The Principal Contractor and Transnet Freight Rail are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (herein referred as the OHS Act) and applicable Regulations.
- The Principal Contractor accepts, in terms of the General Conditions of Contract and in 4.2 terms of the OHS Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. The Principal Contractor shall, before commencement with the execution of the contract work, comply with the provisions set out in the OHS Act, and shall implement and maintain a SHE Plan approved by Transnet Freight Rail, on the Site and place of work for the duration of the contract.
- The Principal Contractor accepts his obligation with complying to the OHS Act and 4.3 applicable Regulations notwithstanding the omission of some of the provisions of the OHS Act and the Regulations from this document.
- Transnet Freight Rail accepts, in terms of the OHS Act, its obligations as an employer of 4.4 its own employees working on or associated with the site or place of work, and the Principal Contractor and TFR Contract Representative Chnical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the works
- In the event of any discrepancies between any legislation and this specification, the 4.5 applicable legislation will take precedence.

5. Section 37(2) Agreements

- Transnet Freight Rail and the Principal Contractor shall enter into an agreement in terms 5.1 of section 37(2) of the occupational Health and Safety Act to the arrangements and procedures between them to ensure compliance by the Principal Contractor with the provisions of the OHS Act.
- 5.2 The agreement shall be completed and signed by the Principal Contractor mandated representative as soon as possible and returned to the relevant TFR Project Manager / TFR Contract Representative for his/her signature on behalf of TFR.
- The Principal Contractor shall enter into a Section 37(2) Agreement with their respective 5.3 sub-contractors. Signed copy of such agreement must be kept on the Contractor's SHE file.

6. **Definitions**

- 6.1 In this Specification the definitions as listed in the Occupational Health and Safety Act 85 of 1993 and Construction Regulations, 2014 shall apply, unless the context otherwise indicates: -
- 6.2 "construction Work", which, in terms of the Construction Regulations, 2014 means any work in connection with: -

Contractor Signature	Date
----------------------	------

Uncontrolled copy when printed. ©Transnet SOC Ltd

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

a) the construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure; or

- b) the, construction, erection maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or the moving of earth, clearing of land, the making of an excavation, piling or any similar civil engineering structure; or any similar type of work.
- 6.3 "competent person "means a person who
 - a) has in respect of the work or task to be performed the required knowledge, training and experience and, where applicable, qualifications, specific to that work or task: Provided that where appropriate qualifications and training are registered in terms of the provisions of the National Qualification Framework Act, 2000 (Act No.67 of 2000), those qualifications and that training must be regarded as the required qualifications and training; and
 - b) is familiar with the Act and with the applicable regulations made under the Act;
- "contractor" means an employer who performs construction work, and includes a 6.4 principal contractor (principal contractor and subcontractor);
- "fall protection plan "means a documented plan, which includes and provides for-6.5 a) all risks relating to working from a working position, considering the nature of work undertaken:
 - b) the procedures and methods to be applied in order to eliminate the risk of falling; and
 - c) a rescue plan and procedures
- 6.6 "Safety, Health and Environmental (SHE) File" means a file or other record in permanent form, containing the information required to be kept on site in accordance with the OHS Act and applicable Regulations;
- 6.7 "health and safety (SHE) plan" means a site, activity or project specific documented plan in accordance with the client's health and safety specification;
- "risk assessment" means a programme to determine any risk associated with any 6.8 hazard at a work site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 6.9 "principal contractor" means an employer appointed by the client to perform construction work
- 6.10 "TFR" means Transnet Freight Rail, a division of Transnet SOC Ltd (Registration No. 1990/000900/06), a public company incorporated in accordance with the company laws of the Republic of South Africa

Contractor Signature	Date

Uncontrolled copy when printed. ©Transnet SOC Ltd

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

6.11 "TFR Contract Representative" TFR employee appointed to liaise with the contractor to ensure that the specifications of the contract are met (with special emphasis on safety, technical specifications, inspection of quality and quantity of work). It includes a Technical Officer, Security Depot Manager, Senior Protection Officer, Leading Protection Officer, Maintenance Supervisor's etc.

7. Notification of Construction Work

- 7.1 The Contractor who intends to carry out any construction work other than work where a Construction Work Permit is required, must at least 7 days before carrying out such work, notify the Provincial Director of the Department of Labour in writing if the construction work:-
- (a) includes excavation work

Date: 15 July 2015

- (b) includes working at a height where there is a risk of a person falling;
- (c) includes the demolition of a structure; or
- (d) includes the use of explosives to perform construction work,
- 7.2 The notification to the Provincial Director shall be on a form similar to Annexure 2 of the Construction Regulations, 2014. The Contractor shall ensure that a copy of the completed notification form is kept on eiterfor inspection by an inspector, TFR Contract Representative/Technical Officer or employee.

8. Letter of Good standing

- 8.1 The Principal Contractor shall submit proof of registration and Letter of Good Standing with the compensation functor with a licensed compensation insurer as contemplated in the Compensation for Oscupational Diseases Act , 1993 (Act No. 130 of 1993) for his company and each of his sub-contractors'.
- 8.2 No contractor may do any work for TFR without a valid letter of good standing. The Principal Contractor must ensure that the Letter of Good Standing remains valid for the duration of the contract period.
- 8.3 The letter of good standing must reflect the name of the Contractor and/or Subcontractor, registration number and, expiry date.

9. Management and Supervision

- 9.1 The Principal Contractor and all subcontractors shall submit a SHE organogram outlining the site SHE management structure including the relevant appointments/competent persons or the intended appointments where such appointments have not been made.
- 9.2 The Principal Contractor shall, in accordance with the OHS Act and applicable Regulations, make all the necessary appointments of competent persons in writing. Copies should also be retained on the SHE file.

Contractor Signature	Date

Uncontrolled copy when printed. ©Transnet SOC Ltd

Revision 02-00

Date: 15 July 2015

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

9.3 In case of construction work, additional appointments must be made in terms of the Construction Regulations:

- 9.3.1 Construction Manager appointed fulltime on a single site with the duty of managing all the construction work including the duty of ensuring occupational health and safety compliance. The appointed construction manager may not manage any construction work on or in any construction site other than the site in respect of which he or she has been appointed.
- 9.3.2 A Principal Contractor must upon having considered the size of the project, in writing appoint one or more **Assistant Construction Managers** for different sections thereof: Provided that the designation of any such person does not relieve the construction manager of any personal accountability for failing in his or her management duties in terms of this regulation.
- 9.3.3 A Construction Manager must in writing appoint **Construction Supervisors** responsible for construction activities and ensuring occupational health and safety compliance on the construction site.
- 9.3.4 No Construction Supervisor appointed may supervise any construction work on or in any construction site other than the site in respect of which he or she has been appointed: Provided that if a sufficient number of competent employees have been appropriately designated under on all the relevant construction sites, the appointed construction supervisor may supervise more than one six.
- 9.3.5 A Contractor must, upon having considered the size of the project, in writing appoint one or more competent employees for different sections thereof to assist the construction supervisor, and every such employee has, to the extent clearly defined by the contractor in the letter of appointment, the same duties as the construction supervisor: Provided that the designation of any such employee does not relieve the construction supervisor of any personal accountability for failing in his or her supervisory duties in terms of this regulation.
- 9.3.6 A Contractor shall in writing appoint a full-time or part-time Construction Health and Safety Officer in writing to assist in the control of all health and safety related aspects on the site. (The Construction Health and Safety Officer must be registered with the SACPCMP as from 07 August 2015).
- 9.3.7 The Construction Safety Officer shall have sound knowledge of the Occupational Health and Safety Act and its regulations, National Environmental Management Act, and associate environmental requirements such as Waste and Water Acts and sound knowledge of Hazard Identification and Risk Management processes
- 9.4 Subcontractors shall also make the above written appointments and the Principal Contractor shall deliver copies thereof to the TFR Contract Representative/Technical Officer.
- 10. SHE Committee Meetings and SHE Representatives

Contractor Signature	Date

Date: 15 July 2015

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

- 10.1 The Principal Contractor and subcontractors shall appoint SHE Representative/s in writing after consultation with employees and ensure that they are trained in performing their duties.
- 10.2 SHE Representatives duties shall include inspections of the workplace, taking part in incident investigations, risk assessments, attending SHE Committee meetings etc. Records of monthly inspections of SHE Representatives must be kept on the SHE file.
- 10.3 The number of SHE Representatives appointed shall be in accordance with the requirements of the Occupational health and Safety Act 85 of 1993.
- 10.4 The Principal Contractor must ensure that a project/site SHE Committee meeting is held monthly and minutes of such meeting shall be recorded and records kept on the SHE file. The Principal Contractor representative and appointed SHE representatives shall attend the monthly SHE Committee meeting.
- 10.5 The TFR Contract Representative/Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's health and safety contracted as an observer.
- 10.6 Subcontractors appointed by the Principal Contractor shall have their own internal monthly SHE Committee meeting.

11. SHE Audits and Contractor Monthly Reports

- 11.1 The TFR Contract Representative/Technical Officer or his deputy shall ensure that the Principal Contractor's SHE Plan is audited at intervals mutually agreed to between them, but at least once every month to ensure that the SHE Plan is implemented and maintained on site.
- 11.2 TFR Safety Officers / Specialists shall at all reasonable times be allowed access to the work sites, the Principal Contractor site offices and tool-sheds to inspect the Principal Contractor's and its succontractor's tools, equipment, registers and workplace.
- 11.3 Should any non-compliances or contraventions to the TFR safety requirements, legal requirements, this specification or the principal contractor's SHE Plan be identified, such non-compliances or contraventions shall be rectified by the contractor at its cost immediately or within a period specified by the TFR Contract Representative/Technical Officer, his deputy, or TFR Safety Officers / Specialists.
- 11.4 Should the Principal Contractor refuse or fail to rectify such non-compliances or contraventions, TFR may take remedial action at the Principal Contractor's cost as it may deem necessary to ensure safety at the TFR sites at all times.
- 11.5 TFR reserves the right to conduct safety audits without prior warning.
- 11.6 The Principal Contractor on all contracts of more than 1 month shall provide a monthly safety performance report as required by TFR.

Contractor Signature	Date

11.7 The Monthly safety performance report shall be compiled in terms of Annexure 2 or in any format that the Principal Contractor has as long as it includes all items listed in Annexure 2.

12. Training, Competence and Awareness

12.1 Induction Training

Date: 15 July 2015

- 12.1.1 The Principal Contractor shall ensure that all his employees and subcontractors employees undergo a TFR SHE Induction with regard to the general hazards prevalent on the site, rules and regulations, and other related aspects before commencing work. It is the responsibility of the contractor to inform TFR whenever new employees are appointed after the initial induction was conducted.
- 12.1.2 In addition to the TFR SHE induction, it is the responsibility of the Principal Contractor to develop and implement a site specific SHE Induction programme, a job specific induction programme and a general employee SHE awareness programme, to develop awareness amongst employees on the generic SHE issues associated with the scope of work and the specific environmental issues in question.
- 12.1.3 The Principal Contractor shall ensure that all visitors and suppliers to the site undergo and comply with Principal Contractors' site-specific safety induction requirement prior to being allowed access to site. All visitors and suppliers shall sign the attendance register.
- 12.1.4 All visitors and suppliers shall wear the necessary personal protective equipment whilst on site and shall remain in the care of the host who understand the scope of work and associated risks.
- 12.1.5 The Principal Contractor shall maintain comprehensive attendance records of SHE induction training on the SHE file.

12.2 Competency / Training

- 12.2.1 The Principal Contractor must ensure that all his employees are adequately trained to perform the tasks allocated to them and that there is the requisite amount of supervision at all times to maintain safe work practices and standards.
- 12.2.2 The Principal Contractor shall identify training requirements of employees whose work may have a significant impact on their health and safety or that might create a significant impact upon the environment and ensure that these employees will receive appropriate training. A Training matrix shall be used as a mechanism to manage and control the training of employees.
- 12.2.3 The Principal Contractor shall identify all training needs and incorporate the site specific training into the SHE plan.
- 12.2.4 Each Contractor shall be required to ensure that before an employee commences work on the project that the supervisor in control with responsibility for the employee has informed the employee of his scope of authority and any hazards associated with the

Contractor Signature	Date
-	

Uncontrolled copy when printed.

©Transnet SOC Ltd

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

work performed. This will include man-job specifications, the discussion of any standard task procedures or hazardous operational procedures to be performed by the employee

- 12.2.5 The Contractor is to ensure that the supervisor has satisfied himself that the employee is conversant with all hazards associated with any work to be performed by conducting task observations.
- 12.2.6 The Contractor must ensure that certificate/s of competence where applicable is/are provided in the SHE File.

12.3 Awareness Training

Date: 15 July 2015

- 12.3.1 Awareness training required shall be identified for all employees on the project using the SHE Policy, the SHE Plan, the SHE programmes and procedures.
- 12.3.2 The Principal Contractor shall have a daily safety talk. This talk shall include subcontractor employees.
- 12.3.3 The talk must be brief and concise. Subject topics should be applicable to the job at hand, incidents, accidents and up-and-coming work will be discussed along with suggestions and comments. These meetings can be used as a training meeting with the central idea of educating employees.

13. Health and Safety Plan (SHE Plan)

- 13.1 Potential Contractor submitting tenders shall submit with their tender, a Health and Safety Plan setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the OHS Act and Regulations, this SHE specification and particularly in respect of: -
 - (a) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the peath of his employees and subcontractors in terms of section 8 of the OHS Act;
 - (a) the execution of the contract work in such a manner as to ensure in terms of section 9 of the OHS Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - (b) ensuring, as far as is reasonably practical, in terms of section 37 of the OHS Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 13.2 The Contractor's Health and Safety Plan shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.

13.3	3.3 The SHE Plan shall include full particulars in respect of: -		
Contra	octor Signature	Date	
	trolled copy when printed.		

Date: 15 July 2015 Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

(a)	Safety Management	Structure arrangements	i.e. Appointments	to be done and hov	۷
`''					•

- (b) SHE Organisation arrangements i.e. SHE Committees, SHE Audits, Findings and Corrective Actions
- (c) Risk Management i.e. Risk Assessment frequencies, methodology
- (d) Education and Training i.e. safety induction, site / job specific training arrangements
- (e) Emergency Planning
- (f) Health and Safety Communication i.e. Toolbox talks, incident recall
- (g) Safe working methods and procedures to be implemented i.e. safe work procedures, task observation
- (h) Fall Protection Plan i.e. documented plan, training/competency, medical surveillance, rescue plan
- (i) Personal protective Equipment and Clothing
- (j) Project Security i.e. site access control and security
- (k) SHE Costs
- (I) Occupational Health i.e Medical Surveillance, First Aid, Welfare Facilities, Substance Abuse testing, Noise, Vibration, Manual Handling etc
- (m) Environmenta maragement
- (n) Incident Management i.e. reporting and investigation
- (o) Operational Control
- (p) Review plan of the SHE Plan
- 13.5 The Principal Contractor shall submit a final SHE Plan after awarding of the contract which shall be subject to the TFR Contract Representative/Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the TFR Contract Representative/Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the OHS Act and Regulations.
- 13.6 The Principal Contractor shall approve the SHE Plan of the subcontractor and further take reasonable steps to ensure that each subcontractor's SHE Plan is implemented and

Contractor Signature Date	
---------------------------	--

Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Date: 15 July 2015 E.4E Transnet (15 July 2015)

maintained on the site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between them, but at least once every month.

- 13.7 The Principal Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Principal Contractor's, and/or subcontractor's SHE Plan for the site or which poses a threat to the health and safety of persons.
- 13.8 The Contractor shall ensure that a copy of the SHE Plan is available on site for inspection by an inspector, TFR Contract Representative/Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.

14. **Hazards Identification and Potential Hazardous Situations**

- The Principal Contractor shall ensure a risk assessment is carried out by a competent 14.1 person, appointed in writing, before commencement of any work and reviewed during the duration of the contract period. The Risk Assessments shall form part of the Health and Safety Plan to be applied on the site and shall include at least the following:
 - The identification of the risks and hazards (including ergonomic risks) that persons (a) may be exposed to;
 - The analysis and evaluation of the bazards identified; (b)
 - A documented plan, including safe work procedures to mitigate, reduce or control (c) the; risks identified; and
 - A monitoring and review plan. (d)
- Risk assessments shall to conducted by a competent person and such person shall use a 14.2 documented method to analyse and evaluate identified risk and hazards.
- 14.3 The Principal Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the risk assessment
- 14.4 The risk assessment shall be reviewed when there are changes that affect the design of the structure that may affect the health, safety and environment on site or after an incident.
- 14.5 The principal Contractor shall ensure that all employees are to be informed, instructed and trained regarding any risks, hazard and related SHE procedures by a competent person as outlined in the risk assessment prior to commencement of work and thereafter at predetermined intervals as outlined in the monitoring plan.
- 14.6 The Principal Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the risk assessment before any work commences, and thereafter at such intervals as may be determined in the risk assessment.

Contractor Signature	Date
Contractor Signature	Date

Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

E.4E Transnet (15 July 2015)

14.7 The risk assessment shall be available on site for review. Where a risk assessment is not readily available or not communicated to contractor employees, the construction activities shall be stopped until such time the contractor complies.

- 14.8 The Principal Contractor and the TFR Contract Representative/Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the contract or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.
- 14.9 The Principal Contractor shall be required to analyse his scope of work and define these critical activities. For each activity, a risk assessment shall be required which defines systems and safe work procedures that will be used in order to complete the activity safely.
- 14.10 Copies of all safe work procedures and proof that employees have been trained on those safe work procedures shall be kept on the SHE file.
- 14.11 Preliminary risk and hazard identification shall be conducted by the Principal Contractor prior to work commencement on site. Should the Clear's Agent, Project Manager, TFR Contract Representative/Technical Officer or his duly nominated alternative identify hazardous activities performed by the Contractor or the site for which the Contractor has not submitted a risk assessment, the Contractor shall be required to do so before continuing with work.

15. Safety, Health and Environmenta (SHE) File

- 15.1 The Principal Contractor shall prepare a SHE file and submit to TFR Contract Representative for approval prior to commencement of work on site. The file shall include all documentation required as per the OHS Act and applicable regulations.
- 15.2 The approval time of the file is at least 5 working days
- 15.3 The Principal Contractor shall ensure that a copy of the both his SHE File as well as any subcontractor's SHE File is kept on site and made available to an inspector of the Department of Labour, the TFR Contract Representative/Technical Officer, or subcontractor upon request.
- 15.4 The Principal Contractor shall hand over a consolidated SHE file to the TFR Contract Representative/Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the OHS Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

16. Occupational Health

16.1 Medical Surveillance Programme

16.1.1 The Principal Contractor shall ensure that all his and subcontractor employees have a valid medical certificate of fitness issued by an Occupational Health Practitioner.

Contractor Signature	Date
----------------------	------

Uncontrolled copy when printed.

©Transnet SOC Ltd

Date: 15 July 2015

Revision 02-00

16.1.2 Medical certificate of fitness must be available and be kept in the SHE file.

16.2 Substance Abuse

Date: 15 July 2015

- 16.2.1 All Contractors must comply with the Transnet Substance Abuse Policy and Regulation 2A of the General Safety Regulations of the OHS Act.
- 16.2.2 No Contractor may possess, sell, offer to other person, use, store, manufacture, transport, distribute, or transfer drugs or alcohol during work hours, on or off TFR premises.
- 16.2.3 TFR will not tolerate substance abuse or use which put at risk the health and safety of its employees or threatens its services to our stakeholders. It is on this basis that a contractor employee will be considered unfit for work if:
 - (a) He/she is subjected to alcohol screening and/or alcohol testing and is found to have alcohol in his/her breathe and/or blood;
 - (b) Refuses to undergo substance screening and/or testing
 - (c) He /she produces a positive confirmatory test for any other substances, measured by sample analysis at a registered pathological laboratory and authorised by a medical practitioner; and/or
 - (d) Through observation by security personnel or TFR Contract Representative, it is evident that the contractor's physical emotional, mental or behavioural state reflects that they are intoxicated or under the influence.
- 16.2.4 Any transgression of this policy will constitute a breach of the relevant contract and may result in the termination of services/contract.
- 16.2.5 Any contractor employee using medication that has a narcotic effect must declare before work to his / her supervisor.

16.3 Occupational Hygiene

- 16.3.1 The Principal Contractor shall conduct Health Risk Assessments of all the Occupational Hygiene / Environmental stressors (e.g. noise, dust, illumination, HCS, heat & cold stressors, ergonomics, etc.) present in the area where they operate to determine if there is any possible worker exposure. Records of all these assessment should be documented and kept up to date.
- 16.3.2 The Principal Contractor shall monitor the extent to which their employees are exposed to the occupational hygiene stressors. These assessments shall be conducted by an Approved Inspection Authority as listed on the Department of Labour database. The findings from these assessments should be kept on the SHE file, communicated to all affected parties and be reported to relevant authorities.

Contractor Signature	Date
Uncontrolled copy when printed.	

©Transnet SOC Ltd

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

16.4 Welfare Facilities

Date: 15 July 2015

16.4.1 The Principal Contractor must ensure that all workplace facilities meet health, safety and welfare needs of all employees, including disabled persons where applicable.

- 16.4.2 The Principal Contractor must in addition to Facilities Regulations 2004, provide at or within reasonable access of every construction site, the following clean, hygienic and maintained facilities:
 - (a) shower facilities, at least one shower facility per 15 persons
 - (b) at least one sanitary facility for each sex and for every 30 workers
 - (c) changing facilities for each sex; and
 - (d) sheltered eating areas
- 16.4.3 The Principal Contractor must provide reasonable and suitable living accommodation for the workers at construction sites who are far removed from their homes and where adequate transportation between the site and their homes or other suitable living accommodation, is not available.

16.5 First Aid requirements

- 16.5.1 All Contractors shall ensure that their employees receive prompt first aid treatment in case of injury or emergency. The Contractor must have the necessary equipment and/or facility on site for treatment of injured persons.
- 16.5.2 Contractor shall ensure that the first aid box / boxes are available and accessible. More first aid boxes shall be provided in the risks, distance between work teams, or the working environment requires it.
- 16.5.3 Taking into account the type of injuries that are likely to occur on site, the nature of activities performed and the number of employees on site, the Contractor shall ensure that the first aid fox contain suitable first aid equipment which includes at least the minimum contents as listed on Annexure 1 of General Safety Regulation (GSR).
- 16.5.4 The Contractor must ensure that trained / certificated first-aid personnel are appointed and be available on site at all times. The ratio of first aiders to employees shall be 1:50.

16.6 Asbestos Control

16.6.1 The Contractor shall inform the TFR Project Manager or TFR Contract Representative if during construction work asbestos or suspected asbestos containing material is found. Only Asbestos Approved Contractor can work on asbestos containing material.

16.7 Noise

- 16.7.1 The Principal Contractor shall ensure that the requirements of the Noise Induced Hearing Loss Regulations are complied with.
- 16.7.2 Principal Contractor shall ensure that machinery and equipment are operated at noise levels not exceeding an equivalent level of 85-dB (A) during normal working conditions.

Contractor Signature	Date
----------------------	------

Uncontrolled copy when printed.

©Transnet SOC Ltd

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

Date: 15 July 2015 Revision 02-00 TFR-IMS-JHB-PR0-015

16.7.3 Where the noise levels at the Operator position or to employees working in the vicinity exceed an equivalent level of 85-dB (A) during normal working conditions, the Principal Contractor shall take appropriate measures to reduce such levels to an equivalent level of 85-dB (A). The use of Personal Protective Equipment (PPE) should be the last resort.

- 16.7.4 All employees exposed to noise must be trained on the effects of exposure, precautionary measures to be taken to prevent exposure and the correct use of PPE.
- 16.7.5 Noise zones must be demarcated as such.

16.8 Vibration

- 16.8.1 Principal Contractors must put measures to reduce the risks associated with hand–arm vibrations, avoid, whenever possible, the need for vibration equipment.
- 16.8.2 Principal Contractor shall develop a good maintenance regime for tools and machinery. This may involve ensuring that tools are regularly sharpened, worn components are replaced or engines are regularly tuned and adjusted.
- 16.8.3 The Principal Contractor must introduce a work pattern that reduces the time exposure to vibrations.
- 16.8.4 The Principal Contractor shall issue employees with gloves and warm clothing. There is a debate as to whether anti-vibration gloves are really effective but it is agreed that warm clothing helps with blood circulation which reduces the risk of vibration white finger. Care must be taken so that the tool does not cool the hand of the operator.

16.9 Manual Handling

- 16.9.1 Principal Contractor must reduce risk of injury due to manual handling by using mechanical assistance involving the use of mechanical aids to assist the manual handling operation. Mechanical aids such as hand-powered hydraulic hoists, specially adapted trolleys, hoist for lifting patients and roller conveyors can be used.
- 16.9.2 Principal Contractor shall ensure all employees involved in manual handling are trained in good lifting techniques.

16.10 Dust

- 16.10.1 The Principal Contractor shall monitor dust caused by their activities, mobile equipment, generators and other equipment during construction. Factors such as wind can often affect the intensity to which the impact is experienced.
- 16.10.2 Dust suppression measures must be in place to reduce the dust caused by the activities on site.
- 16.10.3 Appropriate PPE should be provided to exposed employees.

Contractor Signature	Date
Uncontrolled conv when printed	

Date: 15 July 2015 Revision 02-00

16.11 Weather precautions

- 16.11.1 In the event of adverse weather (high winds, flooding, storm surge, lightning etc) or other conditions, the Contractor must institute precautionary measures to protect employees on site.
- 16.11.2 The Contractor shall take steps to prevent heat stroke, dehydration and exhaustion of employees as a result of exposure to excessive heat on site. Such steps may include employees taking regular brakes, consuming enough water, provision of sun brims for their hard hats and sun screen to protect them against sun burn.
- 16.11.3 The Contractor shall take steps to prevent hypothermia or dangerous overcooling of the body as a result of exposure to cold temperatures.

17 Incidents/Occurrences

- 17.1 All incidents referred to in Regulation 9 of General Administration Regulations of the OHS Act involving the contractor and his subcontractor on TFR premises, shall be reported to the TFR Contract Representative and Department of Labour as prescribed by the OHS Act.
- 17.2 TFR must be forwarded with a copy of a report of any investigation, formal inquiry conducted in terms of Section 31 and 32 of the Act into any incident involving the contractor, his subcontractor, and person or machinery under his control on TFR premises.
- 17.3 TFR Contract Representative must be informed of the above incidents/occurrences before the end of shift where the incident/occurrence occurred.
- 17.4 The Contractor shall make available its employees to attend as witnesses when required so by TFR during an investigation into any incident where TFR believes the said contractor employees were witnesses or may assist in the investigation.
- 17.5 The contractor shall make available to TFR any documents required to assist in their investigation.

18. SHE Cost

- 18.1 The Principal Contractor shall ensure that it has made adequate provision for the cost of health and safety measures in the tender offer.
- 18.1 The Principal Contractor shall ensure that its subcontractors have made adequate provision for the cost of health and safety measures in the tender offer.

19. Personal Protective Equipment (PPE)

Contractor Signature	Date
Hannahaa Badaa aa baa ah ba	

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

- The contractor shall ensure that all employees are provided with appropriate prescribed 19.1 Personal Protective Equipment (PPE) free of charge (according to General Safety Regulations (2), suitable for the type of activities that the employees will perform.
- 19.2 Such PPE shall be approved by credible institution such as SABS, EN, or AN.
- 19.3 The contractor shall manage the issuing of PPE and ensure that PPE is used at all times. Employees shall be trained in the proper use of PPE.

Emergency Evacuation Plan and Procedure 20.

- 20.1 The Principal Contractor must establish and implement an emergency evacuation plan to ensure that in the event of fire, explosion structural collapse etc. all staff is able to evacuate the area to a demarcated areas for the purpose.
- The area so selected must be demarcated and the relevant "Assembly Point" sign 20.2 displayed where applicable or use TFR nearest assembly point.
- An Emergency Evacuation Procedure must be drawn up; all staff members and 20.3 contractors shall be given awareness training and participate in regular evacuation drills.
- The Principal Contractor and its employees shall borate and adhere to TFR evacuation 20.4 drills and requirements.

21. Access Control and Security

- The Principal Contractor shall before commencing any work, obtain from the TFR 21.1 Contract Representative/Technical Officer a Site Access Certificate as in Annexure 1 executed and signed by him permitting and limiting access to the designated site or place of work by the Principal Contractor and any subcontractors under his control.
- No Site Access Certificate will be granted to the Contractor who fails to comply with TFR 21.2 minimum SHE requirements, with the SHE File not approved and without the SHE induction been concluded.
- The contractor must assess the security risks and implement appropriate measures. All 21.3 contractors are to strictly adhere to all security requirements on the premises.
- 21.4 The Principal Contractor in collaboration with the TFR representative will ensure that proper access control is in place and functional at all times onto and out of the site. A form of access control will be issued to contractor employees who have been inducted and submitted copies of ID documents or work permits (where required).
- 21.5 Access Permits should be carried by a contract employee at all time when on site. Access Permits shall be produced at the point of entry / gate.
- Contractors shall ascertain from TFR Contract Representative/Technical Officer the correct 21.8 route along with their employees may proceed when coming on or going off shift and direct their employees accordingly.

Contractor Signature	Date

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

Date: 15 July 2015

22.

Management of Subcontractors

22.1 The Principal Contractor is directly responsible for the actions of his contractors/subcontractors.

- The Principal Contractor will also be responsible for initiating any remedial action 22.2 (recovery plan) that may be necessary to ensure that the contractor complies with all requirements.
- The Principal Contractor shall provide any contractor who is making a bid or appointed to 22.3 perform construction work, with the relevant sections of the documented SHE specification, who would in turn provide a SHE plan for approval.
- 22.4 The Principal Contractor shall carry out inspection/audits on the contractor/subcontractor to ensure that their SHE plan is being implemented and maintained and submit audit report to TFR Representative.
- The Principal Contractor shall stop any cont 22.5 construction work which poses a threat to the safety and health of persons or the environment.
- The Contractor shall ensure that the sub-contractors appointed have the necessary 22.6 competencies and resources to perform the work safely.
- The Principal contractor will be required to submit 37(2) mandatory agreement between 22.7 the Principal Contractor and subcontractor to the TFR Contract Representative

Environmental Management 23.

- The Contractor shall identify document and comply with all pertinent Environmental laws 23.1 and associated Regulations, approvals, licenses and permits which are applicable to the Services and activities undertaken.
- Before commencement with any of the services to be rendered to TFR, the Contractor 23.2 shall make available all personnel who will be working on the specified contract to be given environmental induction training. All Contractor employees arriving on the site shall attend such induction.
- 23.3 The Contractor shall adhere to all instructions issued by Project Manager or his /her delegated person in promotion of environmental management and legal compliance.
- 23.4 The Contractor shall determine the correct positioning of topsoil stockpiling to avoid massive disturbance and prepare the topsoil for reuse during landscaping.
- 23.5 Concrete shall not be mixed directly on the ground or any other permeable surface. Should concrete batching activities occur, these should be located in the designated area on site with low environmental sensitivity levels.
- 23.6 All excess concrete shall be removed from site on completion of plastering or concrete pouring and disposed of in an environmentally acceptable manner.

Contractor Signature	Date

Uncontrolled copy when printed.

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

Date: 15 July 2015 Revision 02-00

23.7 The Contractor shall ensure that his or her employees are aware of the procedures to be followed when dealing with spills and leaks, which shall include notifying the relevant authorities and TFR as required in terms of National Environmental Management Act (NEMA), 1998 and National Water Act (NWA), 1998. The Contractor shall ensure that all necessary material and equipment required for use during clean – up/rehabilitation of spills and leaks are available on site at all times. Treatment, remediation and/or rehabilitation of contaminated areas shall be undertaken to the reasonable satisfaction of the TFR Environmental Control Officer or relevant Environmental Specialist.

- 23.8 Contractor shall be solely responsible for the control of dust generated from his or her activities. Excavation, handling and transport of erodable material shall be avoided under aggressive wind conditions or when a visible dust plume is present. If dust damping measures are deemed inadequate, working must cease until the wind speed drops to an acceptable level.
- 23.9 Construction activities generating output levels of 85 db (A) or more shall be confined to the hours 08h00 to 17h00 Mondays to Fridays (close to residential areas).
- 23.10 No on-site burying or dumping of waste material shall occur. Waste must be collected by a licensed waste transporting contractor and disposed of at a licensed disposal site.

 Disposal certificate must be made available to TPR on request.
- 23.11 Waste bins must be provided in sufficient number and capacity to store solid waste produced on a daily basis. These bins must be kept closed and emptied regularly.
- 23.12 A designated re-fuelling area (s) must be provided. The re-fuelling area must be protected from hydrocarbon spillage to the reasonable satisfaction of the TFR Environmental Control Officer or Relevant Environmental Specialist. As a minimum requirement, re-fuelling and workshop areas shall have a bunded floor surface and storm water collection mechanism. Refuelling shall always be accompanied by the use of drip trays.
- 23.13 The Contractor must notify the Project Manager immediately of any pollution incident. An incident record system shall be maintained on site for inspection by TFR and relevant authorities.
- 23.14 All vehicles and equipment's shall be kept in good working condition. All leaking equipment's shall be repaired immediately or removed from site. All vehicles and equipment shall be maintained and not emit excessive noise.
- 23.15 In case of major hydrocarbon spill or leakage as a result of equipment failure, Project Manager must be made aware of such event and the affected area must be fenced off and be cleaned immediately to the reasonable satisfaction of the TFR Environmental Control Officer to prevent contamination of soil and both surface and groundwater.
- 23.16 The Contractor shall ensure that no spillage occurs when toilets are being cleaned or emptied and that the contents are removed from site by a licensed service provider.

Contractor Signature	Date

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

- 23.17 The use of borrow pits for the construction of access roads must comply with the provisions of Minerals and Petroleum Resources Development Act of 2004 as amended and should not be located inside the border of any protected area (e.g. Nature Reserve).
- 23.18 All disturbed areas must be rehabilitated to the reasonable satisfaction of TFR Environmental Control Officer or Relevant Environmental Specialist.
- 23.19 Transportation, handling and storage of all substances classified as hazardous must comply with the provisions of the Hazardous Substances Act, 15 of 1973, relevant Regulations and SANS Codes.
- 23.20 Archaeological remains, artificial features and structures older than 60 years are protected by the Natural Heritage Resources Act, 25 of 1999. Should any archaeological artefact be exposed during construction or any contract work, such work must be stopped immediately. The TFR Environmental Control Officer must be called in for inspection and to recommend the way-forward. Under no circumstances may any artefacts be destroyed or removed from site.
- 23.21 The extraction of water for construction purposes must at all times comply with licensing requirements of Department of Water Affairs, where applicable. Extraction of water from a stream or a river requires approval.
- 23.22 Blasting work that may be required on state shall be carried out entirely within the provisions of the Explosives Act, 26 of 1966 and other relevant engineering and safety standards.
- 23.23 Office and camp sites shall be established, as far as is practicable, outside the flood plain, above the 1:50 flood level mate within the boundaries of the construction area.
- 23.24 No camp or office site shall be located closer than 100 metres from a stream, river, spring, dam or pan. <
- 23.25 The area chosen for these purposes shall be the minimum reasonably required and which will involve the least disturbance to vegetation.
- 23.26 Camps and site offices shall be fenced (where necessary) in consultation with the landowner.
- 23.27 The Project Manager or TFR Contract Representative may, at his or her discretion stop any work, activity or process not in accordance with Environmental laws and associated Regulations, approvals, licenses and permits.
- 23.28 The contractor shall preserve wild life in terms of the NEMA.

24. Operational Safety

24.1 National Railway Safety Regulator Act / Railway Safety

24.1.1	Th	e Prir	ncipal Cont	ractor sha	all ens	sure t	hat	its equipme	ent, mad	chinery	and employee	s when
	on	TFR	premises	complies	fully	with	all	applicable	railway	safety	requirements	and/or

Contractor Signature	Date
Contractor Signature	Date

Uncontrolled copy when printed.

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

Date: 15 July 2015 Revision 02-00 TFI

regulations of the National Safety Regulator Act 16 of 2002 and the relevant SANS Codes of Practice.

- 24.1.2 The Principal Contractor when engaging subcontractor must review the capability of the proposed contractor to comply with specified railway safety requirements and/or regulations.
- 24.1.3 The Principal Contractor and/or his subcontractors must grant TFR access, during the term of the contract, to review any railway safety related activities, including the coordination of such activities across all parts of the organisation.

24.2 Special Permits

24.2.1 Where special work permits are required before work may be carried out such as for e.g. hot work (welding, cutting etc.), isolation, and occupations, the Contractor shall apply to the TFR Contract Representative/Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such work permits.

24.3 Vehicle Safety

With respect to vehicles, construction vehicles and mobile plants the Contractor must ensure that:

- 24.3.1 They are of an acceptable design and construction, are maintained in a good working order and are used in accordance with their design and the intention for which they were designed
- 24.3.2 Are operated by a person who has received appropriate training, is certified competent and in possession of proof of competency and is authorised in writing to operate such vehicle and mobile plant;
- 24.3.3 Are operated by a person who has a medical certificate of fitness to operate those vehicle and mobile plant, issued by an occupational health practitioner;
- 24.3.4 Vehicles used to transport employees have seats firmly secured and adequate for the number of employees to be carried. No employees will be allowed to be transported at the back of LDV's / bakkies unless it is provided with a seat and safety belt and further that the risk assessment has indicated it to be a low risk.
- 24.3.5 Construction vehicles are fitted with structures designed to protect the operator from falling material or from being crushed should the vehicle or mobile plant overturn;
- 24.3.6 Construction vehicle must be equipped with an acoustic warning device which can be activated by the operator and an automatic acoustic reversing alarm
- 24.3.7 Construction vehicles must be inspected by the authorised operator or driver on a daily basis using a relevant checklist prior to use and that the findings of such inspection are recorded in a register kept in the construction vehicle or mobile plant.

Contractor Signature	Date

Revision 02-00

Date: 15 July 2015

- 24.3.8 No person rides or is required or permitted to ride on a construction vehicle or mobile plant otherwise than in a safe place provided thereon for that purpose.
- 24.3.9 All construction vehicles or mobile plant when not in use, have buckets, booms or similar appendages, fully lowered or blocked, controls in a neutral position, motors stopped, wheels chocked, brakes set and ignition secured.
- 24.3.10 Whenever visibility conditions warrant additional lighting, all mobile plant are equipped with at least two headlights and two taillights when in operation
- 24.3.11 Tools, material and equipment are secured and separated by means of a physical barrier in order to prevent movement when transported in the same compartment with employees.
- 24.3.12 Where applicable, also in collaboration with the TFR representative and other appropriate personnel develop a traffic management plan for the site to ensure the safe movement of all construction related mobile plant where applicable
- 24.3.13 This plan is to be reviewed at the allocated SHE meeting to ensure its applicability where applicable. Where applicable the Principal Contractor shall appoint traffic officials to manage the manoeuvre of mobile plant and vehicles on the construction site.
- 24.3.14 Those working or operating on public roads emply with the requirements of the National Road Traffic Act, 1996.

24.4 Housekeeping and general safeguarding on construction sites

- 24.4.1 Principal Contractor must ensure that suitable housekeeping is continuously implemented on each construction site
- 24.4.2 The Principal Contractor must ensure proper storage of materials and equipment and the removal of scrap, vaste and debris at appropriate intervals.
- 24.4.3 The Principal Contractor must ensure that materials required for use, are not placed on the site so as to obstruct means of access to and egress from workplaces and passageways
- 24.4.4 The Principal Contractor must ensure that materials which are no longer required for use, do not accumulate on and are removed from the site at appropriate intervals.

24.5 Hazardous Chemical Substances (HCS)

- 24.5.1 The Principal Contractor must ensure that all employees exposed to hazardous chemicals are trained on the potential source of exposure, potential risk to health caused by exposure and measures to be taken by the contractor and employees against any risk of exposure.
- 24.5.2 HCS risk assessment to be conducted and where it indicates that any employee may be exposed, the contractor shall ensure that monitoring is carried out in terms of regulation 6 and 7 of the Hazardous Chemical Substances Regulations.

Contractor Signature	Date

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Revision 02-00 Date: 15 July 2015 E.4E Transnet (15 July 2015)

- 24.5.3 Employees exposed to hazardous substances shall be under medical surveillance
- 24.5.4 Where herbicides are used, the contractor shall comply with all relevant legislative requirements pertaining to the use of herbicides and that work is undertaken under the supervision of a person with a valid certificate in Pest Control.

24.6 Stacking and Storage

- 24.6.1 The Principal Contractor shall ensure that a competent person is appointed in writing with the duty of supervising all stacking and storage.
- 24.6.2 Adequate storage areas are provided, demarcated as storage areas and are kept neat and under control.

24.7 Fire Precautions

- 24.7.1 The Principal Contractor must ensure that all appropriate measures are taken to avoid the risk of fire
- 24.7.2 Sufficient and suitable storage is provided for flammable liquids, solids and gases
- 24.7.3 Smoking is prohibited and notices in this regard are prominently displayed in all places containing readily combustible or flammable materials
- 24.7.4 In confined spaces and other places it which flammable gases, vapours or dust can cause danger only suitably protected extrical installations and equipment, including portable lights, are used, there are no times or similar means of ignition and adequate ventilation is provided.
- 24.7.5 Combustible material of other substances liable to ignite are without (ea) removed to a safe place
- 24.7.6 Welding, flame cutting and other hot work are done only after appropriate precautions have been taken to reduce the risk of fire.
- 24.7.7 Suitable and sufficient fire-extinguishing equipment is placed at strategic locations or as may be recommended by the Fire Chief or local authority concerned and that such equipment is maintained in a good working order.
- 24.7.8 The fire equipment is inspected by a competent person, who has been appointed in writing for that purpose, in the manner indicated by the manufacturer thereof
- 24.7.9 Sufficient number of employees are trained in the use of fire extinguishing equipment
- 24.7.10 There is an effective evacuation plan providing for all persons to be evacuated speedily without panic, accounted for and a siren is installed and sounded in the event of a fire.
- 24.7.11 Where appropriate, suitable visual signs are provided to clearly indicate the escape routes in the case of a fire and the means of escape is kept clear at all times.

Contractor Signature Date	
---------------------------	--

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

24.8 Site Establishment and Demarcation of the site

- 24.8.1 It is important that activities of the contractor(s) are conducted within a limited area to facilitate control and to minimize the impact on the existing natural environment and the surroundings landowners.
- 24.8.2 The Contractor shall demarcate the boundaries of the site in order to restrict construction activities to the site.
- 24.8.3 The method of demarcation and the location of the demarcated area shall be determined by the Contractor and approved by the TFR Contract Representative prior to any work being undertaken. The Contractor shall ensure that all his plant, labour and materials remain within the boundaries of the site.
- 24.8.4 Failure to do so may result in the Contractor being required to fence off the boundaries of the site at his own expense to the satisfaction of the TFR. The contractor is responsible for the safeguarding of his/her own equipment and material while on site.

24.9 Fall Protection Plan

- 24.9.1 In the event of the risk and hazard identification, as required in terms of clause 14 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
- 24.9.2 The Contractor shall implement, maintain and monitor the fall protection plan for the The contractor shall also take such steps to ensure the duration of the contract. continued adherence to the fat protection plan.
- 24.9.3 The fall protection plan shall include:-
 - (a) a risk assessment North carried out from an elevated position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions;
 - (e) rescue plan; and
 - (f) the procedure addressing the inspection, testing and maintenance of all fall protection equipment

24.10 SHE Signage (Symbolic Safety Signs) on plant and in buildings

24.10.1The Principal Contractor's employees shall comply with all SHE signage posted at various locations of TFR sites.

Contractor Signature Date

Uncontrolled copy when printed.

©Transnet SOC Ltd

Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

E.4E Transnet (15 July 2015)

24.10.2The Principal Contractor shall after occupation of the construction site ensure that appropriate SHE signs (Symbolic Safety Signs) are displayed on site

24.11 General Machinery, Tools and Equipment

Date: 15 July 2015

- 24.11.1 The Principal Contractor shall ensure that all machinery, tools and equipment are identified, numbered or tagged, listed on an inventory list,
- 24.11.2 The Principal Contractor shall ensure that all machinery, tools and equipment are safe to be used and is maintained in a good condition.
- 24.11.3 The Principal Contractor shall ensure that all machines driven by means of belts, gear wheels, chains and couplings shall be adequately guarded in such a manner that persons cannot gain inadvertent access to the moving parts.
- 24.11.4 All machinery, tools and equipment to be regularly inspected at least monthly or as required by legislation and risk assessments. Records of such inspections shall be kept on the safety file.
- 24.11.5 Where applicable machinery, tools and equipment must have the necessary approved test or calibration documentation.
- 24.11.6 The Principal Contractor shall ensure that all machinery, tools and equipment are operated by persons who have been truned to operate such machinery, tools or equipment.

24.12 Portable Electrical Tools and Explosive Power Tools

- 24.12.1The Principal Contractor shall ensure that use and storage of all explosive power tools and portable electrical tools comply with all applicable legislation.
- 24.12.2The Principal Contractor shall ensure that only trained employees are authorised to use portable electrical tools and explosive power tools
- 24.12.3 The Principal Contractor shall ensure that all portable electrical tools and explosive power tools are kept in a safe working condition.
- 24.12.4 All portable electrical tools and explosive power tools are inspected monthly by a competent person and daily before use by the operator of such tool. Records of such inspections must be kept in the safety file.
- 24.12.5 Safety signs and barriers must be erected before explosive power tools are used.
- 24.12.6 Cartridges and explosive power tools to be stored separately
- 24.12.7 Register for the issue and return of cartridges be kept in the safety file.
- 24.12.8 Users / Operators of electrical power tools and explosive power tools should be issued with suitable protective equipment

Contractor Signature	. Date

©Transnet SOC Ltd

Uncontrolled copy when printed.

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

Date: 15 July 2015 Revision 02-00 E.4E Transnet (15 July 2015)

24.13 Lifting Machine, Lifting Tackle and Suspended Loads

- 24.13.1The Principal Contractor shall ensure that lifting machine and tackle comply with Driven Machinery Regulation 18 and all other applicable legislative requirements and standards.
- 24.13.2The Principal Contractor shall ensure that lifting machine operators shall be competent to operate a lifting machine. They must be in possession of a valid permit. The training should have been done according to the Code of Practice by a provider registered by the Department of Labour.
- 24.13.3 A lock out system should be implemented to ensure that only an operator that is competent can draw lifting machines and fork lifts.
- 24.13.4 The Principal Contractor shall ensure that before using any lifting machines or tackle the operator inspect it. Records of such inspections and examinations shall be kept on the safety file.
- 24.13.5 All lifting machines shall be examined and subjected to a performance test by an accredited person/company at intervals not exceeding 12 months.
- 24.13.6 All lifting tackle should be recorded on a register and should be examined by an accredited person/company at intervals not exceeding 3 months.
- 24.13.7 All hooks shall be fitted with a safety lately atch.
- 24.13.8 All lifting tackle should be conspicuously and clearly marked with identification particulars and the maximum mass load when it is designed for.
- 24.13.9 No person shall be moved propported by means of a lifting machine unless such a machine is fitted with deradle approved by an inspector.
- 24.13.10 Rigging of loads to be done in accordance with acceptable safe work practices
- 24.13.11 Contractors and their employees shall keep out from under suspended loads, including excavators, and between a load and a solid object where they might be crushed if the load should swing or fall. They shall not pass or work under the boom or any crane or excavator.
- 24.13.12 Principal Contractors and their employees shall ensure that crane loads are not carried over the heads of any workmen.
- 24.13.13 The Principal Contractor shall ensure proper supervision in terms of guiding the load including the use of guide ropes to prevent loads from swinging and a trained person to direct lifting operations and checking the lifting tackle and attachments daily.

24.14 Hand Tools and Pneumatic Tools

24.14.1 All hand tools	(hammers, chisels,	spanners, etc)) must be recor	ded on a register and	d
inspected by	a competent perso	n on a monthly	basis as well a	is by users prior to us	se.

Contractor Signature	Date
Uncontrolled copy when printed.	

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

Date: 15 July 2015 Revision 02-00

24.14.2 All pneumatic tools should be numbered, recorded and inspected at least monthly as well as by users prior to use. And the revolutions per minutes measured in accordance with the manufacturer specifications

- 24.14.3 Tools with sharp points in tool boxes must be protected with a cover.
- 24.14.4 All files and similar tools must be fitted with handles.
- 24.14.5 The Contractor must have a policy on private and make shift tools on site.
- 24.14.6 No pneumatic tool shall be operated by using a compressed gas cylinder. Pneumatic equipment shall only draw supply from mobile air compressors or from compressed air lines installed within the premises.

24.15 Excavations, Floor Openings and Trenches

The Contractor must ensure that:

- 24.15.1 All excavation work is carried out under the supervision of a competent person who has been appointed in writing for that purpose.
- 24.15.2 Evaluation of the stability of the ground, as as is reasonably practicable, before excavation work begins.
- 24.15.3 Sufficient steps in order to prevent, as far as is reasonably practicable, any person from being buried or trapped by a fall or dislodgement of material in an excavation.
- 24.15.4 No person is permitted to work in an excavation which has not been adequately shored or braced: Provided that thering and bracing may not be necessary where the sides of the excavation are sloved to at least the maximum angle of repose measured relative to the horizontal plane or such an excavation is in stable material: Provided that permission has open given in writing by the appointed competent person upon evaluation by him or her of the site conditions.
- 24.15.5 Where any uncertainty pertaining to the stability of the soil still exists the decision from a professional engineer or a professional technologist competent in excavations is decisive and such a decision must be noted in writing and signed by both the competent person and the professional engineer or technologist, as the case may be.
- 24.15.5 The shoring or bracing used is designed and constructed in a manner that renders it strong enough to support the sides of the excavation in question.
- 24.15.6 No load, material, plant or equipment is placed or moved near the edge of any excavation where it may cause its collapse and consequently endangers the safety of any person, unless precautions such as the provision of sufficient and suitable shoring or bracing are taken to prevent the sides from collapsing;
- 24.15.7 Where the stability of an adjoining building, structure or road is likely to be affected by the making of an excavation, steps are taken to ensure the stability of such building, structure or road and the safety of persons.

Contractor Signature	Date
Contractor Signature	Date

Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

E.4E Transnet (15 July 2015)

24.15.8 Convenient and safe means of access to be provided to every excavation in which persons are required to work, and such access may not be further than six meters from the point where any worker within the excavation is working.

- 24.15.9 The location and nature of electricity, water, gas or other similar services which may in any way be affected by the work to be performed, and must before the commencement of excavation work that may affect any such service, take the steps that are necessary to render the circumstances safe for all persons involved.
- 24.15.10 Every excavation, including all bracing and shoring, is inspected by the competent person, daily, prior to the commencement of each shift; after every blasting operation; after an unexpected fall of ground; after damage to supports; and after rain in order to ensure the safety of the excavation and of persons.
- 24.15.11 The results of such inspections must be recorded in a register kept on site and made available on request to an inspector, the client, the client's agent, any other contractor or any employee.
- 24.15.12 Every excavation which is accessible to the public of which is adjacent to public roads or thoroughfares, or whereby the safety of persons may be endangered, to be adequately protected by a barrier or fence of at least one metre in height and as close to the excavation as is practicable; and provided with warning illuminants or any other clearly visible boundary indicators at pignt or when visibility is poor.
- 24.15.13 All precautionary measures stipulated for confined spaces as determined in the General Safety Regulations, 2003, are complied with by any person entering any excavation.
- 24.15.14 Where the excavation work involves the use of explosives, appoint a competent person in the use of explosives for excavation, and must ensure that a method statement is developed by that or in accordance with the applicable explosives legislation.
- 24.15.15 Warning signs to be positioned next to an excavation within which or where persons are working or carrying out inspections or tests.

24.16 Demolition Work

Date: 15 July 2015

The Contractor must ensure that:

- 24.16.1 A competent person is appointed in writing to supervise and control all demolition work on site.
- 24.16.2 Before any demolition work is carried out, and in order to ascertain the method of demolition to be used, a detailed structural engineering survey of the structure to be demolished is carried out by a competent person and that a method statement on the procedure to be followed in demolishing the structure is developed by that person.
- 24.16.3 During a demolition, the competent person must check the structural integrity of the structure at intervals determined in the method statement in order to avoid any premature collapses.

Contractor Signature Date

Date: 15 July 2015 Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

24.16.4 With regard to a structure being demolished, the Contractor shall take steps to ensure that no floor, roof or other part of the structure is overloaded with debris or material in a manner which would render it unsafe

- 24.16.5 All reasonably practicable precautions are taken to avoid the danger of the structure collapsing when any part of the framing of a framed or partly framed building is removed, or when reinforced concrete is cut.
- 24.16.6 Precautions are taken in the form of adequate shoring or other means that may be necessary to prevent the accidental collapse of any part of the structure or adjoining structure.
- 24.16.7 No person works under overhanging material or a structure which has not been adequately supported, shored or braced.
- 24.16.8 Any support, shoring or bracing used, is designed and constructed so that it is strong enough to support the overhanging material.
- 24.16.9 Where the stability of an adjoining building, structure or road is likely to be affected by demolition work on a structure, take steps to essure the stability of such structure or road and the safety of persons.
- 24.16.10 The location and nature of electricity water, gas or other similar services which may in any way be affected by the work to be performed, and must before the commencement of demolition work that may affect any such service, take the steps that are necessary to render circumstances safe for all persons involved.
- 24.16.11 Every stairwell used and every floor where work is being performed in a building being demolished, to be adequately illuminated by either natural or artificial means.
- 24.16.12 Convenient and (a)e means of access to be provided to every part of the demolition site in which persons are required to work.
- 24.16.13 A catch platform or net is erected above an entrance or passageway or above a place where persons work or pass under, or fence off the danger area if work is being performed above such entrance, passageway, or place so as to ensure that all persons are kept safe where there is a danger or possibility of persons being struck by falling objects.
- 24.16.14 No material is dropped to any point, which falls outside the exterior walls of the structure, unless the area is effectively protected.
- 24.16.15 No person may dispose of waste and debris from a high place by a chute unless the chute is adequately constructed and rigidly fastened; if inclined at an angle of more than 45 degrees to the horizontal, is enclosed on its four sides; if of the open type, is inclined at an angle of less than 45 degrees to the horizontal; where necessary, is fitted with a gate at the bottom end to control the flow of material; and discharges into a container or an enclosed area surrounded by barriers.

Contractor Signature	Date
Contractor Signature	Date

Date: 15 July 2015 Revision

24.16.16 Every chute used to dispose of rubble is designed in such a manner that rubble does not free-fall and that the chute is strong enough to withstand the force of the debris travelling along the chute.

- 24.16.17 No equipment is used on floors or working surfaces, unless such floors or surfaces are of sufficient strength to support the imposed loads.
- 24.16.18 Where a risk assessment indicates the presence of asbestos, a contractor must ensure that all asbestos related work is conducted in accordance with the Asbestos Regulations, 2001, promulgated by Government Notice No. R. 155 of 10 February 2002.
- 24.16.19 Where a risk assessment indicates the presence of lead, a contractor must ensure that all lead related work is conducted in accordance with the Lead Regulations, 2001, promulgated by Government Notice No. R.236 of 28 February 2002.
- 24.16.20 Where the demolition work involves the use of explosives, a method statement must be developed in accordance with the applicable explosives legislation, by an appointed person who is competent in the use of explosives for demolition work and all persons involved in the demolition works must adhere to demolition procedures issued by the appointed person.
- 24.16.21 All waste and debris are as soon as reaconably practicable removed and disposed of from the site in accordance with the oplicable legislation.

24.17 Electrical Equipment

The Contractor must ensure that:

- 24.17.1 Implementation and compliance with Electrical Installation Regulations, Electrical Machinery Regulations and regulation 24 of the Construction Regulations and OH&S Act.
- 24.17.2 All electrical installations, machinery and electrical work is performed in compliance with TFR Electrical Safety Instructions.
- 24.17.3 Connections are not made to any power supply without the prior written approval of the TFR Contract Representative.
- 24.17.4 All electrical machines and appliances provided by the Contractor for his own use on the Site are in a serviceable condition
- 24.17.5 Power tools used on the Site are protected by residual current devices approved by TFR Contract Representative and are double insulated.
- 24.17.6 All extension cords, portable tools and electrical plant supplied at a voltage above 32 volts are inspected, tested and tagged by a Licensed Electrician at regular monthly intervals. Details of inspections and tests are kept in Log Books available for inspection by the TFR Contract Representative or any other authorised Officer of TFR.

Contractor Signature	Date
Contractor Signature	Date

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

24.17.7 All electrical installations are inspected by the TFR Contract Representative (or his nominee) to ensure that the installation complies with the Statutory Regulations applicable to the site and TFR Electrical Safety Instructions. Any installations deemed unsatisfactory by the TFR Contract Representative should be removed by the Contractor at his expense.

- 24.17.8 Portable lights have adequate stability and are fitted with a mechanical guard to protect the lamp. Temporary festoon lighting is of the 'double insulated' type and is supported at least 2.5m above the floor, if possible. Hand lamps are of the 'all insulated' type.
- 24.17.9 All temporary light fittings are supplied from more than one final sub-circuit, with the supply from a residual current device, extra low voltage source or an isolating transformer.
- 24.17.10 The Contractor must obtain approval from the TFR Contract Representative before any of his employees or Sub-contractors commence work within three (3) metres of conductor rails or high tension wires, or where there is a possibility of equipment coming close to and/or touching a power source, and must provide suitable protective insulating barriers. For the erection of scaffolding, the distance is five (5) metres.
- 24.17.11 Only authorised persons may enter Electrical Contactor Houses, Motor Rooms, Switch Rooms, Control Rooms or Cable Ducts Should the Contractor require entering such places to carry out work, he must first obtain permission from the TFR Contract Representative and obtain a valid Permit to Work.
- 24.17.12 The Contractor's employees required to enter such electrical spaces "authorised persons", with the names entered in the TFR Authorised Persons Register, after receiving approval from the TFR Electrical Officer, or they are accompanied by an authorised person who must supervise the placement of Danger Tags and Out-of-Service Tags, as well as Electrical Isolation Permit.
- 24.17.13 Electrical equipment supply cabling distribution boards, fixed lighting and portable appliances, extension leads, welding machines, compressors, pumps and hand portable tools are inspected on a monthly basis and also by the user daily before use.
- 24.17.14 Such monthly inspection(s) are to be performed by an appropriately qualified Electrician.
- 24.17.15 Contractors working on, over, under, or adjacent to railway lines and near high voltage equipment shall comply with the TFR E7/1 Specification for Works On, Over, Under or Adjacent to Railway Lines and Near High Voltage Equipment.

24.18 Fire Safety

Date: 15 July 2015

24.18.1 The Contractor comply to the fire precautions as stipulated in the Environmental Regulations for Workplaces, 1987. On construction sites the Contractor in addition to these regulations shall comply with regulation 29 of the Construction Regulations, 2014.

Contractor Signature	Date

- 24.18.3 The Contractor shall provide adequate, regularly serviced fire fighting equipment located at strategic points on site, specific to the classes of fire likely to occur. The appropriate notices and signs must be posted up as required.
- 24.18.2 The Contractor must ensure that his personnel are trained in the use of fire extinguishers and familiarise themselves with locations of fire equipment in the vicinity of their work site.
- 24.18.3 Work areas are clear, at all times, of any material, which could fuel a fire. A thorough inspection is made of the area at the end of any working period to ensure that no material is left at the work site or any situation left in such a manner that a fire or accident could result (all machines to be turned off at main switches, and cylinders to be closed and hoses deflated).
- Electric welding, oxy-welding or cutting, or any other fire hazardous equipment is not 24.18.4 to be used inside or adjacent to electrical switch room, control room, cable duct, any electrical equipment or cables without the permission of the TFR Contract Representative.
- The Contractor must ensure that fire fighting equipment are not to be used for any 24.18.5 purpose other than their intended use.

24.19 Scaffolding

- The Principal Contractor must ensure that all scaffolding operations are carried out 24.19.1 under the supervision of a competent person and that all erectors, team leaders and inspectors are competent to carry out their work.
- 24.19.2 The Principal Contractor must ensure that scaffolding when used and erected, complies with the safety standards as per SANS 10085-1:2004 Please note that Scaffold also need to comply with CR 12 Temporary Works.
- All scaffolding equipment to be inspected and proclaimed safe to use or rectified as to 24.19.3 be safe to use after any inclement weather. Signage must be posted to indicate the status of the scaffolding.

25. Confidentiality

- The Contractor must, at all times, consider all data or information given to him or that is 25.1 required in connection with the work of the Company, as confidential and not makes unauthorized use of it.
- 25.2 He/she must ensure that such data or information is not given to any non-employee of the contractor without written consent of the TFR Project Manager.
- 25.3 The Contractor shall be aware of the confidentiality of the mentioned information and is compelled to treat it accordingly.
- The contractor must provide adequate physical protection for any confidential documents, etc, which were obtained from Transnet in connection with the contract work as well as any copies made thereof. If any documents or sketches are lost TE must be notified immediately.

Contractor Signature Date

Uncontrolled copy when printed.

Date: 15 July 2015 Re

Revision 02-00

TFR-IMS-JHB-PR0-015.1 (Attachment 7.3)

E.4E Transnet (15 July 2015)

ANNEXURE 1

SITE ACCESS CERTIFICATE

NB: Ensure that Site Access Certificate is issued to the contractor only:

- 1. After the approval of the SHEQ File
- 2. Receipt of construction work permit from Department of Labour for all construction work projects exceeding R130m or CIDB of 9

Access to :	(Area)
Name of Contractor/Builder :-	
Contract/Order No.:	
The contract works site/area described above associated works:	are made available to you for the carrying out of
In terms of your contract/order with (company)	
Period of validity of Site Access Certificate: Fr	rom to
Kindly note that you are at all times responsit for persons under your control having access	ble for the control and safety of the Works Site, and to the site.
Occupational Health and Safety Act 1993 Specification, your SHEQ Plan and all condi	nsible for compliance with the requirements of the (Act 85 of 1993) as amended, TFR E4E SHEQ itions of the Contract pertaining to the site of the ntract documents including the plans of the site or
Signed :	Date:
Depot Manager or delegated pe	erson
ACKNOWLEDGE	MENT OF RECEIPT
Name of Contractor/Builder :-	I ,
10.00	eby acknowledge and accept the duties
and obligations in respect of the Safet Occupational Health and Safety Act; Ac	ty of the site/area of Work in terms of the ct 85 of 1993.
Name :	Designation:
Signature :	Date :
Contractor Signature	Date
Uncontrolled copy when printed.	

Page 33 of 35

Date: 15 July 2015 Revision 02-00 TFR-IMS-JHB-PR0-015.1 (Attachment 7.3) E.4E Transnet (15 July 2015)

ANNEXURE 2

CONTRACTOR MONTHLY SHE REPORT

For Month/Year			Name of Contractor		
Name of Project					
Project Number		Date of	Commencement	Date of Completion	on
Number of employees	Man-h worke Month	d this	Cumulative (Project duration man- hours)	Man-hours Since last Lost Time Incident (LTI)	DIFR

1. Details of SHE Incidents

Incident	This Month	Cumulative(Project duration)	Short description of major/ significant incidents and preventative action taken
Number of			
fatalities		CO,	
Number of			
disabling incidents			
Number of Medical			
Treatment Cases		Y	
Number of first aid			
Cases	7		
Number of near	24.		
miss incidents			
Motor vehicle			
incidents			
Number of			
environmental			
incidents			
Positive substance	:		
abuse incidents			
Substandard Act/		•	
Conditions	1		
observed			
Legal violations observed			·

2. Details of SHE Meetings	
Contractor Signature	Date

Date	No of participants	Major SHE Conc	erns		Action taken
3. Details	of Audits/Inspect	tions			
Date	Area / Facility	Findings/Recon	nmendatior	IS	Action taken
				A .	
<u>5. Details</u>	of any SHE Promo	otional activities (or the mon	th.	
Date	Activity	-	10,	Remark	(S
			3		
	- 		<u>) '</u>	_	
_	Communication	VIEW	Bananta		
MO	nth Number of	afety talks held	Remarks		
Attach sepa	arate sheets for furt	her or other details			
	ontractor Represent		Signature		Date
Contractor	Signature		Dat	e	
Uncontrolle ©Transnet	ed copy when print t SOC Ltd	ed.			

Page **35** of **35**



Important Note: All potential bidders must read this document and certify in the RFX Declaration Form that that have acquainted themselves with, and agree with the content. The contract with the successful bidder will automatically incorporate this Integrity Pact as part of the final concluded contract.

INTEGRITY PACT

Between

TRANSNET SOC LTD

Registration Number: 1990/000900/30

("Transnet")

and

The Bidder / Supplier/ Service Provider / Contractor (hereinafter referred to as the "Bidder / Supplier")

PREAMBLE

Transnet values full compliance with all relevant laws and regulations, ethical standards and the principles of economical use of resources, fairness and transparency in its relations with its Bidders / Suppliers.

In order to achieve these goals, Transnet and the Bidder / Supplier hereby enter into this agreement hereinafter referred to as the "Integrity Pact" which will form part of the Bidder's / Supplier's application for registration with Transnet as a vendor.

The general purpose of this Integrity Pact is to agree on avoiding all forms of dishonesty, fraud and corruption by following a system that is fair, transparent and free from any undue influence prior to, during and subsequent to the currency of any procurement and / or reverse logistics event and any further contract to be entered into between the Parties, relating to such event.

All Bidders / Suppliers will be required to sign and comply with undertakings contained in this Integrity Pact, should they want to be registered as a Transnet vendor.

1 OBJECTIVES

- 1.1 Transnet and the Bidder / Supplier agree to enter into this integrity Pact, to avoid all forms of dishonesty, fraud and corruption including practices that are anti-competitive in nature, negotiations made in bad faith and under-pricing by following a system that is fair, transparent and free from any influence / unprejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:
 - Enable Transnet to obtain the desired contract at a reasonable and competitive price in conformity to the defined specifications of the works, goods and services; and
 - b) Enable Bidders / Suppliers to abstain from bribing or participating in any corrupt practice in order to secure the contract.

2 COMMITMENTS OF TRANSNET

Transnet commits to take all neasures necessary to prevent dishonesty, fraud and corruption and to observe the following principles:

- 2.1 Transnet hereby undertakes that no employee of Transnet connected directly or indirectly with the sourcing event and ensuing contract, will demand, take a promise for or accept directly or through intermediaries any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the Bidder, either for themselves or for any person, organisation or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to any contract.
- 2.2 Transnet will, during the registration and bidding process treat all Bidders / Suppliers with equity, transparency and fairness. Transnet will in particular, before and during the registration process, provide to all Bidders / Suppliers the same information and will not provide to any Bidders / Suppliers confidential / additional information through which the Bidders / Suppliers could obtain an advantage in relation to any bidding process.
- 2.3 Transnet further confirms that its employees will not favour any prospective bidder in any form that could afford an undue advantage to a particular bidder during the tendering stage, and will further treat all Bidders / Supplier participating in the bidding process.
- 2.4 Transnet will exclude from the bidding process such employees who have any personal interest in the Bidders / Suppliers participating in the bidding process.

3 OBLIGATIONS OF THE BIDDER / SUPPLIER

- 3.1 The Bidder / Supplier commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any ensuing contract stage in order to secure the contract or in furtherance to secure it and in particular the Bidder / Supplier commits to the following:
 - a) The Bidder / Supplier will not, directly or through any other person or firm, offer, promise or give to Transnet or to any of Transnet's employees involved in the bidding process or to any third person any material or other benefit or payment, in order to obtain in exchange an advantage during the bidding process; and
 - b) The Bidder / Supplier will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any employee of Transnet, connected directly or indirectly with the bidding process, or to any person, organisation or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 3.2 The acceptance and giving of gifts may be permitted provided that:
 - a) the gift does not exceed R1 000 (one thousand Rand) to retail value;
 - b) many low retail value gifts do not exceed R 1 200 Within a 12 month period;
 - c) hospitality packages do not exceed R5 000 in value or many low value hospitality packages do not cumulatively exceed R5 000;
 - d) a Bidder / Supplier does not give a Transhet employee more than 2 (two) gifts within a 12 (twelve) month period, irrespective of value;
 - e) a Bidder / Supplier does not accept more than 1 (one) gift in excess of R750 (seven hundred and fifty Rand) from a Transnet employee within a 12 (twelve) month period, irrespective of value:
 - f) a Bidder / Supplier may under no circumstances, accept from or give to, a Transnet employee any gift business courtesy, including an invitation to a business meal and /or drinks, or horbitality package, irrespective of value, during any bid evaluation process, including a veriod of 12 (twelve) months after such tender has been awarded, as it may be perceived as undue and improper influence on the evaluation process or reward for the contract that has been awarded; and
 - g) a Bidder / Supplier may not offer gifts, goods or services to a Transnet employee at artificially low prices, which are not available to the public at those prices.
- 3.3 The Bidder / Supplier will not collude with other parties interested in the contract to preclude a competitive bid price, impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract. The Bidder / Supplier further commits itself to delivering against all agreed upon conditions as stipulated within the contract.
- 3.4 The Bidder / Supplier will not enter into any illegal or dishonest agreement or understanding, whether formal or informal with other Bidders / Suppliers. This applies in particular to certifications, submissions or non-submission of documents or actions that are restrictive or to introduce cartels into the bidding process.
- 3.5 The Bidder / Supplier will not commit any criminal offence under the relevant anti-corruption laws of South Africa or any other country. Furthermore, the Bidder /Supplier will not use for illegitimate purposes or for restrictive purposes or personal gain, or pass on to others, any information provided by Transnet as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- 3.6 A Bidder / Supplier of foreign origin shall disclose the name and address of its agents or representatives in South Africa, if any, involved directly or indirectly in the registration or bidding process. Similarly, the Bidder / Supplier of South African nationality shall furnish the name and address of the foreign principals, if any, involved directly or indirectly in the registration or bidding process.
- 3.7 The Bidder / Supplier will not misrepresent facts or furnish false or forged documents or information in order to influence the bidding process to the advantage of the Bidder / Supplier or detriment of Transnet or other competitors.
- 3.8 The Bidder / Supplier shall furnish Transnet with a copy of its code of conduct, which code of conduct shall reject the use of bribes and other dishonest and unethical conduct, as well as compliance programme for the implementation of the code of conduct.
- 3.9 The Bidder / Supplier will not instigate third persons to commit offences outlined above or be an accessory to such offences.

4 INDEPENDENT BIDDING

- 4.1 For the purposes of that Certificate in relation to any submitted Bid, the Bidder declares to fully understand that the word "competitor" shall include any individual or organisation, other than the Bidder, whether or not affiliated with the Bidder, who
 - a) has been requested to submit a Bid in response to this Bid invitation;
 - b) could potentially submit a Bid in response to this Bid invitation, based on their qualifications, abilities or experience and
 - c) provides the same Goods and Services as the Bidder and/or is in the same line of business as the Bidder.
- 4.2 The Bidder has arrived at his submitted Bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint centure or consortium will not be construed as collusive bidding.
- 4.3 In particular, without miting the generality of paragraph 5 above, there has been no consultation, communication agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) geographical area where Goods or Services will be rendered [market allocation];
 - c) methods, factors or formulas used to calculate prices;
 - d) the intention or decision to submit or not to submit, a Bid;
 - e) the submission of a Bid which does not meet the specifications and conditions of the RFP;
 - f) bidding with the intention of not winning the Bid.
- 4.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the Goods or Services to which his/her Bid relates.
- 4.5 The terms of the Bid as submitted have not been, and will not be, disclosed by the Bidder, directly or indirectly, to any competitor, prior to the date and time of the official Bid opening or of the awarding of the contract.
- 4.6 Bidders are aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, Bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in

terms of section 59 of the Competition Act No 89 of 1998 and/or may be reported to the National Prosecuting Authority [NPA] for criminal investigation and/or may be restricted from conducting business with the public sector for a period not exceeding 10 [ten] years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

4.7 Should the Bidder find any terms or conditions stipulated in any of the relevant documents quoted in the RFP unacceptable, it should indicate which conditions are unacceptable and offer alternatives by written submission on its company letterhead, attached to its submitted Bid. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be.

5 DISQUALIFICATION FROM BIDDING PROCESS

- 5.1 If the Bidder / Supplier has committed a transgression through a violation of section 3 of this Integrity Pact or in any other form such as to put its reliability or credibility as a Bidder / Supplier into question, Transnet may reject the Bidder's / Supplier's application from the registration or bidding process and remove the Bidder / Supplier from its database, if already registered.
- 5.2 If the Bidder / Supplier has committed a transgression though a violation of section 3, or any material violation, such as to put its reliability or creditality into question. Transnet may after following due procedures and at its own discretion are exclude the Bidder / Supplier from future bidding processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, which will include amongst others the number of transgressions, the position of the transgressors within the company hierarchy of the Bidder / Supplier and the amount of the damage. The exclusion will be imposed for up to a maximum of 10 ((teh) years. However, Transnet reserves the right to impose a longer period of exclusion, depending on the gravity of the misconduct.
- 5.3 If the Bidder / Supplier carronove that it has restored the damage caused by it and has installed a suitable corruption prevention system, or taken other remedial measures as the circumstances of the case may require. Transnet may at its own discretion revoke the exclusion or suspend the imposed penalty.

6 TRANSNET'S LIST ON EXCLUDED TENDERERS (BLACKLIST)

- 6.1 All the stipulations around Transnet's blacklisting process as laid down in Transnet's Supply Chain Policy and Procurement Procedures Manual are included herein by way of reference. Below follows a condensed summary of this blacklisting procedure.
- 6.2 Blacklisting is a mechanism used to exclude a company/person from future business with Transnet for a specified period. The decision to blacklist is based on one of the grounds for blacklisting. The standard of proof to commence the blacklisting process is whether a "prima facie" (i.e. on the face of it) case has been established.
- 6.3 Depending on the seriousness of the misconduct and the strategic importance of the Goods/Services, in addition to blacklisting a company/person from future business, Transnet may decide to terminate some or all existing contracts with the company/person as well.
- 6.4 A supplier or contractor to Transnet may not subcontract any portion of the contract to a blacklisted company.
- 6.5 Grounds for blacklisting include: If any person/Enterprise which has submitted a Bid, concluded a contract, or, in the capacity of agent or subcontractor, has been associated with such Bid or contract:

- a) Has, in bad faith, withdrawn such Bid after the advertised closing date and time for the receipt of Bids;
- b) has, after being notified of the acceptance of his Bid, failed or refused to sign a contract when called upon to do so in terms of any condition forming part of the bid documents;
- has carried out any contract resulting from such bid in an unsatisfactory manner or has breached any condition of the contract;
- d) has offered, promised or given a bribe in relation to the obtaining or execution of the contract;
- e) has acted in a fraudulent or improper manner or in bad faith towards Transnet or any Government Department or towards any public body, Enterprise or person;
- f) has made any incorrect statement in a certificate or other communication with regard to the Local Content of his Goods or his B-BBEE status and is unable to prove to the satisfaction of Transnet that:
 - (i) he made the statement in good faith honestly believing it to be correct; and
 - (ii) before making such statement he took all reasonable steps to satisfy himself of its correctness:
- g) caused Transnet damage, or to incur cost in order to meet the contractor's requirements and which could not be recovered from the contractor;
- h) has litigated against Transnet in bag (aith.
- 6.6 Grounds for blacklisting include a sompany/person recorded as being a company or person prohibited from doing business with the public sector on National Treasury's database of Restricted Suppliers or Register of Tender Defaulters.
- 6.7 Companies associated with the person/s guilty of misconduct (i.e. entities owned, controlled or managed by such persons), any companies subsequently formed by the person(s) guilty of the misconduct analysis an existing company where such person(s) acquires a controlling stake may be considered for blacklisting. The decision to extend the blacklist to associated companies will be at the sole discretion of Transnet.

7 PREVIOUS TRANSGRESSIONS

- 7.1 The Bidder / Supplier hereby declares that no previous transgressions resulting in a serious breach of any law, including but not limited to, corruption, fraud, theft, extortion and contraventions of the Competition Act 89 of 1998, which occurred in the last 5 (five) years with any other public sector undertaking, government department or private sector company that could justify its exclusion from its registration on the Bidder's / Supplier's database or any bidding process.
- 7.2 If it is found to be that the Bidder / Supplier made an incorrect statement on this subject, the Bidder / Supplier can be rejected from the registration process or removed from the Bidder / Supplier database, if already registered, for such reason (refer to the Breach of Law Form contained in the applicable RFX document.)

8 SANCTIONS FOR VIOLATIONS

8.1 Transnet shall also take all or any one of the following actions, wherever required to:

- a) Immediately exclude the Bidder / Supplier from the bidding process or call off the pre-contract negotiations without giving any compensation the Bidder / Supplier. However, the proceedings with the other Bidders / Suppliers may continue;
- Immediately cancel the contract, if already awarded or signed, without giving any compensation to the Bidder / Supplier;
- c) Recover all sums already paid by Transnet;
- Encash the advance bank guarantee and performance bond or warranty bond, if furnished by the Bidder / Supplier, in order to recover the payments, already made by Transnet, along with interest;
- e) Cancel all or any other contracts with the Bidder / Supplier; and
- f) Exclude the Bidder / Supplier from entering into any bid with Transnet in future.

9 CONFLICTS OF INTEREST

- 9.1 A conflict of interest includes, inter alia, a situation in which:
 - a) A Transnet employee has a personal financial interest in a bidding / supplying entity; and
 - b) A Transnet employee has private interests or personal considerations or has an affiliation or a relationship which affects, or may affect, or may be perceived to affect his / her judgment in action in the best interest of Transnet, or could affect the employee's motivations for acting in a particular manner, or which could result in, or be perceived at favouritism or nepotism.
- 9.2 A Transnet employee uses his / her position, or privileges or information obtained while acting in the capacity as an employee for:
 - a) Private gain or advancement; or
 - b) The expectation of private gain, or advancement, or any other advantage accruing to the employee must be declared in a prescriptory form.
 - Thus, conflicts of interest of any bid committee member or any person involved in the sourcing process must be declared in a prescribed form.
- 9.3 If a Bidder / Supplier has ar necomes aware of a conflict of interest i.e. a family, business and / or social relationship between its owner(s) / member(s) / director(s) / partner(s) / shareholder(s) and a Transnet employer / member of Transnet's Board of Directors in respect of a bid which will be considered for the bid process, the Bidder / Supplier:
 - a) must disclose the interest and its general nature, in the Request for Proposal ("RFX") declaration form; or
 - b) must notify Transnet immediately in writing once the circumstances has arisen.
- 9.4 The Bidder / Supplier shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any committee member or any person involved in the sourcing process, where this is done, Transnet shall be entitled forthwith to rescind the contract and all other contracts with the Bidder / Supplier.

10 MONITORING

- 10.1 Transnet will be responsible for appointing an independent Monitor to:
 - a) Conduct random monitoring of compliance to the provisions of this Integrity Pact for contracts entered into between Transnet and the Bidder / Supplier for less than R100,000.000 (one hundred million Rand) in value;
 - b) Monitor compliance to the provisions of this Integrity Pact for contracts entered into between Transnet and the Bidder / Supplier for greater than R100,000.000 (one hundred million Rand) in value; and
 - Investigate any allegation of violation of any provisions of this Integrity Pact for contracts entered into between Transnet and the Bidder / Supplier, irrespective of value.
- 10.2 The Monitor will be subjected to Transnet's Terms of Conditions of Contract for the Provision of Services to Transnet, as well as to Transnet's Supplier Code of Conduct.

11 EXAMINATION OF FINANCIAL RECORDS, DOCUMENTATION AND/OR ELECTRONIC DATA

For the purpose of Monitoring, as stipulated above, the Monitor shall be entitled to:

a) Examine the financial records, documentation and or electronic date of the Bidder / Supplier / Transnet. The Bidder / Supplier / Transnet shall provide all requested information / documentation / data to the Monitor and shall extend all help possible for the purpose of such examination.

12 DISPUTE RESOLUTION

- 12.1 Transnet recognises that trust and good faith are pivotal to its relationship with its Bidders / Suppliers. When a dispute arises between Transnet and its Bidder / Supplier, the parties should use their best endeavours to resolve the dispute in an amicable manner, whenever possible. Litigation in bad faith negates the principles of trust and good faith on which commercial relationships are based. Accordingly, following a blacklisting process as mentioned in paragraph 6 above, Transnet will not do business with a company that litigates against it in bad faith or is involved in any action that reflects bad faith on its part. Litigation in bad faith includes, but is not limited to the following instances:
 - a) Vexatious proceedings: these are frivolous proceedings which have been instituted without proper grounds;
 - b) Perjury: where a supplier make a false statement either in giving evidence or on an affidavit;
 - c) **Scurrilous allegations:** where a supplier makes allegations regarding a senior Transnet employee which are without proper foundation, scandalous, abusive or defamatory; and
 - d) **Abuse of court process:** when a supplier abuses the court process in order to gain a competitive advantage during a bid process.

13 GENERAL

- 13.1 This Integrity Pact is governed by and interpreted in accordance with the laws of the Republic of South Africa.
- 13.2 The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the law relating to any civil or criminal proceedings.
- 13.3 The validity of this Integrity Pact shall cover all the bidding processes and will be valid for an indefinite period unless cancelled by either Party.
- 13.4 Should one or several provisions of this Integrity Pact turn out to be invalid the remainder of this Integrity Pact remains valid.
- 13.5 Should a Bidder / Supplier be confronted with dishonest, fraudulent or corruptive behaviour of one or more Transnet employees, Transnet expects its Bidders / Suppliers to report this behaviour directly to a senior Transnet official / employee or alternatively by using Transnet's "Tip-Off Anonymous" hotline number 0800 003 056, whereby your confidentiality is guaranteed.

The Parties hereby declare that each of them has read and understood the clauses of this Integrity Pact and shall abide by it. To the best of the Parties' knowledge and belief, the information provided in this Integrity Pact is true and correct.

00000000

"PREVIEW COPY ONLY"



GENERAL BID CONDITIONS - SERVICES

[March 2015]

PREVIEW COPY ONLY

TABLE OF CONTENTS

L	DEFINITIONS	3
2	GENERAL	3
3	SUBMISSION OF BID DOCUMENTS	3
4	USE OF BID FORMS	3
5	BID FEES	4
6	VALIDITY PERIOD	4
7	SITE VISIT / BRIEFING SESSION	4
8	CLARIFICATION BEFORE THE CLOSING DATE	4
9	COMMUNICATION AFTER THE CLOSING DATE	4
10	UNAUTHORISED COMMUNICATION ABOUT BIDS	4
11	POST TENDER NEGOTIATIONS	
12	RETURNABLE DOCUMENTS	5
13	DEFAULTS BY RESPONDENTS CURRENCY PRICES SUBJECT TO CONFIRMATION	5
14	CURRENCY	5
15		
16	ALTERATIONS MADE BY THE RESPONDENT TO SID PRICES	
17	EXCHANGE AND REMITTANCE	5
18		
19	NOTICE TO UNSUCCESSFUL RESPONDENTS	6
20	TERMS AND CONDITIONS OF CONTRACT	
21	CONTRACT DOCUMENTS	7
22	LAW GOVERNING CONTRACT	
23	IDENTIFICATION	7
24	CONTRACTUAL SECURITIES	7
25	DELETION OF ITEMS TO BE EXCLUDED FROM BID	8
26	VALUE-ADDED TAX	8
27	IMPORTANT NOTICE TO RESPONDENTS REGARDING PAYMENT	8
28	DELIVERY REQUIREMENTS	9
29	SPECIFICATIONS AND COPYRIGHT	
30	BIDS BY OR ON BEHALF OF FOREIGN RESPONDENTS	9
31	CONFLICT WITH BID DOCUMENT	10
רכ	TRANSMET'S LIST OF EVOLUDED TEMPEREDS (DLASSLIST)	40

1 DEFINITIONS

Where the following words or phrases are used in this Agreement, such words or phrases shall have the meaning assigned thereto in this clause, except where the context clearly requires otherwise:

- 1.1 Bid shall mean a Respondent's tendered response / proposal to a Transnet RFP or RFQ;
- 1.2 Bid Document(s) shall mean a reference to a Request for Proposal or Request for Quotation;
- 1.3 Business Day shall mean any day other than a Saturday, Sunday or public holiday;
- 1.4 Respondent(s) shall mean a respondent/bidder to a Bid Document;
- 1.5 **RFP** shall mean Request for Proposal;
- 1.6 RFQ shall mean Request for Quotation;
- 1.7 RFX shall mean RFP or RFQ, as the case may be;
- 1.8 Services shall mean the services required by Transnet as specified in its Bid Document;
- 1.9 Service Provider shall mean the successful Respondent;
- 1.10 **Tax Invoice** shall mean the document as required by Section 20 of the Value-Added Tax Act, 89 of 1991, as may be amended from time to time;
- 1.11 Transnet shall mean Transnet SOC Ltd, a State Owned Company; and
- 1.12 **VAT** shall mean Value-Added Tax in terms of the Value-Added Tax Act, 89 of 1991, as may be amended from time to time.

2 GENERAL

All Bid Documents and subsequent contracts and orders shall be subject to the following general conditions as laid down by Transnet and are to be strictly adhered to by any Respondent to this RFX.

3 SUBMISSION OF BU DOCUMENTS

- 3.1 A Bid, which shall hereinafter include reference to an RFP or RFQ, shall be submitted to Transnet no later than the closing date and time specified in accordance with the directions issued in the Bid Documents. Late Bids will not be considered.
- 3.2 Bids shall be delivered in a sealed envelope in accordance with the instructions indicated in the Bid Documents with the Bid number and subject marked on the front of the envelope.
- 3.3 The Respondent's return address must be stated on the reverse side of the sealed envelope.

4 USE OF BID FORMS

- 4.1 Where special forms are issued by Transnet for the submission of Bids, Respondents are required to submit their Bids by completion of the appropriate sections on such official forms and not in other forms or documents bearing their own terms and conditions of contract. Non-compliance with this condition may result in the rejection of a Bid.
- 4.2 Respondents must note that the original Bid forms must be completed for submission and not a reprocessed copy thereof.

4.3 Only if insufficient space has been allocated for a particular response may a Respondent submit additional information under separate cover using its company's letterhead. This must be duly cross-referenced in the RFX.

5 BID FEES

- 5.1 A non-refundable fee may be charged for Bid Documents, depending on the administrative cost of preparing and issuing such Bid Documents.
- 5.2 Only Respondents that have paid the Bid fee and provided proof of payment when submitting their Bid will be considered.

6 VALIDITY PERIOD

- 6.1 Respondents must hold their Bid valid for acceptance by Transnet at any time within the requested validity period after the closing date of the bid.
- 6.2 Respondents may be requested to extend their validity parked for a specified additional period. In such instances, Respondents will not be allowed to change any aspect of their Bid, unless they are able to demonstrate that the proposed change(s) that a direct and unavoidable consequence of Transnet's extension of the validity period.

7 SITE VISIT / BRIEFING SESSION

Respondents may be requested to attend a site visit where it is considered necessary to view the site prior to the preparation of Bids, or where Transnet deems it necessary to provide Respondents with additional information relevant to the compilation of their Bids. When such visits or sessions are indicated as compulsory in the Bid Document, Respondents are obliged to attend these meetings as failure to do so will result in their disqualification.

8 CLARIFICATION BEFORE THE CLOSING DATE

Should clarification be required on any aspect of the RFX before the closing date, the Respondent must direct such queries to the contact person identified in the Bid Document.

9 COMMUNICATION AFTER THE CLOSING DATE

After the closing date of a Bid [i.e. during the evaluation period] the Respondent may only communicate with the Chairperson or Secretary of the relevant Acquisition Council.

10 UNAUTHORISED COMMUNICATION ABOUT BIDS

Where Bids are submitted to the Secretary of an Acquisition Council, Respondents may at any time communicate with the Secretary on any matter relating to its Bid but, in the absence of written authority from the Secretary, no communication on a question affecting the subject of a Bid shall take place between Respondents or other potential service providers or any member of the Acquisition Council or official of Transnet during the period between the closing date for the receipt of the Bid and the date of the notification of the successful Respondent(s). A Bid, in respect of which any such unauthorised communication has occurred, may be disqualified.

11 POST TENDER NEGOTIATIONS

Transnet reserves the right to conduct post tender negotiations with the preferred bidder or a shortlist of preferred bidders. Should Transnet decide to conduct post tender negotiations, bidders will be requested to provide their best and final offers to Transnet based on such negotiations. A final evaluation will be conducted in terms of 80/20 or 90/10 (whichever is applicable) and the contract will be negotiated and awarded to the successful bidder(s).

12 RETURNABLE DOCUMENTS

All returnable documents listed in the RFX Documents must be submitted with Respondent's Bid. Failure to submit mandatory returnable schedules / documents will result in disqualification. Failure to submit other schedules / documents may result in disqualification.

13 DEFAULTS BY RESPONDENTS

If the Respondent, after it has been notified of the acceptance of its did fails to:

- 13.1 enter into a formal contract when called upon to do so within such period as Transnet may specify; or
- 13.2 accept an order in terms of the Bid;
- 13.3 furnish satisfactory security when called upon to do for the fulfilment of the contract; or
- 13.4 comply with any condition imposed by Transplet,

Transnet may, in any such case, without prejudice to any other legal remedy which it may have, proceed to accept any other Bid or, if it is necessary to do so, call for Bids afresh, and may recover from the defaulting Respondent any additional expense inturred by Transnet in calling for new offers or in accepting a less favourable offer.

14 CURRENCY

All monetary amounts eferred to in a Bid response must be in Rand, the currency of the Republic of South Africa [ZAR], save to the extent specifically permitted in the RFX.

15 PRICES SUBJECT TO CONFIRMATION

- 15.1 Prices which are quoted subject to confirmation will not be considered.
- 15.2 Firm prices quoted for the duration of any resulting order and/or contract will receive precedence over prices which are subject to fluctuation if this is in Transnet's best interests.

16 ALTERATIONS MADE BY THE RESPONDENT TO BID PRICES

All alterations made by the Respondent to its Bid price(s) prior to the submission of its Bid Documents must be done by deleting the incorrect figures and words where required and by inserting the correct figures and words against the items concerned. All such alterations must be initialled by the person who signs the Bid Documents. Failure to observe this requirement may result in the particular item(s) concerned being excluded in the matter of the award of the business.

17 EXCHANGE AND REMITTANCE

17.1 The Respondent should note that where the whole or a portion of the contract or order value is to be remitted overseas, Transnet shall, if requested to do so by the Service Provider, effect payment

- overseas directly to the foreign principal of such percentage of the contract or order value as may be stipulated by the Respondent in its Bid Documents.
- 17.2 It is Transnet's preference to enter into Rand-based agreements. Transnet would request, therefore, that the Respondent give favourable consideration to obtaining forward exchange cover on the foreign currency portion of the Agreement at a cost that is acceptable to Transnet to protect itself against any currency rate fluctuation risks for the duration of any resulting contract or order.
- 17.3 The Respondent who desires to avail itself of the aforementioned facility must at the time of bidding furnish the information called for in the *Exchange and Remittance* section of the Bid Documents and also furnish full details of the principals to whom payment is to be made.
- 17.4 The South African Reserve Bank's approval is required before any foreign currency payments can be made to or on behalf of Respondents.
- 17.5 Transnet will not recognise any claim for adjustment of the order and/or contract price if the increase in price arises after the date on which agreement on an overall Rand contract has been reached.
- 17.6 Transnet reserves the right to request a pro-forma invoice ax invoice in order to ensure compliance with the contract and Value-Added Tax Act no. 89 of 199 CVAT Act 1.

18 ACCEPTANCE OF BID

- 18.1 Transnet does not bind itself to accept the lowest priced or any Bid.
- 18.2 Transnet reserves the right to accept any old in whole or in part.
- 18.3 Upon the acceptance of a Bid by Transnet, the parties shall be bound by these General Bid Conditions and any contractual terms and any schedule of "Special Conditions" or otherwise which form part of the Bid Documents.
- 18.4 Where the Respondent has been informed by Transnet per fax message or email of the acceptance of its Bid, the activated gement of receipt transmitted shall be regarded as proof of delivery to the Respondent.

19 NOTICE TO UNSUCCESSFUL RESPONDENTS

Unsuccessful Respondents shall be advised in writing that their Bids have not been accepted as soon as possible after the closing date of the Bid. On award of business to the successful Respondent all unsuccessful Respondents shall be informed of the name of the successful Respondent and of the reason as to why their Bids have not been successful.

20 TERMS AND CONDITIONS OF CONTRACT

- 20.1 The Service Provider shall adhere to the Terms and Conditions of Contract issued with the Bid Documents, together with any schedule of "Special Conditions" or otherwise which form part of the Bid Documents.
- 20.2 Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer amendments/ alternatives by written submission on its company letterhead. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed amendments/ alternative(s) are acceptable or otherwise, as the case may be.

21 CONTRACT DOCUMENTS

- 21.1 The contract documents will comprise these General Bid Conditions, the Terms and Conditions of Contract and any schedule of "Special Conditions" which form part of the Bid Documents.
- 21.2 The abovementioned documents together with the Respondent's Bid response will constitute the contract between the parties upon receipt by the Respondent of Transnet's letter of award / intent, subject to all additional amendments and/or special conditions thereto as agreed to by the parties.
- 21.3 Should Transnet inform the Respondent that a formal contract will be signed, the abovementioned documents together with the Respondent's Bid response [and, if any, its covering letter and any subsequent exchange of correspondence] as well as Transnet's Letter of Acceptance/Intent, shall constitute a binding contract until the final contract is signed.

22 LAW GOVERNING CONTRACT

The law of the Republic of South Africa shall govern the contract created by the acceptance of a Bid. The domicilium citandi et executandi shall be a place in the Republit of South Africa to be specified by the Respondent in its Bid at which all legal documents may be served on the Respondent who shall agree to submit to the jurisdiction of the courts of the Republic of South Africa. A foreign Respondent shall, therefore, state in its Bid the name of its authorised representative in the Republic of South Africa who is empowered to sign any contract which may be extered into in the event of its Bid being accepted and to act on its behalf in all matters relating to the contract.

23 IDENTIFICATION

If the Respondent is a company, the fun names of the directors shall be stated in the Bid. If the Respondent is a close corporation, the full names of the members shall be stated in the Bid. If the Respondent is a partnership or an individual trading under a trade name, the full names of the partners or of such individual, as the case may be, shall be furnished.

24 CONTRACTUAL SECURITIES

- 24.1 The successful Respondent, when called upon to do so, shall provide security to the satisfaction of Transnet for the due fulfilment of a contract or order. Such security shall be in the form of an advanced payment guarantee [APG] and/or a performance bond [Performance Bond], as the case may be, to be furnished by an approved bank, building society, insurance or guarantee corporation carrying on business in South Africa.
- 24.2 The security may be applied in whole or part at the discretion of Transnet to make good any loss or damage which Transnet may incur in consequence of a breach of the contract or any part thereof.
- 24.3 Such security, if required, shall be an amount which will be stipulated in the Bid Documents.
- 24.4 The successful Respondent shall be required to submit to Transnet or Transnet's designated official the specified security document(s) within 30 [thirty] calendar days from the date of signature of the contract. Failure to return the securities within the prescribed time shall, save where prior extension has been granted, entitle Transnet without notice to the Service Provider to cancel the contract with immediate effect.
- 24.5 Additional costs incurred by Transnet necessitated by reason of default on the part of the Service Provider in relation to the conditions of this clause 24 will be for the account of the Service Provider.

25 DELETION OF ITEMS TO BE EXCLUDED FROM BID

The Respondent must delete items for which it has not tendered or for which the price has been included elsewhere in its Bid.

26 VALUE-ADDED TAX

- 26.1 In respect of local Services, i.e. Services to be rendered in the Republic of South Africa, the prices quoted by the Respondent are to be exclusive of VAT which must be shown separately at the standard rate on the Tax Invoice.
- 26.2 In respect of foreign Services rendered:
 - a) the invoicing by a South African Service Provider on behalf of its foreign principal rendering such Service represents a Service rendered by the principal; and
 - b) the Service Provider's Tax Invoice(s) for the local portion only [i.e. the "commission" for the Services rendered locally] must show the VAT separately.

27 IMPORTANT NOTICE TO RESPONDENTS REGARDING PAYMENT

27.1 Method of Payment

- a) The attention of the Respondent is directed to the Terms and Conditions of Contract which set out the conditions of payment on which Bid price(s) shall be based.
- b) However, in addition to the aforeoling the Respondent is invited to submit offers based on alternative methods of payment and/or financing proposals.
- c) The Respondent is equited to give full particulars of the terms that will be applicable to its alternative offer(s), and the financial merits thereof will be evaluated and taken into consideration when the Bid is adjudicated.
- d) The Reproduent must, therefore, in the first instance, tender strictly in accordance with clause 27.1a) above. Failure to comply with clause 27.1a) above may preclude a Bid from further consideration.

NOTE: The successful Respondent [the **Service Provider**], where applicable, shall be required to furnish a guarantee covering any advance payments, as set out in clause 24 above [Contractual Securities].

27.2 Conditional Discount

Respondents offering prices which are subject to a conditional discount applicable for payment within a specific period are to note that the conditional period will be calculated from the date of receipt by Transnet of the Service Provider's month-end statement reflecting the relevant Tax Invoice(s) for payment purposes, provided the conditions of the order or contract have been fulfilled and the Tax Invoice is correct in all respects in terms of the contract or order. Incomplete and/or incorrect Tax Invoices shall be returned and the conditional discount period will be recalculated from the date of receipt of the correct documentation.

28 DELIVERY REQUIREMENTS

28.1 Period Contracts

It will be a condition of any resulting contract/order that the delivery period embodied therein will be governed by the provisions of the Terms and Conditions of Contract.

28.2 Progress Reports

The Service Provider may be required to submit periodical progress reports with regard to the delivery of the Services.

28.3 Emergency Demands as and when required

If, due to unforeseen circumstances, the rendering of the Services covered by the Bid are required at short notice for immediate delivery, the Service Provider will be given first right of refusal for such business. If it is unable to meet the desired critical delivery period, Transnet reserves the right to purchase such services as may be required to meet the emergency outside the contract if immediate delivery can be offered from any other source. The "Total of Partial Failure to Perform the Scope of Services" section in the Terms and Conditions of Contract will not be applicable in these circumstances.

29 SPECIFICATIONS AND COPYRIGHT

29.1 Specifications

The Respondent should note that, inless notified to the contrary by Transnet or a designated official by means of an official amendment to the Bid Documents, it is required to tender for the Services strictly in accordance with the specifications supplied by Transnet.

29.2 Copyright

Copyright in plans, drawings, diagrams, specifications and documents compiled by the Service Provider for the purpose of contract work shall be governed by the *Intellectual Property Rights* section in the Terms and Conditions of Contract.

30 BIDS BY OR ON BEHALF OF FOREIGN RESPONDENTS

- 30.1 Bids submitted by foreign principals may be forwarded directly by the principals or by its South African representative or agent to the Secretary of the Acquisition Council or to a designated official of Transnet according to whichever officer is specified in the Bid Documents.
- 30.2 In the case of a representative or agent, written proof must be submitted to the effect that such representative or agent has been duly authorised to act in that capacity by the principal. Failure to submit such authorisation by the representative or agent shall disqualify the Bid.
- 30.3 When legally authorised to prepare and submit Bids on behalf of their principals not domiciled in the Republic of South Africa, representatives or agents must compile the Bids in the names of such principals and sign them on behalf of the latter.
- 30.4 South African representatives or agents of a successful foreign Respondent must when so required enter into a formal contract in the name of their principals and must sign such contract on behalf of the latter. In every such case a legal Power of Attorney from their principals must be furnished to Transnet by the South African representative or agents authorising them to enter into and sign such contract.

- a) Such Power of Attorney must comply with Rule 63 [Authentication of documents executed outside the Republic for use within the Republic] of the Uniform Rules of Court: Rules regulating the conduct of the proceedings of the several provincial and local divisions of the Supreme Court of South Africa.
- b) The Power of Attorney must be signed by the principal under the same title as used in the Bid Documents.
- c) If a Power of Attorney held by the South African representative or agent includes matters of a general nature besides provision for the entering into and signing of a contract with Transnet, a certified copy thereof should be furnished.
- d) The Power of Attorney must authorise the South African representative or agent to choose the domicilium citandi et executandi as provided for in the Terms and Conditions of Contract.
- 30.5 If payment is to be made in South Africa, the foreign Service Provider [i.e. the principal, or its South African agent or representative], must notify Transnet in writing whether, for payment by electronic funds transfer [EFT]:
 - a) funds are to be transferred to the credit of the folioign Service Provider's account at a bank in South Africa, in which case the name and prairch of such bank shall be furnished; or
 - b) funds are to be transferred to the credit of its South African agent or representative, in which case the name and branch of such bank shall be furnished.

31 CONFLICT WITH BID DOCUMENT

Should a conflict arise between these General Bid Conditions and the Bid Document issued, the conditions stated in the Bid Document shall prevail.

32 TRANSNET'S LIST OF EXCLUDED TENDERERS (BLACKLIST)

- 32.1 All the stipulations around Transnet's blacklisting process as laid down in Transnet's Supply Chain Policy and Procurement Procedures Manual are included herein by reference. Below follows a condensed summary of this blacklisting procedure.
- 32.2 Blacklisting is a mechanism used to exclude a company/person from future business with Transnet for a specified period. The decision to blacklist is based on one of the grounds for blacklisting. The standard of proof to commence the blacklisting process is whether a "prima facie" (i.e. on the face of it) case has been established.
- 32.3 Depending on the seriousness of the misconduct and the strategic importance of the Goods/Services, in addition to blacklisting a company/person from future business, Transnet may decide to terminate some or all existing contracts with the company/person as well.
- 32.4 A supplier or contractor to Transnet may not subcontract any portion of the contract to a blacklisted company.
- 32.5 Grounds for blacklisting include: If any person/Enterprise which has submitted a Bid, concluded a contract, or, in the capacity of agent or subcontractor, has been associated with such Bid or contract:
 - a) Has, in bad faith, withdrawn such Bid after the advertised closing date and time for the receipt of Bids;

- b) has, after being notified of the acceptance of his Bid, failed or refused to sign a contract when called upon to do so in terms of any condition forming part of the bid documents;
- c) has carried out any contract resulting from such bid in an unsatisfactory manner or has breached any condition of the contract;
- d) has offered, promised or given a bribe in relation to the obtaining or execution of the contract;
- e) has acted in a fraudulent or improper manner or in bad faith towards Transnet or any Government Department or towards any public body, Enterprise or person;
- f) has made any incorrect statement in a certificate or other communication with regard to the Service or his B-BBEE status and is unable to prove to the satisfaction of Transnet that:
 - (i) he made the statement in good faith honestly believing it to be correct; and
 - (ii) before making such statement he took all reasonable steps to satisfy himself of its correctness:
- g) caused Transnet damage, or to incur costs in order to meet the contractor's requirements and which could not be recovered from the contractor;
- h) has litigated against Transner in bad faith.
- Transnet recognizes that trust and good faith are pivotal to its relationship with its suppliers. When a dispute arises between Transnet and its supplier, the parties should use their best endeavours to resolve the dispute in an anicable manner, whenever possible. Litigation in bad faith negates the principles of trust and good faith on which commercial relationships are based. Accordingly, Transnet will not do business with a company that litigates against it in bad faith or is involved in any action that reflects bad faith on its part. Litigation in bad faith includes, but is not limited to the following instances:
 - a) Vexatious proceedings. These are frivolous proceedings which have been instituted without proper grounds;
 - b) Perjury. Where a supplier commits perjury either in giving evidence or on affidavit;
 - c) Scurrilous allegations. Where a supplier makes allegations regarding a senior Transnet employee which are without a proper foundation, scandalous, abusive or defamatory.
 - d) Abuse of court process. When a supplier abuses the court process in order to gain a competitive advantage during a bid process.
- 32.7 Where any person or Enterprise has been found guilty by a court of law, tribunal or other administrative body of a serious breach of any law, during the preceding 5 Years, such person/Enterprise may also be blacklisted. Serious breaches of the law would include but are not limited to corruption, fraud, theft, extortion, or contraventions of the Competition Act 89 of 1998 (e.g. collusive tendering). This process excludes minor convictions such as traffic offences or personal disagreements between parties which have no bearing on the business operations of the person or Enterprise.

- 32.8 Grounds for blacklisting include a company/person recorded as being a company or person prohibited from doing business with the public sector on National Treasury's database of Restricted Suppliers or Register of Tender Defaulters.
- 32.9 Companies associated with the person/s guilty of misconduct (i.e. entities owned, controlled or managed by such persons), any companies subsequently formed by the person(s) guilty of the misconduct and/or an existing company where such person(s) acquires a controlling stake may be considered for blacklisting. The decision to extend the blacklist to associated companies will be at the sole discretion of Transnet.
- 32.10 Any person or enterprise or company against whom a decision to blacklist has been taken, may make representations to the Chief Financial Officer of Transnet SOC Ltd, whose decision shall be final.

ONLY CORY ONLY