



Transnet Freight Rail, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30

[Hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No BLE/52191

**FOR THE SUPPLY OF: REPLACE ASBESTOS ROOF ELEMENTS AT VARIOUS
TRANSNET ASSETS AT BOTRIVER STATION.**

ISSUE DATE: 30 SEPTEMBER 2013

CLOSING DATE: 15 October 2013

CLOSING TIME: 10:00

"PREVIEW COPY ONLY"

SCHEDULE OF DOCUMENTS

REPLACE ASBESTOS ROOF ELEMENTS AT VARIOUS TRANSNET ASSETS AT BOTRIVER STATION

tion

1. Notice to Bidders
2. Quotation Form
3. Standard Term and conditions for the supply of Goods and/or Services to Transnet
4. General bid conditions – (Services)
5. Standard Terms and Conditions of Conditions of Contract (Services)
6. Supplier Declaration Form (SDF)

Annexure:

- Annexure A – special conditions
- Annexure B – price list
- E7/1 – Specification for General Work and works on, over, under or adjacent to Railway lines near high voltage equipment

Respondent's Signature

Date & Company Stamp

Section 1
NOTICE TO BIDDERS

- i) On or after **30 September 2013** the RFQ documents are obtainable from the office of **Transnet Freight Rail, Supply Chain Services, Tender Support Office, 6th Floor, Transnet Park Building, Off Robert Sobukwe Road (Old Modderdam Road) , Bellville** on payment of an amount of **R150,00** (vat inclusive) per set. **(Payment is to be made to Transnet Freight Rail, Standard bank Account Number 203158598 and Branch Code 004805)**. The deposit slip must reflect as reference: **RFQ BLE/52491** and your **company name**. Receipt/proof of payment to be presented prior to collection of RFQ's. No Proof of payment no RFQ document)

Note: This amount is not refundable. RFQ documents will only be available until 14h00 on 8 October 2013.

- ii) A compulsory briefing session will be conducted **on site at Botriver Station on 10 October 2013** at 10h00 for a period of 1 hour. (Respondent to provide own transportation and accommodation).

Respondents failing to attend the compulsory briefing session will be disqualified.

Respondents without a valid RFQ document in their possession will not be allowed to attend the briefing session.

The briefing session will start punctually at 10h00.

Site inspection: viewing of the actual sites will be discussed at the Briefing session.

Safety on site: Reflective Jackets and Safety Shoes to be worn when visiting the site. Without the safety clothing and depending on the environment you will be entering, respondent(s) won't be allowed at the various sites if safety apparel is required.

- iii) Quotations which must be completed as indicated in section 2 of this RFQ are to be submitted as follows;

Method for delivery instructions: a) post, b) hand delivery and/or courier.

CLOSING VENUE: Refer to options below.

- A) **If posted**, the envelope must be addressed as below and must be dispatched in time for sorting by the Post Office to reach the Secretary before the closing time of the RFQ.

B)

<p style="text-align: center;">THE SECRETARIAT ACQUISITION COUNCIL P.O. BOX 2986 BELLVILLE</p>
--

7535

- C) If delivered by hand or by courier, the envelope is to be deposited in the Transnet tender box and should be addressed as follow:

<p>THE SECRETARIAT ACQUISITION COUNCIL GROUND FLOOR TRANSNET PARK BUILDING ROBERT SOBUKWE ROAD BELLVILLE</p>

IT SHOULD ALSO BE NOTED THAT THE ABOVE TENDER BOX IS LOCATED AT THE MAIN ENTRANCE AND IS ACCESSIBLE TO THE PUBLIC 24 HOURS PER DAY, 7 DAYS A WEEK.

1 Responses to RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

2 Broad-Based Black Economic Empowerment [B-BBEE]

Transnet fully endorses and supports the Government's Broad-Based Black Economic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

2.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- In this RFQ, Transnet will apply the 80/20 preference point system prescribed in the PPPFA.
- Proposals will be evaluated on price which will be allocated 80 points and preference which will be allocated 20 points.
- The 80/20 preference point system applies where the acquisition of the Services will be less than R1 000 000.00. However, if the 80/20 preference point system is stipulated in this RFQ and all Bids received exceed R1 000 000.00, the RFQ will be cancelled.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

Respondent's Signature

Date & Company Stamp

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.

Enterprises will be rated by such agencies based on the following:

- a) **Large Enterprises** [i.e. annual turnover greater than R35 million]:
 - Rating level based on all seven elements of the B-BBEE scorecard
- b) **Qualifying Small Enterprises – QSE** [i.e. annual turnover between R5 million and R35 million]:
 - Rating based on any four of the elements of the B-BBEE scorecard
- c) **Exempted Micro Enterprises – EME** [i.e. annual turnover less than R5 million]:

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of B-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transnet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSEs, or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of **20 [twenty] points** to the Respondent's final score based on an entity's B-BBEE scorecard rating. [Refer **Annexure A – B-BBEE Preference Points Claim Form** for further details].

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated for B-BBEE.

[Refer clause 18 below for Returnable Documents required]

3. Communication

- a) Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.
- b) A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name: Doepie du Preez

Email: Doepie.dupreez@transnet

Respondent's Signature

Date & Company Stamp

- c) Respondents may also, at any time after the closing date of the RFQ, communicate with Carol Swan on any matter relating to its RFQ response:

Telephone 021 940-3826

Email Carol.swan@transnet.net

4 Tax Clearance

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission may result in disqualification.

5 VAT Registration

The valid VAT registration number must be stated here: _____ [if applicable].

6 Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

7 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

8 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

9 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considered.

10 Negotiations

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

11 Binding Offer

Any quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

12 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced Quotation;
- reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;

Respondent's Signature

Date & Company Stamp

- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to breaches of the Competition Act 89 of 1998. Respondents are required to indicate below whether or not they have been found guilty of a serious breach of law during the past 5 [five] years:

I/We _____ do hereby certify that I/we **have/have not been** found guilty during the preceding 5 [five] years of a serious breach of law, including but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other administrative body. The type of breach that the Respondent is required to disclose excludes relatively minor offences or misdemeanours, e.g. traffic offences.

Where found guilty of such a serious breach, please disclose:

NATURE OF BREACH:

DATE OF BREACH: _____

Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent from the bidding process, should that person or entity have been found guilty of a serious breach of law, tribunal or regulatory obligation.

13 Evaluation Criteria

Transnet will utilize the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- **Administrative responsiveness** - Completeness of response and returnable documents
- **Registered asbestos contractor** – supply certificate
- **Asbestos dumping certificate** – supply certificate
- Weighted evaluation based on 80/20 preference point system as indicated in paragraph 2 above:
 - Pricing and price basis [firm] - whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical
 - B-BBEE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

¹ Only unconditional discounts will be taken into account during evaluation. A discount which has been offered conditionally will, despite not being taken into account for evaluation purposes, be implemented when payment is effected.

Respondent's Signature

Date & Company Stamp

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

14 Validity Period

Transnet desires a validity period of 30 [thirty] days from the closing date of this RFQ.
This RFQ is valid until _____.

15 Banking Details

BANK: _____
BRANCH NAME / CODE: _____
ACCOUNT HOLDER: _____
ACCOUNT NUMBER: _____

16 Company Registration

Registration number of company / C.C. _____
Registered name of company / C.C. _____

17 Disclosure of Prices Quoted

Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other Respondents:

YES NO

18 Returnable Documents

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

- a) Respondents are required to submit with their Quotations the **Returnable Documents**, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ may result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these Returnable Documents by so indicating [Yes or No] in the table below:

Respondent's Signature

Date & Company Stamp

Returnable Documents	Submitted [Yes or No]
SECTION 1 : Notice to Bidders	
<ul style="list-style-type: none"> - Valid B-BBEE Verification Certificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard 	
<ul style="list-style-type: none"> - Valid B-BBEE certificate from auditor, accounting officer or SANAS accredited Verification Agency [RSA EMES] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard 	
<ul style="list-style-type: none"> - In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement 	
SECTION 2 : Quotation Form	
SECTION 3: Vendor Application Form	
<ul style="list-style-type: none"> • Original cancelled cheque or bank verification of banking details 	
<ul style="list-style-type: none"> • Certified copies of IDs of shareholder/directors/members [as applicable] 	
<ul style="list-style-type: none"> • Certified copy of Certificate of Incorporation [C129/CM9 name change] 	
<ul style="list-style-type: none"> • Certified copy of share certificates [CK1/CK2 if C.C.] 	
<ul style="list-style-type: none"> • Entity's letterhead 	
<ul style="list-style-type: none"> • Certified copy of VAT Registration Certificate [RSA entities only] 	
<ul style="list-style-type: none"> • Certified copy of valid Company Registration Certificate [if applicable] 	
<ul style="list-style-type: none"> • Original valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party] 	
ANNEXURE A – B-BBEE Preference Points Claim Form	

b) In addition to the requirements of paragraph a) above, Respondents are further requested to submit with their Proposals the following **additional documents** as detailed below.

Please confirm submission of these additional documents by so indicating [Yes or No] in the table below:

ADDITIONAL DOCUMENTS	SUBMITTED [Yes or No]
----------------------	--------------------------

Respondent's Signature

Date & Company Stamp

Section 2

QUOTATION FORM

I/We _____
hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods or Services to Transnet [available on request]; and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence] together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and/or having to accept any less favourable offer.

Price Schedule

Please see Annexure B:

Notes to Pricing:

- All Prices must be quoted in South African Rand, exclusive of VAT
- To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

Respondent's Signature

Date & Company Stamp

Section 3

STANDARD TERMS AND CONDITIONS FOR THE SUPPLY OF GOODS OR SERVICES TO TRANSNET

A Supplier/Service Provider shall be obliged to adhere to the Standard Terms and Conditions for the Supply of Goods and Services to Transnet as expressed hereunder. Should the Respondent find any condition(s) unacceptable, it should indicate which condition(s) is/are unacceptable and offer an alternative(s). A Quotation submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by Transnet's Legal Counsel, prior to consideration for an award of business.

1 SOLE AGREEMENT

Unless otherwise agreed in writing, these terms [Terms and each Term] and Transnet's purchase order(s) [Order or Orders] represent the only conditions upon which Transnet SOC Ltd [Transnet] procures goods or services specified in the Order [collectively, the Products] from the person to whom the Order is addressed [the Supplier/Service Provider]. Transnet does not accept any other conditions which the Supplier/Service Provider may specify, unless otherwise agreed to by Transnet in writing. In the event of any inconsistency between these Terms and any Order, these Terms shall take precedence.

2 CONFORMITY WITH ORDER

Products/Services shall conform strictly with the Order. The Supplier/Service Provider shall not vary the quantities specified and/or the specification, if any, stipulated in the Order, without the prior written consent of Transnet. The Supplier/Service Provider warrants that the Products/Services shall be fit for their purpose and of satisfactory quality.

3 DELIVERY AND TITLE

3.1 The delivery dates and addresses are those in the Order. Time shall be of the essence in respect of the Supplier's/Service Provider's obligations under the Order.

3.2 The Supplier/Service Provider will not be excused for delay in delivery or performance except due to circumstances outside its control and then only subject to the Supplier/Service Provider having notified Transnet in writing on becoming aware of such circumstances. Transnet may terminate an Order in whole or in part, without incurring any liability to the Supplier/Service Provider if such a delay becomes, in Transnet's absolute opinion, significant.

3.3 If on delivery, the Products/Services do not conform to the Order, Transnet may reject the Products/Services and the Supplier/Service Provider shall promptly rectify any defects or in Transnet's opinion, supply appropriate replacement Products/Services at the Supplier's/Service Provider's expense within the specified delivery times, without any liability due by Transnet.

4 PRICE AND PAYMENT

4.1 Prices specified in an Order cannot be increased. Payment for the Products/Services shall be made by Transnet against an original undisputed invoice(s) [a Tax Invoice], supporting documentation and month-end statement from the Supplier/Service Provider. Tax Invoices plus supporting documentation shall be posted to the address shown in the Order.

Respondent's Signature

Date & Company Stamp

4.2 Payment of the Supplier's/Service Provider's valid Tax Invoice(s) will be made by Transnet in the South African currency and on the terms stated in the Order, the standard payment terms being 30 [thirty] days from date of receipt by Transnet of a month-end statement, unless otherwise agreed to in writing. Transnet shall arrange for payment of such Tax Invoices and any pre-authorised additional expenses incurred, provided that the authorised expenses are supported by acceptable documentary proof of expenditure incurred [where this is available]. Any amounts due in terms of these Terms shall be paid to the Supplier/Service Provider, taking into account any deduction or set-off and bank charges.

5 PROPRIETARY RIGHTS LIABILITY

If any allegations should be made or any claim asserted against Transnet that ownership of, or any act or omission by Transnet in relation to Products/Services or any written material provided to Transnet relating to any Products/Services or pursuant to an Order being a violation or infringement of any third party's contractual, industrial, commercial or intellectual property rights including but not limited to any patent, registered design, design right, trade mark, copyright or service mark or any application thereof, the Supplier/Service Provider hereby indemnifies Transnet against and holds it harmless from any and all losses, liabilities, costs, claims, damages and expenses [including any legal fees] arising directly or indirectly from such allegation or claim provided that this indemnity shall not apply where the allegation or claim arises solely as a result of the Supplier/Service Provider following a design or process originated and furnished by Transnet. The Supplier/Service Provider shall either

- a) procure for Transnet the right to continue using the infringing Products; or
- b) modify or replace the Products/Services so that they become non-infringing,

provided that in both cases the Products/Services shall continue to meet Transnet's requirements and any specifications stipulated in the Order. Should neither option be possible, the Supplier/Service Provider may remove, with Transnet's prior written consent, such Products/Services and will pay to Transnet a sum equivalent to the purchase price. If Transnet refuses to give such consent, the Supplier/Service Provider shall have no liability in respect of any continued use of the infringing Products/Services after Supplier's/Service Provider's prior written request to remove the same.

6 PROPRIETARY INFORMATION

All information which Transnet has divulged or may divulge to the Supplier/Service Provider and any information relating to Transnet's business which may have come into the Supplier's/Service Provider's possession whilst carrying out an Order, and the existence of the Order, shall be treated by the Supplier/Service Provider as confidential information and shall not, without Transnet's prior written consent, be disclosed to any third party, or be used or copied for any purposes other than to perform the Order. This clause does not apply to information which is public knowledge or available from other sources other than by breach of this Term. Upon request by Transnet, the Supplier/Service Provider shall return all materials issued pursuant to the Order and, pending this, shall protect Transnet's rights in any such materials. Such confidential information shall at all material times be the property of Transnet.

Respondent's Signature

Date & Company Stamp

7 PUBLICITY

The Supplier/Service Provider shall not name Transnet or use its trademarks, service marks [whether registered or not] or Products in connection with any publicity without Transnet's prior written consent.

8 TERMINATION OF ORDER

- 8.1 Transnet may cancel an Order in whole or in part at any time upon at least 7 [seven] days' written notice to the Supplier/Service Provider, or when there is a change in control of the Supplier/Service Provider or the Supplier/Service Provider commits any serious breach or any repeated or continued material breach of its obligations under these Terms and/or Order or shall have been guilty of conduct tending to bring itself into disrepute, on written notice to the Supplier/Service Provider when such work on the Order shall stop.
- 8.2 Transnet shall pay the Supplier/Service Provider a fair and reasonable price for justified work in progress, where such price reflects only those costs not otherwise recoverable by the Supplier/Service Provider, at the time of termination, and the Supplier/Service Provider shall give Transnet full assistance to check the extent of such work in progress. Payment of such price shall be in full and final satisfaction of any claims arising out of such termination and upon such payment the Supplier/Service Provider shall deliver to Transnet all work, including any materials, completed or in progress. The sum payable to the Supplier/Service Provider under this clause will not in any event exceed the total amount that would have been payable to the Supplier/Service Provider had the Order not been terminated.
- 8.3 In the event of termination the Supplier/Service Provider must submit all claims within 2 [two] months of termination after which time claims will only be met in what Transnet considers exceptional circumstances.
- 8.4 If the Goods/Services are not provided in accordance with an Order, the Order shall be deemed terminated and the Supplier/Service Provider shall compensate Transnet for any costs incurred in obtaining substitute Products or any damage caused due to the failure or delay in the delivery.

9 ACCESS

The Supplier/Service Provider shall be liable for the acts, omissions and defaults of its personnel or agents who, for the purposes of the Order, shall be treated as if they are the Supplier's/Service Provider's employees. The Supplier/Service Provider shall ensure that any such personnel or agents, whilst on Transnet's premises, shall comply with Transnet's health and safety, security and system security rules and procedures as and where required.

10 WARRANTY

The Supplier/Service Provider warrants that it is competent to supply the Products/Services in accordance with these Terms to the reasonable satisfaction of Transnet and that all Products/Services delivered under the Order: (a) conform and comply in all relevant legislation, standards, directives and orders related to [inter alia] the Products/Services in force at the time of delivery, and to any specifications referred to in the Order; (b) will not cause any deterioration in the functionality of any Transnet equipment; and (c) do not infringe any third party rights of any kind. The Supplier/Service Provider hereby indemnifies Transnet against all losses, liabilities, costs, claims, damages, expenses and awards of any kinds incurred or made against Transnet in connection with any breach of this warranty.

Respondent's Signature

Date & Company Stamp

11 INSOLVENCY

If the Supplier/Service Provider shall have a receiver, manager, administrator, liquidator or like person appointed over all or any part of its assets or if the Supplier/Service Provider compounds with its creditors or passes a resolution for the winding up or administration of the Supplier/Service Provider, Transnet is at liberty to terminate the Order or Orders forthwith, or at its option, to seek performance by any such appointed person.

12 ASSIGNMENT

The Supplier/Service Provider shall not assign its obligations under an Order without Transnet's prior written consent, which consent shall not be unreasonably withheld or delayed.

13 NOTICES

Notices under these Terms shall be delivered by hand to the relevant addresses of the parties in the Order or may be served by facsimile or by email, in which event notice shall be deemed served on acknowledgement of receipt by the recipient.

14 LAW

Orders shall be governed by and interpreted in accordance with South African law and any disputes arising herein shall be subject to South African arbitration under the rules of the Arbitration Foundation of South Africa, which rules are deemed incorporated by reference to this clause. The reference to arbitration shall not prevent Transnet referring the matter to any South African courts, having jurisdiction, to which the Supplier/Service Provider hereby irrevocably submits but without prejudice to Transnet's right to take proceedings against the Supplier/Service Provider in other jurisdictions and/or obtaining interim relief on an urgent basis from a court of competent jurisdiction pending the decision in other courts or from instituting in any court of competent jurisdiction any proceedings for an interdict or any other injunctive relief. If the Supplier/Service Provider does not have a registered office in the South Africa it will at all times maintain an agent for service of process in South Africa and shall give Transnet the name and address of such agent as such may be amended, in writing, from time to time.

15 GENERAL

Completion or termination of an Order shall be without prejudice to any Term herein which by its nature would be deemed to continue after completion or termination, including but not limited to clauses 0, 0, Error! Reference source not found., 0 and 0. Headings are included herein for convenience only. If any Term herein be held illegal or unenforceable, the validity or enforceability of the remaining Terms shall not be affected. No failure or delay by Transnet to enforce any rights under these Terms will operate as a waiver thereof by Transnet. All rights and remedies available to either party under these Terms shall be in addition to, not to the exclusion of, rights otherwise available at law.

16 COUNTERPARTS

These Terms and conditions may be signed in any number of counterparts, all of which taken together shall constitute one and the same instrument. Any party may enter into this agreement by signing any such counterpart.

Respondent's Signature

Date & Company Stamp

By signing this RFQ document, the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet SOC Ltd will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed to properly take it into account for the purpose of calculating quoted prices or otherwise.

SIGNED at _____ on this _____ day of _____ 20__

.....
SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE
NAME: _____
DESIGNATION: _____

REGISTERED NAME OF COMPANY: _____
PHYSICAL ADDRESS:

Respondent's contact person: [Please complete]

Name :	
Designation :	
Telephone :	
Cell Phone :	
Facsimile :	
Email :	
Website :	

"PREVIEW COPY ONLY"

**Transnet urges its clients, suppliers and the general public
to report any fraud or corruption to
TIP-OFFS ANONYMOUS : 0800 003 056**

Respondent's Signature

Date & Company Stamp

Section 4
GENERAL BID CONDITIONS [SERVICES]

Copy is available on request.

"It is the responsibility of the Bidder to ensure they are familiar with the General Bid Conditions."

"PREVIEW COPY ONLY"

Respondent's Signature

Date & Company Stamp

**Section 5.
STANDARD TERMS AND CONDITIONS OF CONTRACT FOR THE PROVISION
OF SERVICES TO TRANSNET**

Copy available on request.

**"It is the responsibility of the Bidder to ensure they are familiar with the
Standard Terms and Conditions of Contract"**

"PREVIEW COPY ONLY"

Respondent's Signature

Date & Company Stamp



Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
2. **Original** cancelled cheque **OR** letter from the bank verifying banking details (**with bank stamp**)
3. **Certified** copy of Identity document of Shareholders/Directors/Members (where applicable)
4. **Certified** copy of certificate of incorporation, CM29 / CM9 (name change)
5. **Certified** copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
6. A letter with the company's letterhead confirming physical and postal addresses
7. **Original** or **certified** copy of SARS Tax Clearance certificate and Vat registration certificate
8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company **AND/OR** BBBEE certificate and detailed score card from an accredited rating agency (SANAS member).

NB:
 • **Failure to submit the above documentation will delay the vendor creation process.**
 • Where applicable, the respective Transnet business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the respective Transnet business unit etc.

IMPORTANT NOTES:

- a) **If your annual turnover is less than R5 million**, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If your company is classified as an EME, please include in your submission, a signed letter from your Auditor / Accountant confirming your company's most recent annual turnover is less than R5 million and percentage of black ownership and black female ownership in the company **AND/OR** BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) **If your annual turnover is between R5 million and R35million**, then in terms of the DTI codes, you are classified as a Qualifying Small Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBBEE score-card, please include your BEE certificate in your submission as confirmation of your status.
 NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SANAS Member).
- c) **If your annual turnover is in excess of R35million**, then in terms of the DTI codes, you are classified as a Large Enterprise and you claim a specific BEE level based on all seven elements of the BBBEE generic score-card. Please include your BEE certificate in your submission as confirmation of your status.
 NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).
- d) **To avoid PAYE tax being automatically deducted from any invoices received from you**, you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, **No payments can be made to a vendor** until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.

Regards,

Transnet Vendor/Supplier Management .Contact person Carol: tell: 021 940-3846 fax 021 940-3883.



Supplier Declaration Form

Company Trading Name						
Company Registered Name						
Company Registration Number Or ID Number If A Sole Proprietor						
Form of entity	CC	Trust	Pty Ltd	Limited	Partnership	Sole Proprietor
VAT number (if registered)						
Company Telephone Number						
Company Fax Number						
Company E-Mail Address						
Company Website Address						
Bank Name			Bank Account Number			
Postal Address						Code
Physical Address						Code
Contact Person						
Designation						
Telephone						
Email						
Annual Turnover Range (Last Financial Year)		< R5 Million	R5-35 million	> R35 million		
Does Your Company Provide		Products	Services	Both		
Area Of Delivery		National	Provincial	Local		
Is Your Company A Public Or Private Entity			Public	Private		
Does Your Company Have A Tax Directive Or IRP30 Certificate			Yes	No		
Main Product Or Service Supplied (E.G. Stationery/Consulting)						
BEE Ownership Details						
% Black Ownership		% Black women ownership		% Disabled person/s ownership		
Does your company have a BEE certificate			Yes	No		
What is your broad based BEE status (Level 1 to 9 / Unknown)						
How many personnel does the firm employ		Permanent		Part time		
Transnet Contact Person						
Contact number						
Transnet operating division						
Duly Authorised To Sign For And On Behalf Of Firm / Organisation						
Name			Designation			
Signature			Date			
Stamp And Signature Of Commissioner Of Oath						
Name			Date			
Signature			Telephone No.			

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

Transnet Vendor/Supplier Management .Contact person Carol: tell: 021 940-3846 fax 021 940-3883



Annexure A:

SPECIAL CONDITIONS

SconMasterAug2012

SCOPE OF WORK

1. TIME TO COMPLETE THE WORK

The tenderer shall indicate at Section 6, the time he will require to complete the works, however this time should not exceed **60 days**. This period shall be exclusive of weekends, public holidays and statutory holiday periods.

Failing completion of the work within the period as stipulated above or with any shorter period offered by the contenders and accepted by Transnet, the contractor shall pay to Transnet the sum of **R400-00** for every day or part thereof during which the work remain incomplete.

2. GUARANTEE

Transnet Freight Rail requires a workmanship guarantee for a period of **12 months**, from the date of completion of work.

3. INSPECTION OF WORKS

3.1 During the progress of the contract, all materials used and all work being undertaken by the Contractor shall be subjected to periodic inspections.

3.2 Should at any stage in the progress of the said works, an inspection visit or test reveal any defects due to improper materials or workmanship or any other fault or neglect on the part of the Contractor, such defective materials or workmanship shall immediately be replaced or remedied by the Contractor at his own expense and to the entire satisfaction of the authorized representative.

3.3 No work shall be covered up or put out of view without the approval of the Project Manager. The Contractor shall afford full opportunity for the Project Manager to examine and measure any work, which is about to be covered up or put out of view before permanent work is place thereon.

3.4 The Contractor shall give due notice to the Project Manager whenever such work is ready or about to be

Respondent's Signature

Date and Company Stamp



ready for examination. The Project Manager shall without unreasonable delay, examine and or measure such work as required.

- 3.5 The Contractor shall uncover any part or parts of the work or make openings in or through the same as the Project Manager may from time to time direct and shall reinstate and make good such part or parts to the satisfaction of the Project Manager. If any such part or parts have been covered up or put out of view after compliance with the requirements and are found to be executed in accordance with the Contract, the expenses of uncovering, making openings in or through for the reinstating and making good shall be borne by the Contractor.

4. SITE RECORDS

4.1 Site Instruction Book

The Contractor shall provide a **site instruction book, in triplicate for the Project Manager to place all instructions** that are needed to compliment the specifications and drawings and any other instruction that may affect the cost of the work.

No work will be recognized for additional payment unless it has been recorded and signed by the Project Manager in the aforesaid book.

4.2 Site Diary

The Contractor shall provide a diary in triplicate to record all day-to-day incidents that could occur during the contract period. This includes weather, name & numbers of workers on the site, material that has been delivered, material that has been loaded and disposed of, incidences that have occurred, nature of work to be done on that day, etc.

4.3 Programme & Planning of the work

The contractor shall provide to the Project Manager a detailed plan of how he intends to do the work and this plan must be to the requirements of the operation of Transnet Freight Rail workshop with minor disruptions as no delays must be allowed in this regard.

The programme must be agreed to (in the site instruction book) before any work will be allowed to commence. The programme can be in a form of a pert (bar) chart and will be used as a guide to measure progress of the work.

4.4 Handing over of site

No work will commence before the site has been officially handed over by the Project Manager by means of a written site hand over document and instruction in the Site Instruction Book.



5. WATER SUPPLY

Water may be made available for the purpose of construction of the works only. The water shall be used conservatively and if not, this privilege shall be removed and the water shall be metered, and the cost of the metered water shall be borne by the Contractor as well as all charges as ascertained by Transnet Freight Rail. The Contractor must supply all connections, hoses and applicable equipment where necessary.

6. ELECTRICITY SUPPLY

Electricity may be made available to the Contractor. The contractor must adhere to the safety standards as per the General Safety Regulations, Electrical Machine Regulations, Electrical Installation Regulations of the **Health and Safety Act**, (Act 85 of 1993) and SANS 10142. The Contractor must supply all leads and plugs as necessary.

7. ACCESS TO SITE

The areas are restricted and the contractor must ensure he complies with the regulations of Transnet Freight Rail in every way. The Contractor and/or any sub-contractors shall be required to apply for permission to enter the restricted area in writing. A list of workmen shall be given to the Project Manager to arrange for the necessary permits, 48 hours minimum notice is necessary for processing these permits. This includes changes to staff during the contract period. The contractor shall also provide each of his workers with a laminated identification card. On the front of the card must be the contract business name and a photo of the employee. On the back of the card the following local emergency numbers shall be printed Ambulance service, Fire department and Police. The employee shall not be allowed on site if he does not have his identification card with him.

8. MATERIALS FOUND ON SITE

The Contractor shall not use on the works any materials found on the site without the prior written consent of the Project Manager. No material that is lying on the site (other than that as specified in this document) or on Transnet Freight Rail's Property may be removed (even if deemed as scrap) by the contractor.

9. CLEARING OF SITE

The Contractor shall provide for cleaning up and sorting all rubbish and debris of whatever kind, generated by this work only, throughout the duration of the contract. Upon completion the Contractor shall clear away and remove all rubbish, unused material, plant and debris and leave the site and the whole of the works clean and tidy to the satisfaction of the Project Manager.

Respondent's Signature

Date and Company Stamp



10. WORKING OUTSIDE NORMAL WORKING HOURS

Normal working hours are between 07:30 and 16:00 Mondays to Fridays. If it is required to work outside the stated normal working hours the Contractor must obtain written permission at least 24 hours before such work needs to be undertaken. Transnet Freight Rail will not unreasonably withhold permission; however the Contractor may have to pay for Transnet Freight Rail's supervisory personnel.

11. ESCALATION

This contract does not make provision for compensation in respect of increased costs. The contenders must allow in his fixed price for any increased costs, which he may encounter during the contract period or such extended period as agreed upon by both parties.

12. RETENTION

To protect Transnet Freight Rail in case of any defective work, Transnet Freight Rail reserves the right to retain up to ten (10) percent of the value of the contract, for a period of six (6) months, (the maintenance period) or such further period beyond the maintenance period if defects have not yet been made good to the satisfaction of the Project Manager.

13. SAFETY PRECAUTIONS

13.1 Safety

The Contractor shall submit a Health and Safety Plan to cover this Project before any site will be handed over for approval. This will also cover the standard risk and Safety Plan for this project.

The Contractor will however also be responsible to do a Risk Assessment and if there is any risk that is not covered under the general Risk Assessment that is included in the Health and Safety plan the Risk Assessment will be included in the Health and Safety Plan.

The Contractor must have first aid box on site. The first aid box shall be stocked with the equipment as per general safety regulation and the location of the first aid box will be indicated with appropriate signage.

The Contractor and all his employees shall attend a Safety Induction session on safety before commencement of the project. The contractor and his employees shall certify the register that they attended the Safety Induction session and only workers who have attended the session will be allowed to work on the site.



13.2 Act 85

The contractor shall comply with the Occupational Health & Safety Act, 1993 (Act 85 of 1993).

13.3 Environment

The Contractor shall, at all times, comply with the statutes that prohibit pollution of any kind. These statutes are enacted in the following legislation.

- ◆ The National Environmental Management Act, 107/1998;
- ◆ The Environmental Conservation Act, 73/1989; and
- ◆ The National Water Act, 36/1998.

The Contractor shall appoint a responsible person to ensure that no incident shall occur on site that could cause pollution. Where the Contractor was negligent and caused any form of pollution the damage shall be rectified at the Contractor's cost.

14. STORAGE AND SAFE KEEPING

The Contractor will provide his own portable store facilities, the store appearance shall be subject to the approval of the Project Manager. The agreed location of the store will be indicated to the contractor by the Project Manager.

The contractor is responsible for the safe keeping of all his material and equipment on site.

15. REGULATIONS

In so far as they can be applied and where they are not inconsistent with the terms of the Project Specifications, the following **SANS Regulations** shall be regarded as being embodied in the Project Specification. These regulations must to be obtained by the contenders.

- | | |
|---------------------------------|----------------------|
| ◆ National Building Regulations | SANS 10400 – 11990 |
| ◆ General Structural | SANS 11200AH – 11982 |
| ◆ Electrical Code of Practice | SANS 10142 |
| ◆ The Construction Regulations | GN 1010 (Act 85) |

16. TO BE SUPPLIED BY THE CONTRACTOR

The Contractor shall provide all labour, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per this specification and as may be ordered by the Manager.



17. SITE MEETINGS

The Contractor shall be called upon to attend meetings on the site to discuss the progress of WORKS with the Transnet Freight Rail representatives.

18. SETTING OUT OF THE WORKS

The setting out of the work shall be the sole responsibility of the Contractor and shall be done in accordance with this Specification, the drawings and the design.

19. KEEP SITE TIDY

The Contractor shall keep the site tidy at all times and remove all old materials and such as rubble, off-cuts, demolished material, surplus material and carry away and dump or store onto or at an approved site.

20. SUB-CONTRACTOR

The Contractor shall not assign his obligations under the contract, nor sublet the contract work. Where specialized work or part thereof is required the contractor can use a subcontractor with the consent of the Transnet Freight Rail Project Manager.

21. ADDITIONAL WORK

No work will be recognized for additional payment unless it has been arranged with the Project Manager.

22. MEASURE OF WORK

Contractor to check all measurements provided on work and price list before submitting quote per project. The list provided by Transnet is only a guide, contractor to inform project manager of any discrepancies in measurements and quantities before submitting quote for Project. Contractor is also responsible to do all measuring work for material needed.

23. SUPERVISION

The Transnet Property Technical Manager will delegate a responsible person (Project manager) to take control of the supervision and management of the contract. The contractor shall only respond to these incumbents that have been appointed in writing, any instruction that is not given via the delegated managers will be null and void.

24. HIRE EQUIPMENT

Respondent's Signature

Date and Company Stamp



If necessary to hire abnormal equipment to do any work, the payment for the hire equipment shall be market related priced. The approval of the Transnet Project manager is required before such equipment is hired.

25. OCCUPYING OF BUILDINGS

When the buildings are occupied during renovations by Transnet Freight Rail staff, the Project Manager, Contractor and the Manager of the Transnet staff using the building will discuss and agree, on site, the maintenance plan for the building and on how to accommodate the staff during the project.

26. PRODUCTS & TRADE NAMES

26.1 Where trade names and catalogue references have been used in these Specifications to specify a product, Tenderers must tender on that particular or similar product. In addition, Tenderers must tender on the design specified. The accepted tenderer (i.e. Contractor) may, after obtaining written authority from the Project Manager, use an alternative product or design.

26.2 Where such written authority is given by the Project Manager at the request of the Contractor, for the contractor's convenience, all additional costs involved will be done for the Contractor's account. In the event of a less expensive product or design being used, a variation order reflecting the saving in cost will be issued.

27. PRELIMINARY AND GENERAL (P & G)

The P & G shall be as per General & Special Conditions and will include all costs not directly related to the execution of the work as stated. All items not specifically mentioned in the Annexure B must form part of P & G's

28. SUBSTANCE ABUSE TESTING

The OHSA (Act 85 of 1993) clearly states in the Safety Regulations 2A "INTOXICATION" **An employer or user, as the case may be, shall not permit any person who appears to be under the influence of intoxicating liquor or drugs, to enter or remain at a workplace.** Transnet Freight Rail enforces this legislation by means of its Substance Abuse Policy, and therefore reserves the right to do substance abuse testing on anyone who enters their premises.

Respondent's Signature

7

Date and Company Stamp

ANNEXURE B
TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: Goods shelter

CITY / TOWN: Botriver

TENDER NO: BLE/52491

ASSET NO: 03MDR02C

WORK DESCRIPTION Replace Asbestos roof elements

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. A normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture. The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993)

Page 1 of 3

SUB TOTAL PAGE 1

--

TENDER NO: BLE/52491

ASSET NO: 03MDR02C

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
ROOF					
585	Supply and fit ridging with closures for IBR roofsheets	98	M		
593	Remove Asbestos or corrugated roof sheeting from steel structure up to ??0m high complete according to safety plan approved by project manager. store in area shown by project manager and remove from site with in 48 hours	1458	M^2		

Respondent's signature: _____ Date: ____ / ____ / ____

--

TENDER NO: BLE/52491

ASSET NO: 03MDR02C

ITEM NO	FAULT DISCIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
596	Fit 0.8mm thick IBR profile roof sheet to steel structure up to 2.10.0m high, purline spacing, fitting as per attached specification and as per manufacture specification. Clotunsteel colour Kalharie sands. work done as per approved by safety plan	1458	M^2		
611	Apply TSW Anti-Fungal water soluble, hypochlorite based powder with active detergent compounds, water conditioning agents and sequestrates or similar approved product from other supplier as per attached specifications	2916	M^2		
624	Dispose of asbestos sheets. Pack all asbestos sheets in lockable container. Send asbestos sheets to approved asbestos waste site in terms of the Environmental management Act.(Act No.107 of 1998) and the Environmental Conservation Act(Act No 73. of 1989)	1	JOB		
GUTTERS/DOWNSPIPES					
664	Remove gutters complete with brackets, down pipes and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	287	M		
669	Fit chroma dek 150mm seamless gutters complete with gutter brackets secured to steel structure for inland and aluminium for costal area (COLOUR: Kalaharie sands)	221	M		
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for coastal	74	M		
PAINT PIPES/STEEL/STRUCTURE					
811	Paint steel structure. Remove all friable deposits by means of a nibbler, wire brush and scrapers, wash steel structure to remove dust and apply ethcing primer to bear spots. apply Jotun conseal and 2coats Jotun topcoat to (see attached paint specification)	1	JOB		
SITE SAFETY/CLEANING/CUT TREE/RUBBLE					
903	Set up exclusion zones with double barrier tape to cordon off area around the building of at least 10 metres surrounding the work site the contractor shall erect clear signage in English displaying danger signs warning of asbestos work in progress.	1	JOB		

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/52491

ASSET NO: 03MDR02C

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	-------------------	------------	--------------	-----------	-------------

TOTAL PAGE 1 TO PAGE 3 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and safety must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and Implemented.

RISK AND SAFETY R


Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractors shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____ / ____ / ____



ANNEXURE A

ASSET DESCRIPTION: Toilet

ASSET LOCATION: Station area

CITY / TOWN: Botriver

WORK DESCRIPTION: Replace Asbestos gutters.

TENDER NO: BLE/52491

ASSET NO: 02EDR03C

ITEM NO. SPECIFICATIONS PER ITEM.

GUTTERS/DOWNSPIPES

- 664 Work description: Remove gutter and down pipe complete, including brackets, Remove gutters brackets with care as not to damage wood sprockets
- 667 Work description: Replace gutters complete
Galvanized sheet iron gutters shall have beaded edges and shall be in lengths of not less than 5 metres, except the last portion to make up the length. The part used to make up the length shall not be less than 500mm. All the joints shall be seal with pintable water proof sealant and 4mm diameter x 6mm long pop rivets. The sealant shall be applied between the gutters. The joint shall have 3 pop rivets on sides and 3 at the bottom of the gutter. The down pipe outlets can be soldered or pop riveted to the gutter and sealed with acrylic sealer. The size of the outlet shall allow the down pipe to press right up to the bottom of the gutter. All the joints shall be waterproof and the gutters shall be in a straight line. Gutters shall be laid to proper falls and be provided with angles, stopped ends and outlet nozzles as required. Gutters shall be fixed on galvanized mild steel brackets of size specified and bent to shape of gutters with front end taken up to underside of beaded edge of gutter and each twice screwed to roof timbers. Gutters shall be bolted to brackets at front with 6 mm diameter galvanized gutter bolts, one to each bracket, positioned close to underside of beaded edge of gutter. Brackets shall be spaced but distance between brackets shall not exceeding 1m.
- 669 Work description: Fit chroma dek seamless gutters inland and aluminium down pipes coastal area complete
- 678 Work description: Fit chroma dek inland and aluminium down pipes coastal area complete

Respondent's signature: _____ Date: ____/____/____

ANNEXURE B
TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: Toilet

CITY / TOWN: Botriver

TENDER NO: BLE/52491

ASSET NO: 02EDR03C

WORK DESCRIPTION Replace Asbestos gutters.

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. A normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

Page 1 of 2

SUB TOTAL PAGE 1

--

TENDER NO: BLE/52491

ASSET NO: 02EDR03C

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
GUTTERS/DOWNPIPES					
664	Remove gutters complete with brackets, down pipes and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	28	M		
667	Fit galvanised square gutters 125mm x 100mm complete, include all necessary corners and stop ends. all work and material shall comply to attached specification. note!!: silicone sealer must not be use for joints.	20	M		

Respondent's signature: _____ Date: ____ / ____ / ____

TENDER NO: BLE/52491

ASSET NO: 02EDR03C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
669	Fit chroma dek seamless gutters for inland and aluminium for costal area (SPECIFY SIZE AND COLOUR)	20	M	<input type="text"/>	<input type="text"/>
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for costal	8	EA	<input type="text"/>	<input type="text"/>

TOTAL PAGE 1 TO PAGE 2 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and saftey must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and Implemented.

RISK AND SAFETY R

Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractor shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____/____/____

ANNEXURE A

ASSET DESCRIPTION: Toilet

ASSET LOCATION: Station area

CITY / TOWN: Botriver

WORK DESCRIPTION: Replace roof elements

TENDER NO: BLE/53491

ASSET NO: 02DDR04

ITEM NO. SPECIFICATIONS PER ITEM.

FACIA/BARGE BOARDS

- 655 Work description: Fit fascia board.
Provide 230 x 12mm nutec fibre cement fascia board. Fix nutec fascia boards to existing wood fascia boards using 2 no 8 * 38mm countersunk wood screws at 900mm intervals and 75mm from both sides of joints, one 30 mm from top edge and 30mm from bottom edge. Use right type of jointer at joints. The edge of fascia boards shall be set vertically. Full length boards shall be used if necessary to joint in section of fascia boards, these section shall not be shorter than 500mm. Fascia boards shall be fit in horizontal straight line
- 657 Work description: Paint fascia board 1 coat undercoat and 2 coats high gloss white
STEEL FASCIA BOARDS: Clean from rust and dirt by scraping or by means of steel wire brush, sand completely and wipe off all sanding dust to obtain perfectly clean surface. Spot prime all exposed metal surface with an approved metal primer and apply two coats Plascon wall and all paint of Dulux wall guard paint
Remove all friable deposits, clean, spot prime nail and screw heads, apply universal undercoat and paint surfaces two coats white high gloss paint

GUTTERS/DOWNPIPES

- 664 Work description: Remove gutter and down pipe complete, including brackets,
Remove gutters brackets with care as not to damage wood sprockets
- 667 Work description: Replace gutters complete
Galvanized sheet iron gutters shall have beaded edges and shall be in lengths of not less than 5 metres, except the last portion to make up the length. The part used to make up the length shall not be less than 500mm. All the joints shall be seal with pintable water proof sealant and 4mm diameter x 6mm long pop rivets. The sealant shall be applied between the gutters. The joint shall have 3 pop rivets on sides and 3 at the bottom of the gutter. The down pipe outlets can be soldered or pop riveted tot the gutter and sealed with acrylic sealers. The size of the outlet shall allow the down pipe to press right up to the bottom of the gutter. All the joints shall be waterproof and the gutters shall be in a straight line. Gutters shall be laid to proper falls and be provided with angles, stopped ends and outlet nozzles as required. Gutters shall be fixed on galvanized mild steel brackets of size specified and bent to shape of gutters with front end taken up to underside of beaded edge of gutter and each twice screwed to roof timbers. Gutters shall be bolted to brackets at front with 6 mm diameter galvanized gutter bolts, one to each bracket, positioned close to underside of beaded edge of gutter. Brackets shall be spaced but distance between brackets shall not exceeding 1m.
- 669 Work description: Fit chroma dek seamless gutters inland and aluminium down pipes coastal area complete
- 678 Work description: Fit chroma dek inland and aluminium down pipes coastal area complete

Respondent's signature: _____ **Date:** ____/____/____

ANNEXURE B
TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: Toilet

CITY / TOWN: Botriver

TENDER NO: BLE/53491

ASSET NO: 02DDR04

WORK DESCRIPTION Replace roof elements

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. A normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

Page 1 of 3	SUB TOTAL PAGE 1	<input type="text"/>
TENDER NO: BLE/53491	ASSET NO: 02DDR04	

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FACIA/BARGE BOARDS					
655	Fit fascia board, nutec-cement type 225mm x 12mm thick. item include h-profile fascia joiners and h-profile fascia corner jointers. do all work as per attached specification	17	M	<input type="text"/>	<input type="text"/>
657	Paint fascia board , 1 coat undercoat 2 coats or with Dulux high gloss white or similar product apply paint only after preparation as per attached specification has been done	17	M ²	<input type="text"/>	<input type="text"/>

GUTTERS/DOWNPPIPES

Respondent's signature: _____ Date: ____ / ____ / ____

--

TENDER NO: BLE/53491

ASSET NO: 02DDR04

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
664	Remove gutters complete with brackets, down pipes and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	20	M		
667	Fit galvanised square gutters 125mm x 100mm complete, include all necessary corners and stop ends. all work and material shall comply to attached specification. note!!: silicone sealer must not be use for joints.	13	M		
669	Fit chroma dek seamless gutters for inland and aluminium for costal area (Colour: Kalakarie sands)	8	M		
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for coastal	6	EA		

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/53491

ASSET NO: 02DDR04

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	------------------	------------	--------------	-----------	-------------

TOTAL PAGE 1 TO PAGE 3 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and safety must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and implemented.

RISK AND SAFETY R

Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractors shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____/____/____

"PREVIEW COPY ONLY"

ANNEXURE A

ASSET DESCRIPTION: Coal store

ASSET LOCATION: Station area

CITY / TOWN: Botriver

WORK DESCRIPTION: Replace Asbestos roofsheets

TENDER NO: BLE/52491

ASSET NO: 02BDR05C

ITEM NO. SPECIFICATIONS PER ITEM.

ROOF

596 Work description: Fit new 0.80mm thick roof sheeting to steel structure.
Supply and fit IBR profile sheets 0.8mm thick. The roof sheeting shall be laid in long lengths, narrow flutes outermost, with single flute side laps. The sheeting shall be laid with side-laps on the leeward side of the prevailing wind direction. An approved side-lap sealant shall be incorporated on roofing with a pitch of less than 15 degrees. All fixing holes shall be drilled and not punched. Roof sheets shall be fixed by means of No. 14 Top speed Hex Head screws 65mm LG for steel purlin. Side-lap stitching shall be effected at no more than 600mm centres with 25mm LG Top speed Hex Head screws. Sheets shall be secured to purlin for 0.8mm thick sheets, a broad guideline for Purlin Spacing is not more than 2.30m centre for single span and not more than 2.65m for double span, cantilever not more than 0.60m but must meet manufacturer specification. Spacing are dependant on both downward loading and negative suction loading caused by wind and a engineer must be consulted to calculate the load (kn/m²) for the particular thickness of sheets and purline spacing for the specific project. Use 5.5mm x 82mm self drill pisy screws with 26mm galvanized bonded rubber washer. Main fasteners shall be positioned in the crown of the second and fourth narrow flutes, i.e. two fasteners per sheet per purlin. Side laps shall be secured with fasteners spaced equally between purlin and at centres not exceeding 750mm. 15mm of the broad flute of all roof sheets shall be turned up through 45 deg. at the apex to form a dam and turned down through 15 deg. at the eaves to form a drip. Contractor to measure the required length before order the IBR roof sheets.

Every precaution shall be taken to prevent damage to roof sheets during all stages of construction. Duck boards should be used when necessary to protect the sheeting from damage. Sheeting which has become deformed or damaged in any way, shall be replaced.

The contractor shall exercise special care when handling long length sheeting, particularly in windy conditions. Should work be interrupted for any reason, all loose sheeting and incomplete sections must be adequately secured against possible movement by wind and gravity.

The contractor shall ensure that all materials used on site for cladding, etc are transported, handled and stored in accordance with the manufacturer's recommendations. Material damaged shall be rejected and replaced with undamaged material at the contractor's expense. Repair of damaged material will not generally be permitted. Rates are to include for preventing damage and protecting sheets through all stages of construction.

Respondent's signature: _____ **Date:** ____/____/____

ITEM NO. SPECIFICATIONS PER ITEM.

611 Work description: Apply TSW Anti-Fungal

Staff to be fully kitted with PPE as specified in attached Government gazette and attached asbestos regulations of the department of labour at all times.

Area does not include roof sheet profile.

ALL WORK ON ASBESTOS ROOF TO BE DONE IN ACCORDANCE WITH ASBESTOS REGULATIONS

Special precaution as per asbestos regulation shall be taken to safe guard workers from falling through roof sheet and to prevent breaking sheets when walking on any sheets that is broken by contractor shall be replace by contractor on his cost.

Description: A water soluble, hypochlorite based powder with active detergent compounds, water conditioning agents and sequestrates.

Packaging: 30g Sachet

Directions For Use:

- 1.Pre-wet roofing surface with water.
- 2.Apply TSW Anti-Fungal via a back-pack sprayer, or via a suitably sized bucket, at the following ratios:
 - a. Medium to light soiling(2 x 30g sachet per 10L water)
 - bugloss soiling (4 x 30g sachet per 10L water)
- 3.Allow a minimum of 30 minutes contact time.
- 4.Toxic wash the surface by means of agitation (i.e. brushing,) as required.
- 5.Rinse surface of any residues.

Supplied by PINELAND ENVIRONMENTAL TECHNOLOGY (PTY) LTD

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

ITEM NO. SPECIFICATIONS PER ITEM.

624 Work description: Dispose of asbestos sheet and waste.

Staff to be fully kitted with PPE as specified in attached Government gazette and attached asbestos regulations of the department of labour at all times.

Area does not include roof sheet profile

Pack all asbestos sheets in container as it is removed from roof, container shall be kept lock to prevent the removing of the sheets by un-authorized persons. Seal container and send to approved asbestos waste site in terms of the Environmental management Act (Act No. 107 of 1998) and the Environmental Conservation Act (Act No 73. Of 1989) All work to be done in accordance with the attached specification and attached asbestos regulation.

Item include all cost to pack, load, transport, off load and the dumping cost

Handling Of Asbestos Containing Material

The handling and removal of asbestos-containing materials and articles, such as asbestos cement sheets, present particular health problems as they often involve dismantling or breaking large quantities of friable materials. Such work, if any, shall be performed in accordance with the provisions of the OHS Act Asbestos Regulations, 2002 (in particular, but not limited to, Section 13 and 15) and any other international, national and local legislation, regulations as deemed applicable.

The Principal Contractor shall ensure that workers are thoroughly instructed about the precautions that need to be taken to protect health, ensure continued compliance with the OHS Act, take steps to eliminate or minimize the risks and provide adequate and correct PPE equipment.

The Principal Contractor shall ensure that asbestos cement sheets are kept intact as far as is practicable. Whole asbestos sheets shall be Sprayed with TSW prior removal and transportation. All small fragments/asbestos chips shall be wetted prior to collection, be placed into heavy duty bags and be sealed and labelled as asbestos waste.

If the roof is fitted with gutters all run off water shall be passed through a fine sieve at each down pipe outlet. The filtered run off water may be channelled into the drainage system. The residue collected in the sieves shall be placed whilst still moist into heavy duty bags (at least 150 micron (1,5mm)) thickness and be sealed and labelled as asbestos waste.

All asbestos Waste (in sheet form, chips or residue) shall be disposed of at a licensed disposal and the Principal Contractor shall obtain the necessary asbestos waste permit to dispose of such waste. The Contractor shall be required to contact hand over to Transnet freight rail project manager the original certificate for the total quantity of asbestos received by the registered dumping site, before any payment on the contract will be approved.

Respondent's signature: _____ Date: ____/____/____

ANNEXURE B
TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: Coal store

CITY / TOWN: Botriver

TENDER NO: BLE/52491

ASSET NO: 02BDR05C

WORK DESCRIPTION Replace Asbestos roofsheets

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

Page 1 of 3

SUB TOTAL PAGE 1

--

TENDER NO: BLE/52491

ASSET NO: 02BDR05C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
ROOF					
596	Fit 0.8mm thick IBR profile roof sheet to steel structure up to 2.10.0m high, purline spacing, fitting as per attached specification and as per manufacture specification. Clotunsteel colour Kalharie sands. work done as per approved by safety plan	9	M^2		

Respondent's signature: _____ Date: ____/____/____

[Empty box for Sub Total]

TENDER NO: BLE/52491

ASSET NO: 02BDR05C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
611	Apply TSW Anti-Fungal water soluble, hypochlorite based powder with active detergent compounds, water conditioning agents and sequestrates or similar aproved product from other supplier as per attached specifications	9	M^2	[Empty box]	[Empty box]
624	Dispose of asbestos sheets. Pack all asbestos sheets in lockable container. Send asbestos sheets to approved asbestos waste site in terms of the Environmental management Act.(Act No.107 of 1998) and the Environmental Conservation Act(Act No 73. of 1989)	9	JOB	[Empty box]	[Empty box]

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/52491

ASSET NO: 02BDR05C

ITEM NO	FAULT DISCIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	------------------	------------	--------------	-----------	-------------

TOTAL PAGE 1 TO PAGE 3 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and saftey must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and implemented.

RISK AND SAFETY R

Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractors shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____ / ____ / ____

"PREVIEW COPY ONLY"

ANNEXURE B

TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: Milk room

CITY / TOWN: Botriver

TENDER NO: BLE/52491

ASSET NO: 02BDR06C

WORK DESCRIPTION Replace Asbestos gutters

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993)

[Empty box for Sub Total]

TENDER NO: BLE/52491

ASSET NO: 02BDR06C

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
ROOF					
596	Fit 0.8mm thick Clotun steel IBR profile roof sheet or similar roofsheet to purlins up to 3.0m high, purline spacing, fitting as per attached specification and as per manufacture specification. work done as per approved by safety plan	8	M^2		

Respondent's signature: _____ Date: ____/____/____

--

TENDER NO: BLE/52491

ASSET NO: 02BDR06C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
611	Apply TSW Anti-Fungal water soluble, hypochlorite based powder with active detergent compounds, water conditioning agents and sequestrates or similar aproved product from other supplier as per attached specifications	38	M^2		
623	Remove asbestos roof sheets from roof in terms of the attached spec and asbestos regulations. Before removing sheets spray both sides with TSW. Scaffolding and ladders to remove sheets is included in item. Item exclude removal of the roof construction.	38	M^2		
624	Dispose of asbestos sheets. Pack all asbestos sheets in lockable container. Send asbestos sheets to approved asbestos waste site in terms of the Environmental management Act.(Act No.107 of 1998) and the Environmental Conservation Act(Act No 73. of 1989)	30	JOB		
FACIA/BARGE BOARDS					
655	Fit fascia board, nutec-cement type 225mm x 12mm thick. item include h-profile fascia joiners and h-profile fascia corner jointers. do all work as per attached specification	14	M		
657	Paint fascia board , 1 coat undercoat 2 coats or with Dulux high gloss white or similar product apply paint only after preparation per attached specification has been done	14	M^2		
GUTTERS/DOWNSPIPES					
669	Fit chroma dek seamless gutters for inland and aluminium for costal area (Colour: Kalakarie sands)	7	M		
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for costal	3	M		

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/52491

ASSET NO: 02BDR06C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	------------------	------------	--------------	-----------	-------------

TOTAL PAGE 1 TO PAGE 3 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and safety must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and Implemented.

RISK AND SAFETY R

Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractors shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreeed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____/____/____

"PRELIMINARY COPY ONLY"

ANNEXURE B

TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION:

CITY / TOWN: Botriver

TENDER NO: BLE/52491

ASSET NO: 02PDR07C

WORK DESCRIPTION Replace Asbestos gutters

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

Page 1 of 2

SUB TOTAL PAGE 1

TENDER NO: BLE/52491

ASSET NO: 02PDR07C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FACIA/BARGE BOARDS					
657	Paint facia board , 1 coat undercoat 2 coats or with Dulux high gloss white or similar product apply paint only after preparation as per attached specification has been done	12	M^2		
GUTTERS/DOWNPINES					
664	Remove gutters complete with brackets, down pipes and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	18	M		

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/52491

ASSET NO: 02PDR07C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
669	Fit chroma dek seamless gutters for inland and aluminium for costal area (Colour: Kalakarie sands)	12	M		
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for coastal	12	M		

TOTAL PAGE 1 TO PAGE 2 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and saftey must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and Implemented.

RISK AND SAFETY R


Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractor shall send all his staff that will work on the Transnet Freight Rail site to the induction of the site as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____ / ____ / ____



ANNEXURE B

TENDER PRICE LIST PER ITEM

ASSET DESCRIPTION: GOODSHED

CITY / TOWN: BOTRIVER

TENDER NO: BLE/52491

ASSET NO: 02PD08C

WORK DESCRIPTION REPLACE ROOF ELEMENTS

TENDER PRICE LIST TO INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before ordering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached work list and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintenance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal cleaning, preparations include sanding, stopping and washing of items to be painted as specified by the paint manufacturer is included in all the paint items. Where abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications.

Where no applicable SANS Specification exists the materials must be approved by the Transnet Freight Rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages caused by his or her staff to any Transnet Freight Rail property or equipment.

SAFETY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

Page 1 of 3

SUB TOTAL PAGE 1

TENDER NO: BLE/52491

ASSET NO: 02PD08C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
ROOF					
596	Fit 0.8mm thick IBR profile roof sheet to steel structure up to ??0m high, purline spacing, fitting as per attached specification and as per manufacture specification. Clotun steel colour (Kalaharie sands) work done as per approved by safety plan	15	M ²		

Respondent's signature: _____ Date: ____/____/____

--

TENDER NO: BLE/52491

ASSET NO: 02PD08C

ITEM NO	FAULT DISCRPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
611	Apply TSW Anti-Fungal water soluble, hypochlorite based powder with active detergent compounds, water conditioning agents and sequestrates or similar aproved product from other supplier as per attached specifications	15	M^2		
624	Dispose of asbestos sheets. Pack all asbestos sheets in lockable container. Send asbestos sheets to approved asbestos waste site in terms of the Environmental management Act.(Act No.107 of 1998) and the Environmental Conservation Act(Act No 73. of 1989)	15	JOB		
FACIA/BARGE BOARDS					
655	Fit fascia board, nutec-cement type 225mm x 12mm thick. item include h-profile fascia joiners and h-profile fascia corner jointers. do all work as per attached specification	14	M		
657	Paint fascia board , 1 coat undercoat 2 coats or with Dulux high gloss white or similar product apply paint only after preparation as per attached specification has been done	120	M		
GUTTERS/DOWNSPIPES					
664	Remove gutters complete with brackets, down pipes and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	90	M		
669	Fit chroma dek seamless gutters for inland and aluminium for costal area (Colour: Kalakarie sands)	70	M		
678	Fit chroma dek down pipes 100mm x 75mm for inland and aluminium for coastal	22	M		

"PREVIEW COPY ONLY"

Respondent's signature: _____ Date: ____/____/____

TENDER NO: BLE/52491

ASSET NO: 02PD08C

ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	-------------------	------------	--------------	-----------	-------------

TOTAL PAGE 1 TO PAGE 3 R

PRELIMINARY AND GENERAL

P and G shall include all cost not directly relate to a specific item on the schedule of prices and rates. All items not specifically mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery, as well as establishment of workers on site and removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the site after completion of work .

P + G

R

RISK AND SAFETY

Cost for the risk and safety must include the risk assessment. The risk assesment is a full identification of the risks before the work starts and the necessary equipment, appropriate precautions and systems of work that must be provided and implemented.

RISK AND SAFETY R

Cost for risk and safety include complete compliance with the current Occupational Health Safety Act.

Included in risk and safety. The standardised Transnet Freight Rail induction shall be given to all staff of all contractors at the start of each project and the contractors shall send all his staff that will work on the Transnet Freight Rail site to the induction on the date as agreed on between TFR Project manager and the contractor.

TOTAL PRICE CIVIL WORK EXLUDE VAT R

The total price for Civil work, excluding VAT, must be carried over as one total amount to the Service Fees and Cost Form, Section 6 of the RFQ. The amount must also be written in words on the Service Fees and Cost Form.

Respondent's signature: _____ Date: ____/____/____

"PREVIEW COPY ONLY"