

### TRANSNET FREIGHT RAIL, a division of

### TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

### REQUEST FOR QUOTATION [RFQ] No BFX/52824

FOR THE PROVISION OF: REPAIRS TO TOILET AT RAIL NETWORK STORE (ASSET NO. 02AX347B) BLOEMFONTEIN

**ISSUE DATE** 

1 APRIL 2014

CLOSING DATE

29 APRIL 2014

CLOSING TIME

10:00

FORMAL BRIEFING

15 APRIL 2014 AT 10:00 - A COMPULSORY PRE-QUOTATION SITE MEETING AND/OR BRIEFING SESSION WILL BE CONDUCTED AT TRANSNET

FREIGHT RAIL, REAL ESTATE MANAGEMENT, NATHAN

STREET, BLOEMFONTEIN

### NOTE:

RFQ DOCUMENTS MAY BE OBTAINED ON AND AFTER TUESDAY, 1 APRIL 2014 AT TRANSNET FREIGHT RAIL, SUPPLY CHAIN SERVICES, ROOM 102,  $\mathbf{1}^{\text{ST}}$  FLOOR, TRANSNET ENGINEERING ADMIN BUILDING, TRANSNET ROAD, BLOEMFONTEIN

LAST DATE OF ISSUE - RFQ BFX/52824 WILL ONLY BE ISSUED UNTIL 15:00 ON THURSDAY, 10 APRIL 2014

FOR ENQUIRIES REGARDING COLLECTION OF DOCUMENTS, CONTACT GIDEON JOUBERT, TEL. NO. 051 - 408 2167 OR E-MAIL Gideon. Joubert @Transnet.net

# Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD:

Courier or By hand

**CLOSING VENUE:** 

The Secretariat Acquisition Council

Admin Support Office

Tender Box Office No. 2

Real Estate Management Building

Austen Street, Beaconsfield

Kimberley (Contact person: Maggie Pain Tel. 053-838 3341)

### 1 RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

### 2 BROAD-BASED BLACK ECONOMIC EMPOWERMENT [B-BBEE]

Transnet fully endorses and supports the Government's Broad-Based Black Economic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

### 2.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- In this RFQ, Transnet will apply 80/20 preference point system prescribed in the PPPFA.
- Proposals will be evaluated on price which will be allocated 80 points and preference which will be allocated 20 points.
- The 80/20 preference point system applies where the acquisition of the Services will be less than R1 000 000.00. However, if the 80/20 preference point system is stipulated in this RFQ and all Bids received exceed R1 000 000.00, the RFQ will be cancelled.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.

Enterprises will be rated by such agencies based on the following:

### (a) Large Enterprises [i.e. annual turnover greater than R35 million]:

· Rating level based on all seven elements of the B-BBEE scorecard

- (b) Qualifying Small Enterprises QSE [i.e. annual turnover between R5 million and R35 million]:
  - · Rating based on any four of the elements of the B-BBEE scorecard
- (c) **Exempted Micro Enterprises EME** [i.e. annual turnover less than R5 million]:

In accordance with 8-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of 8-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transnet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSEs, or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of **20 [twenty] points** to the Respondent's final score based on an entity's B-BBEE scorecard rating.

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated for B-BBEE.

[Refer clause 18 below for Returnable Documents required]

### 3 COMMUNICATION

- a) Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.
- b) A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name: Gideon Joubert

Email: Gideon.Joubert@Transnet.net

 Respondents may also, at any time after the closing date of the RFQ, communicate with Supply Chain Services, Admin Support on any matter relating to its RFQ response;

Telephone 053 838 3341

Email Maggie.Pain@Transnet.net

### 4 TAX CLEARANCE

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission may! result in disqualification.

### 5 VAT REGISTRATION

The valid VAT registration number must be stated here: \_\_\_\_\_\_ [if applicable].

### 6 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

### 7 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time.

### 8 PRICING

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

### 9 PRICES SUBJECT TO CONFIRMATION

Prices quoted which are subject to confirmation will not be considered.

### 10 NEGOTIATIONS

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

### 11 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

### 12 DISCLAIMERS

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced Quotation;
- · reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been
convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to
breaches of the Competition Act 89 of 1998. Respondents are required to indicate below whether or not
they have been found guilty of a serious breach of law during the past 5 [five] years:
I/We do hereby certify that I/we
have/have not been found guilty during the preceding 5 [five] years of a serious breach of law,
including but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other
administrative body. The type of breach that the Respondent is required to disclose excludes relatively
minor offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
DATE OF BREACH:
Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent from the bidding process, should that person or entity have been found guilty of a serious breach of law, tribunal or regulatory obligation.

Respondent's Signature

### 13 EVALUATION CRITERIA

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness Completeness of response and returnable documents
- **Substantive responsiveness** Prequalification criteria, if any, must be met and whether the Bid materially complies with the scope and/or specification given
- Weighted evaluation based on 80/20 preference point system as indicated in paragraph 2 above;
  - Pricing and price basis [firm] whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts<sup>1</sup> will be critical
  - 8-88EE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

3-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

# 14 VALIDITY PERIOD Transnet desires a validity period of 90 [ninety] days from the closing date of this RFQ. This RFQ is valid until 15 BANKING DETAILS BANK: \_\_\_\_ BRANCH NAME / CODE: ACCOUNT HOLDER! ACCOUNT NUMBER: 16 COMPANY REGISTRATION Registration number of company / C.C. Registered name of company / C.C. 17 DISCLOSURE OF PRICES QUOTED Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other Respondents: YES NO

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

 Respondents are required to submit with their Quotations the <u>Returnable Documents</u>, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these mandatory Returnable Documents by so indicating [Yes or No] in the table below:

	Returnable Documents	Submitted [Yes or No]
SE	CTION 1: Notice to Bidders	
<b>-</b>	Valid B-BBEE Verification Certificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	
٠,	Valid B-BBEE certificate from auditor, accounting officer or SANAS accredited Verification Agency [RSA EMEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	
•	In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement	
SE	CTION 2 : Quotation Form	
SEC	CTION 3 : Vendor Application Form	
-	Original cancelled cheque or bank verification of banking details	
-	Certified copies of IDs of shareholder/directors/members [as applicable]	
-	Certified copy of Certificate of Incorporation [CM29/CM9 name change]	
-	Certified copy of share certificates [CK1/CK2 if C.C.]	
-	Entity's letterhead	
-	Certified copy of VAT Registration Certificate [RSA entities only]	
-	Certified copy of valid Company Registration Certificate [if applicable]	
_	Original valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party]	
-	Annexure B – Contract tender price list per item	
-	Annexure A – Specification per item	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following <u>additional documents</u> as detailed below.

	ADDITIONAL DOCUMENTS	SUBMITTED [Yes or No]
-	Letter of Good Standing	
-	Form E.4E Transnet (Jan 2004) Safety arrangements and Procedural compliance with the Occupational Health and Safety act (Act 85 of 1993 and applicable regulations	

# Section 2 QUOTATION FORM

I/We
hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance
with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods or Services to Transnet [Section 3 hereof];
   and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and/or having to accept any less favourable offer.

### Price Schedule

I/We quote as follows for the service required, on a "delivered nominated destination" basis, excluding VAT:

See Annexure "B" Contractor Tender price list per item and Annexure "A" for Specifications per item

Note:

Respondents must indicate here whether the labour rate per hour will be paid in terms of the Basic Conditions of Employment Act 75 of 1997 (and any relevant Sectorial Determinations) for the duration of the contract:

### Notes to Pricing:

- a) All Prices must be quoted in South African Rand, exclusive of VAT
- b) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- c) Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

# Section 3 VENDOR APPLICATION FORM



TRANSN



# Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

- 1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
- 2. Original cancelled cheque OR letter from the bank verifying banking details (with bank stamp)
- 3. Certified copy of Identity document of Shareholders/Directors/Members (where applicable)
- 4. Certified copy of certificate of incorporation, CM29 / CM9 (name change)
- 5. Certified copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
- 6. A letter with the company's letterhead confirming physical and postal addresses
- 7. Original or certified copy of SARS Tax Clearance certificate and Vat registration certificate
- 8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (SANAS member).
- NB: Failure to submit the above documentation will delay the vendor creation process.
  - Where applicable, the respective Transnet business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the respective Transnet business unit etc.

### IMPORTANT NOTES:

- a) If your annual turnover is less than R5 million, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If your company is classified as an EME, please include in your submission, a signed letter from your Auditor / Accountant confirming your company's most recent annual turnover is less than R5 million and percentage of black ownership and black female ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) If your annual turnover is between R5 million and R35million, then in terms of the DTI codes, you are classified as a Qualifying Small Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBBEE score-card, please include your BEE certificate in your submission as confirmation of your status.

  NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SANAS Member).
- c) If your annual turnover is in excess of R35million, then in terms of the DTI codes, you are classified as a Large Enterprise and you claim a specific BEE level based on all seven elements of the BBBEE generic score-card. Please include your BEE certificate in your submission as confirmation of your status. NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).
- d) To avoid PAVE tax being automatically deducted from any invoices received from you, you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, No payments can be made to a vendor until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.

Regards,

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883.

Supplier Declaration Form

### TRANSN

44/4/400									25	
Company Trading Name										<b>W</b>
Company Registered Nam										
Company Registration Nur	nber Or ID Nun	nber if A Sole Pro	orietor							***************************************
Form of entity	СС	Trust	Pty Ltd		Limit	ted Pa	ırtnershi	þ	Sole Proprieto	r
VAT number (if registered)										
Company Telephone Numl	per				*******				***************************************	
Company Fax Number										
Company E-Mail Address										
Company Website Address	3									
Bank Name			Ban	k Acc	ount	Number				
Postal Address	Postal Address Code									
Physical Address Code										
Contact Person										
Designation										
Telephone										
Email										
Annual Turnover Range (La	ast Financial Ye	ear)	< R5 Million	****	****	R5-35 million			>R35 million	the training to the same of th
Does Your Company Providence	de		Products	\		Services			Both	
Area Of Delivery			National _			Provincial			Local	
Is Your Company A Public	Or Private Entit	у				Public			Private	
Does Your Company Have						Yes			No	
Main Product Or Service St	upplied (E.G.: S	tationery/Consult	ing)							
BEE Ownership Details	~~~~~~						***********	***********		
%Black Ownership		% Black women	ownership			% Disabled ownership	d person	/s		
Does your company have a	BEE certificate	,		Yes				No		
What is your broad based E	BEE status (Lev	el 1 to 9 / Unknov	vo)				•			
How many personnel does	the firm employ		Pem	naner	١t		Part tir	ne		
Transnet Contact Person										
Contact number										
Transnet operating division										
Duly Authorised To Sign For And On Behalf Of Firm / Organisation										
Name Designation										
Signature	Signature									
Stamp And Signature Of C	Commissioner	Of Oath						unau-ur.		
Name					Da	ite		~		<u> </u>
Signature				marunyan	Те	lephone No.				

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883

# Section 4

# **BREACH OF LAW FORM**

NAME OF ENTITY:		<del></del>
I/We		
do hereby certify that <i>I/we have/have not been</i> serious breach of law, including but not limited to a	breach of the Competition Act, 89 of 1998, by a c	court
of law, tribunal or other administrative body. The disclose excludes relatively minor offences or misden		d to
Where found guilty of such a serious breach, please	disclose:	
NATURE OF BREACH:		
DATE OF BREACH:		-
Furthermore, I/we acknowledge that Transnet SOC 1	Ltd reserves the right to exclude any Respondent f	from
the bidding process, should that person or entity	have been found guilty of a serious breach of	law,
tribunal or regulatory obligation.		
SIGNED at on this	2020	
SIGNATURE OF WITNESS	SIGNATURE OF RESPONDENT	

### Section 5

### SUPPLIER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling goods and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support. These are:

- The Transnet Supply Chain Policy
- Section 217 of the Constitution the five pillars of Public PSCM [Procurement and Supply Chain Management]: fairness, equity, transparency, competitiveness and cost effectiveness;
- The Public Finance Management Act [PFMA];
- The Broad-Based Black Economic Empowerment Act [B-BBEE]; and
- The Prevention and Combating of Corrupt Activities Act.

This Code of Conduct has been included in this rfq to formally apprise prospective Transnet Suppliers of Transnet's expectations regarding the behaviour and conduct of its Suppliers.

### Prohibition of bribes, kickbacks, unlawful payments, and other corrupt practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

- a) Transnet will not participate in corrupt practices and therefore expects its Suppliers to act in a similar manner.
  - Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions and payments to our Suppliers.
  - Employees must not accept or request money or anything of value, directly or indirectly,
     to:
    - illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
    - win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
    - gain an improper advantage.
  - There may be an occasion when a Supplier is confronted with fraudulent or corrupt behaviour by a Transnet employee. We expect our Suppliers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

- b) Transnet is firmly committed to the ideas of free and competitive enterprise.
  - Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.
  - Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing B-BBEE spend (fronting).
- c) Transnet's relationship with Suppliers requires us to clearly define requirements, exchange information and share mutual benefits.
  - Generally, Suppliers have their own business standards and regulations. Although
    Transnet cannot control the actions of our Suppliers, we will not tolerate any illegal
    activities. These include, but are not limited to:
    - misrepresentation of their product [e.g. origin of manufacture, specifications, intellectual property rights];
    - collusion;
    - failure to disclose accurate information required during the sourcing activity [e.g. ownership, financial situation, 8-BBEE status];
    - corrupt activities listed above; and
    - harassment, intimidation or other aggressive actions towards Transnet employees.
  - Suppliers must be evaluated and approved before any materials, components, products or services are purchased from them. Rigorous due diligence is conducted and the Supplier is expected to participate in an honest and straight forward manner.
  - Suppliers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

### Conflicts of interest

A conflict of interest arises when personal interests or activities influence [or appear to influence] the ability to act in the best interests of Transnet. Examples include, but are not limited to:

- Transnet employees awarding business to entities in which their family members or business associates have an interest
- Transnet employees having a financial interest in a bidding entity

Bidding entities are required to disclose any interest/s which exist between themselves and any employee and/or Transnet Board member.

## **ANNEXURE B**

## CONTRACTOR TENDER PRICE LIST PER ITEM

BUILDING DESCRIPTION ABLUTION AT INFRA STORE

CITY / TOWN: BLOEMFONTEIN

TENDER NO: ASSET NO: 02AX347B

### CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before odering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached worklist and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintanance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal cleaning, prepartion include sanding, stopping and wash of items to be painteded as specified by the paint manufacturer is included in all the paint items, Were abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attatched specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications. Where no applicableSANS Specification exists the materials must be approved by the Transnet freight rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages cause by him or his staff to any Transnet freight rail properly and or equipment.

SAFTEY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

				TAL PAG	E 1	·····	,
TEND!	ER NO:	ASSET NO:	02AX34	17B	<del></del>		
ITEM NO	FAULT DISCRIPTION		TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT	:
	CEILINGS						
41		universal undercoat and 1 coat eg is as specified was done. (see	g 9	M^2			_
	WALLS INTERIOR						
55	soap, open cracks up to 4mm	sh smooth plaster walls with sugar with sharp object, fill cracks and a all complete to provide bond for ne o remove all sanding dust	el <b>l</b>	M^2			-
	soap, open cracks up to 4mm holes, sand level and sand wa	with sharp object, fill cracks and a all complete to provide bond for ne o remove all sanding dust	ell	M^2			

		Page 2 of 3	SUB TO	TAL PAG	GE 2	
ΓEND	ER NO:	ASSET NO:	02AX34	17B	l	
ITEM NO	FAULT DISCRIPTION		ITEM TOTAL	MEASUR UNIT	E UNIT RATE	ITEM AMOUNT
	WINDOWS INTERIOR					
169	Install/replace approved Venetian blir x mm drop. colour = slats available 15mm, 25mm, 35mm and 5	width = mm. (slats wid	3 Ith	EΑ		
	WINDOWS INT AND EXT					,      .
198	Paint residential small pane type win coat universal undercoat and 2 coats lockness code 311-5, item includes reglass area and cleaning of glass, see	Dulux water-base pearle emoving all old paint from		EΛ		
	DOORS/SECURITY GATES					
271	Paint door complete both sides, side and 2 coats Dulux pearlglo river rock after preparation as per attached spe 2.03m door=3.66 m2, 750mm x 2.03r	code 6j1-7, apply paint or cification, door 810mm x	at 2 nly	EA		
	DOORFRAMES			5	7	
312	Paint door frame with fan light, under pearlglo lockness code-3l1-5, item ind window, single frame.115mm=1.85m; frame 1511mmx115mm =2.1 m2, 230 included	cludes the paint of fan ligl 2. 230mm=2.50m2, doub	le			
	PLUMBING INTERIOR		7			
480	Install kal/wespeco or approved pivot shower door with obscure/frosted glas applied between tiles and aluminium tand not an er frame has been fixed.	ss, silicone sealer shall be		EA		
	ROOF					
590	Do preparations as specified and pair coats Dulux or Plascon white roof pair (area do not include roof sheet profile (see attached paint specification)	nt, area is length x width	26	M^2		
598	Paint exposed roof timber purlin, pain universal undercoat and 2 coats white apply paint only after preparation as p	Dulux roof guard paint.		М		
	Paint exposed roof timber sprockets, and 2 coats white 2 coats white Dulux guard, bare wood areas shall be spot apply paint only after preparation as p	wall guard or Dulux roof primed with wood primer		М		4 <b>1</b> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	GUTTERS/DOWNPIPES					
	Fit galvanised square gutters 150mm include all necessary corners and stop shall comply to attached specification not be used as joints.	p ends, all work and mate	erial	M		
	Supply paint and paint gutters outside x mm) 2 coats paint, 1.0m = 0.30 specified was done, (see attached spe	m2, after all preparations		М		
	Replace down pipe for size up to 75m 75mm square for inland and PVC or fi pipe-cement for coastal area		1	EA		
	WALLS EXTERIOR					
Т	enderer signature:		Date:		/	
	***************************************					

		Page 3 of 3	SUB TOTAL	PAGE 3	
TENDI	ER NO:	ASSET NO:	02AX347B	i I	
ITEM NO	FAULT DISCRIPTION				NIT ITEM ATE AMOUNT
684	Paint exterior brick wall, not plastered, guard paint or similar paint approved by paint only after preparation as per attackeen done, colour; Dulux barely beige of	project manager, appl hed specification has		A^2	
	PAINT PIPES/STEEL				
<b>75</b> 0	Do preparations as specified and paint pipes against wall same colour and pair		, 8 1	A	
	PRELIMINARY AND GENERAL				
relate to prices mention prices require well as removal include contract after contract of work. Cost for compliant included freight recontract shall ser	G shall include all cost not directly of a specific item on the schedule and rates. All items not specifical ned in the Schedule of Rates and and form part of contractor's ments such as cost of stationery, establishment of workers on site of site establishment, it will also the handing over of the site to the ctor and the handing back of the sampletion of work.  CASSESSMENTAND SAFTEY INDUCT the risk assessment must include a fation of the risks before the work starry equipment, appropriate precaution must be provided and Implemented. The risk assessment and saftey include with the current Occupational Hell in risk and saftey. The standardised all induction shall be given to all staff ors at the start of each project and the dall his staff that will work on the Front of the induction on the date as agreed	RISK AI  as and TOTAL  TOTAL	OD SAFTE CIVIL ELECTRI SUB TO VAT TOTAL	CAL	
	ect manager and the contractor				
	ıb total price, excluding V				
	orm, Section 6 of the RFQ	. The amount r	nust also	be writte	n in words on
tne Se	rvice Fee and Cost Form.				
Τe	enderer signature:		Date:		

# ANNEXURE A

		ESCRIPTION:		N AT	INFRA S	rore			
	DER NO:	N: BLOEMFON	I LEIN		ASSET	NO: 02	AX347B		<u>.</u>
ITEN	NO.	SPECIFICATION	NS PER ITE	ΞM.					
CEILIN 41	Work d Paintwo priming coat of (SABS) the like comme	escription: Paint or ork to ceilings Inclion of nail heads and universal underco 515). All surfaces must be covered inced. No sweepin still wet.	ude the cov I screws. Ce at (SABS 6 I not being pure and protection in the coverage of the cov	ver strip eilings 881) an painted tected	os, cornice: previously d one coat I such as b against spe	s stoppir painted white E prickwork otting be	ng, sanding with enam GG SHEL k, sills, floc afore any p	g, dusting a nel paint: A L ENAMEL ors, joinery painting	pply one paint work and
	Wash w fat, oil a object, t dependi to a smo ensuring wall tho sweepin	OR escription: Prepared thoroughly with any other dirt. The filling of cracking on the size of both, even finish. It is that the surface roughly with clearing or dusting shall is in progress or	n hot water Preparation s and all hol the cracks of Brush down is sound. So n water. Let be done af	and sum of wardes in volue or hole or the substitution of the subs	gar soap i lls shall ind wall with the s. The are urface rem aint on wall ry complet wall had b	n order clude op e appropas unde oving all s to proper ely befo	ening all fi briate filler r repair mu l loose par vide bond re any pail	ne cracks volume or patching ust be sand ticles and of for new paint is applied	with sharp g plaster, led down lust nt. Rinse d. No
WINDO 169	The Verneeded, widths a rails are with end brackets Slat Wid Maximur Naximur N	escription: Fit or reletian blind is a versition blind is a versition blind is a versition blind is a versition blind Width an Blind Drop	ersatile solu of high tens and 50mm ed to match el universal 15mm 25 2,6m 3, 2.4m 3, 5,0 sq m 9, g 400mm	ution to sile, vir with co the co installa omm ,0m ,0 sq n	any room nyl coated a ords and la slour of the ation brack 50mm 3,0m 12,0 sq n	where li aluminiu adders a slats. T aets (50n	ght control m slats. T nd where t he head ra	he standard the head ar ail comes c	d slat nd bottom omplete
	Work de Clean wi frame co exposed and two open and paint win	AND EXT scription: Paint window frame from mplete and wipe metal surfaces with the coats water-based close easily. All dow The Window ted. Contractor s	rust and di off all sand vith an appr Dulux Pea Window ha w handles,	irt by soling du roved rolling of ortglo. A andles, peg sta	craping or st to obtair netal prime After painti peg stays ays and sli	n a perfe er. Appl ing, win and slid ding sta	ctly clean y one coa dow-open ling stays ys shall be	surface. P t universal ( ing section shall be rer removed (	rime all undercoal s shall move to

TENDER NO:	ASSET NO:	02AX347B

SPECIFICATIONS PER ITEM.

#### DOORS/SECURITY GATES

271 Work description: Paint door complete, 2 coats.

Previously painted doors: Wash thoroughly with a suitable detergent to remove all dirt and rinse with clean water. Remove defective paint/varnish and repair all holes and defective places with a suitable wood filler. Sand complete door and wipe off all sanding dust with a damp cloth. Allow to dry and apply one coat universal undercoat and one coat gloss enamel paint. New doors to be painted: Sand smooth and wipe sanding dust off with damp cloth. Allow to dry and apply one coat wood primer, one coat universal undercoat and one coat gloss enamel. Allow paint to dry between coats as per specification.

### **DOORFRAMES**

ITEM NO.

312 Work description: Paint frame with fan light, complete 2 coats.

Previously painted wooden door frame: Wash thoroughly with a suitable detergent to remove all dirt, rinse with clean water. Remove defective paint and repair all holes and defective places with a suitable wood filler. Sand complete frame and wipe off all sanding dust with a camp cloth. Allow too dry and apply one coat universal and one coat gloss enamel on painted frames . Previously painted steel doorframes. Clean doorframe from all rust and dirt by means of scraping, steel wire brush or sanding. Sand frame complete and wipe off all sanding dust with damp cloth. Allow too dry. Spot prime all exposed metal surfaces with an approved metal primer. Apply one coat universal undercoat and one coat gloss-enamel. New wooden door frames to be painted: Sand smooth, wipe sanding dust off with damp cloth, allow to dry. Apply one coat wood primer, one coat universal undercoat and 2 coats Dulux pearglo on doors frames. Allow paint to dry between coats as per manufacturer specifications

### PLUMBING INTERIOR

Work description: Install shower door (pivot) Supply and install pivot shower door from Kal Aluminium or Wespeco or type approved by project manager. Install according to the manufacture's specifications.

### ROOF

590 Work description: Paint roof sheets underside roof overhang/veranda

The Project manager must first approved roof after cleaning before the first coat is apply and must first approved the first coat before the second coat can be applied. The roof paint shall be applied by paint shall be applied by.

Roof shall be 100% clean before the roof paint is applied. All the rusted areas shall be spot primed, and the primer shall be dry before the first coat of Dulux roof guard or Plascon roof paint is applied. The roof paint shall be applied by brush, the use of roller or broom is not permitted. The paint shall be apply according to the manufacturer specifications and over coat times.

- 598 Work description: Paint expose roof timber purlin. Item include cleaning by washing off all dirt. Remove all loose, chalky, flaking, peeling paint from wood, sand and wipe off sanding dust with damp cloth and leave to dry before applying paint.
- Work description: Paint expose roof timber sprockets. Item include cleaning by washing off all dirt. Remove all loose, chalky, flaking, peeling paint from wood, sand and wipe off sanding dust with damp cloth and leave to dry before applying paint.

<b>GUT</b>	ERS/	/DOW	NPI	PES	S
------------	------	------	-----	-----	---

Tenderer signature:	Date:/

TENDER NO: ASSET NO: 02AX347B

### ITEM NO. SPECIFICATIONS PER ITEM.

- Work description: Replace gutters complete, type specified on work list. Galvanized sheet iron gutters shall have beaded edges and shall be in lengths of not less than 5 metres, except the last portion to make up the length. The part used to make up the length shall not be less than 500mm. All the joints shall be sealed with a paint able water proof sealant and 4mm diameter x 6mm long pop rivets. SILICONE SEALER MUST NOT BE USED !!! The sealant shall be applied between the gutters. The joint shall have 3 pop rivets on sides and 3 at the bottom of the gutter. The down pipe outlets may be soldered or pop riveted to the gutter and sealed with an acrylic sealer. The size of the outlet shall allow the down pipe to press right up to the bottom of the gutter. All the joints shall be waterproofed and the gutters shall be in a straight line. Gutters shall be laid to proper falls and be provided with angles, stop ends and outlet nozzles as required. Gutters shall be fixed on galvanized mild steel brackets of sizes specified, bent to shape of gutters with front end taken up to underside of beaded edge of gutter. Each shall be screwed to roof timbers with 2 screws. Gutters shall be bolted to brackets at front with 6 mm diameter galvanized gutter bolts, one to each bracket, positioned close to underside of beaded edge of gutter. Brackets shall be spaced, but distance between brackets shall not exceeding 1m.
- Work description: Paint gutters outside complete
  Previously painted gutters: Remove all defective paint, sand gutter complete and clean surface from all dust and dirt. Apply one coat universal undercoat and one coat of gloss enamel.
- Work description: Replace down pipe partly
  Repair twisted rain water pipes, offset pipes, elbows, and shoes, align and refit with
  approved galvanized mild steel rainwater pipe brackets, with tails built into wall with 3:1
  cement mortar. Damaged or rusted sections shall be cut out and replaced with similar new
  rain water pipes, offset pipes, elbows or shoes, properly riveted and soldered at joints,
  including the realigning of rain water pipes and if required. Provide and fit new rain water
  pipe brackets to match existing, with tails caulked into walls with 3;1 cement grout.

### WALLS EXTERIOR

684 Work description: Paint wall, brick finish.

All paint work shall be done to the specification of the manufacturer. Over coating time shall be allowed as specified by the manufacturer. All surfaces not being painted, such as brick work, sills, floors and the like must be covered up and protected against spotting before any painting commences. No sweeping or dusting shall be allowed while painting is in progress or while paint is still wet. All items that are more cost effective to be removed from wall and to be re-fixed, must be removed to avoid cutting in against items such as notice boards and other items.. Dry film thickness to be 90µm per coat.

# PAINT PIPES/STEEL

750 Work description: Paint pipes against wall 15 to 120mm DIA
Remove all loose and defective paint, sand and wipe off all sanding dust with damp cloth.
Apply 1 coat universal undercoat and 1 coat of gloss enamel paint.

Tenderer signature:	 Date:/	1

Page 3 of 3

### TRANSNET SOC LIMITED

(Registration no. 1990/000900/30)

# SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

#### 1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

### 2. Definitions

- 2.1 In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "Construction Work", which, in terms of the Construction Regulations, 2003 means any work in connection with:
  - (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
  - (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
  - (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
  - (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 "competent person" in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 "contractor" means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 "fall protection plan" means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;

- 2.6 **"health and safety file"** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 "Health and Safety Plan " means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;
- 2.8 "Risk Assessment" means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9 "the Act" means the Occupational Health and Safety Act No. 85 of 1993.

### 3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-
  - (a) includes the demolition of a structure exceeding a height of 3 metres; or
  - (b) includes the use of explosives to perform construction work; or
  - (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall also notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

- (a) includes excavation work deeper than 1m; or
- (b) includes working at a height greater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.
- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

### 4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

### 5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
  - (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;
  - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
  - (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:
  - (a) The identification of the risks and hazards that persons may be exposed to;
  - (b) the analysis and evaluation of the hazards identified;
  - (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified:
  - (d) a monitoring and review plan.
- 5.4 The Health and Safety Plan shall include full particulars in respect of: -
  - (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
    - (b) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
  - (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
  - (d) the site access control measures pertaining to health and safety to be implemented;
  - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
  - (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.
- 5.4 The Health and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.

- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

### 6. Fall Protection Plan

- 6.1.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
- 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract.

  The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 6.3 The fall protection plan shall include:-
  - (a) A Risk Assessment of all work carried out from an elevated position;
  - (b) the procedures and methods to address all the identified risks per location;
  - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
  - (d) the training of employees working from elevated positions; and
  - (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

### 7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

### 8. Health and Safety File

8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.

- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.



# OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

# Regulation 3(1) of the Construction Regulations

# NOTIFICATION OF CONSTRUCTION WORK

1(a)	Name and postal address of principal contractor:
(b)	Name and tel. no of principal contractor's contact person:
2.	Principal contractor's compensation registration number:
3.(a)	Name and postal address of client:
(b)	Name and tel no of client's contact person or agent:
4.(a)	Name and postal address of designer(s) for the project:
(b)	Name and tel. no of designer(s) contact person:
5.	Name and telephone number of principal contractor's construction supervisor on site appointed in terms of regulation 6(1).
6.	Name/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of regulation 6(2).
7.	Exact physical address of the construction site or site office:
8.	Nature of the construction work:
9.	Expected commencement date:
10.	Expected completion date:

12. Planne	d number of contract	ors on the construction site accountable to the principle contractor
13. Nar	me(s) of contractors a	aiready chosen.
Principal C	Contractor	Date
Client		Date

- \* THIS DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR <u>PRIOR</u>
  <u>TO COMMENCEMENT</u> OF WORK ON SITE
- \* ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

# (COMPANY LETTER HEAD)

# OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

SECTION/REGULATION:
REQUIRED COMPETENCY:
In terms of I,
representing the Employer) do hereby appoint
As the Competent Person on the premises at
(physical address) to assist in compliance with the Act and the applicable Regulations.
Your designated area/s is/are as follows :-
Date:
Signature :-  Designation :-
ACCEPTANCE OF DESIGNATION
I, do hereby accept this Designation and acknowledge that I
understand the requirements of this appointment.
Date:
Signature :-
Designation :-

### (COMPANY LETTER HEAD)

# OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

### **DECLARATION**

In terms of the above Act I,	am personally assuming the duties
and obligations as Chief Executive, Officer, defined in	n Section 1 of the Act and in terms of Section 16(1), I will, as ties and obligations of the Employer as contemplated in the
Signature :-	
Date:	
	<b>~</b>
· N	
<b>▼</b> •	

# (LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED)

### SITE ACCESS CERTIFICATE

Access to :	(Area)
Name of Contractor/Builder :-	
Contract/Order No.:	
The contract works site/area describe	d above are made available to you for the carrying out of associated work:
·	
In terms of your contract/order with	
(company)	
Kindly note that you are at all times	responsible for the control and safety of the Works Site, and for person
under your control having access to t	ne site.
	11) f It is the manifestants of the Oggunskings Heal
As from the date hereof you will be i	esponsible for compliance with the requirements of the Occupational Healt
and Safety Act, 1993 (Act 85 of 1993	) as amended, and all conditions of the Contract pertaining to the site of the
part thereof.	he contract documents including the plans of the site or work areas forming
part thereof.	
Signed :	Date :
TECHNICAL OFFICER	
	ACKNOWLEDGEMENT OF RECEIPT
	<b>Y</b>
Name of Combination (Delivery	· ·
Name of Contractor/Builder	I,
	do hereby acknowledge and accept th
	do nereby acknowledge and accept the
and obligations in respect of the	e Safety of the site/area of Work in terms of the Occupation.
Health and Safety Act; Act 85 of	
neuten und Balery Act, Act 05 01	1999,
Name :	Designation :
	···· ·
Signature '	Date: