


RFQ / TENDER

Tender No: HAM 66



Vendor No: 11001386

BOARD LIST
BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT
2000

Purchaser : Helena Mauger
Telephone : 011 584 0604
Fax Number : .

Please quote reference:
DD3/6000566372

Deliver to:
TFR Head Office
Supply Chain Services
2000 Johannesburg

Closing Date : 17.05.2011
Validity Date : 19.08.2011
RFQ No : 6000566372

1. RETURN OF QUOTATION/S:

1.1 QUOTATION/S MUST BE SUBMITTED PUNCTUALLY AT 10:00 ON THE CLOSING DATE AND LATE QUOTATIONS WILL NOT BE CONSIDERED, AND MUST BE ENCLOSED IN A SEALED ENVELOPE WHICH MUST HAVE INSCRIBED ON THE OUTSIDE: TENDER NO: HAM 66 DESCRIPTION: RS 232 FIBRE TRANSCEIVER: CLOSING DATE AND TIME: 17 MAY 2011 AT 10:00 HOURS

1.2 IF POSTED:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
PO BOX 4244
JOHANNESBURG
2000

1.3 IF DELIVERED BY HAND:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
GROUND FLOOR
21 WELLINGTON ROAD
PARKTOWN
2193

2. CONDITIONS:

- 2.1, ANY PURCHASE ORDER PLACED AS A RESULT OF YOUR QUOTATION WILL BE SUBJECT TO THE STANDARD TERMS AND CONDITIONS OF CONTRACT, FORM US7, (LATEST), GENERAL TENDER CONDITIONS, FORM CSS5 (LATEST) AND CONDITIONS MENTIONED HEREIN.
- 2.2, TENDERERS MAY OFFER AN EARLIER VALIDITY DATE, BUT THEIR QUOTATION MAY, IN THAT EVENT, BE DISREGARDED FOR THIS REASON.
- 2.3, TENDERERS ARE REQUIRED TO OFFER ONLY FIRM PRICES.
- 2.4, BEST DELIVERY TIME MUST BE OFFERED.
- 2.5, DISCOUNT (TRADE DISCOUNT) CASH DISCOUNT (CONDITIONAL DISCOUNT) VALUE ADDED TAX (VAT) MUST BE SHOWN SEPARATELY.
- 2.6, TRANSNET RESERVES THE RIGHT TO NEGOTIATE PRICES AND COMMERCIAL ASPECTS AFTER THE CLOSING DATE OF THE QUOTATION.

DATE: SIGNATURE OF TENDERER(S):
CONTACT PERSON: TEL No:

RFQ / TENDER

Tender No: HAM 66 **Page**
Date : 03.05.2011 **2**

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

2.7. DIRECT DELIVERY INTIMATES DELIVERY BEING EFFECTED TO THE ACTUAL POINT OF SUPPLY AND SHOULD THEREFORE INCLUDE ANY TRANSPORTATION MODE DEEMED NECESSARY IN EXECUTING THIS METHOD OF DELIVERY BASIS IN ORDER TO MEET THE REQUIRED DELIVERY DATE.

TAX CLEARANCE CERTIFICATES:

The Regulations in terms of the Public Finance Management Act, 1999: Framework for Supply Chain Management as published in Government Gazette No. 25767 dated 5 December 2003, Clause 9 (1) (d), stipulates that the accounting officer or accounting authority of an institution to which these regulations apply must reject any bid from a supplier who fails to provide written proof from the South African Revenue that the supplier either has no outstanding tax obligations or has made arrangements to meet outstanding tax obligations.
Tenderers will be disqualified if a valid tax clearance certificate or written proof from the South African Revenue Service that supplier has made arrangements to meet outstanding tax obligations is not submitted with the tender.

BROAD BASED BLACK ECONOMIC EMPOWERMENT (BBBEE)

Transnet fully endorses and supports the Government's Broad-based Black Economic Empowerment Programme and it is strongly of the opinion that all South African Business Enterprises have an equal obligation to redress the imbalances of the past.
Transnet will therefore prefer to do business with local business enterprises who share these same values. Transnet will endeavour to do business with local business enterprises that possess a BBBEE "recognition level" of at least a level 5. Transnet urges Tenderers (large enterprises and QSE's - see below) to have themselves accredited by any one of the various Accreditation Agencies available, who do their BBBEE ratings in accordance with the latest Codes (i.e. those promulgated on 9 February 2007) and whose names appear on the present ABVA (Association of BEE Verification Agencies) - "List of Full Members" as displayed on the ABVA website (www.abva.co.za).
Although no agencies have, as yet, been accredited by SANAS (SA National Accreditation System), Transnet will, in the interim, accept rating certificates of tenderers who have been verified by any of the listed agencies.

Enterprises will be rated by such agency based on the following:

1. Large Enterprises (i.e. annual turnover >R35million:
Rating level based on all seven elements of the BBBEE scorecard.

2. Qualifying Small Enterprises - (QSE) (i.e. annual turnover >R5million but <R35million:
Rating based on any four elements of the BBBEE scorecard.

NB:

3. Emerging Micro Enterprises - (EME) (i.e. annual turnover <R5m) are exempted from being rated/verified:
Automatic rating of Level 4 BBBEE irrespective of race of ownership, i.e. 100% BBBEE recognition
Black ownership >50% or Black Women ownership >30% automatically qualifies as Level 3 BBBEE, i.e. 110% BBBEE recognition
EME's should provide certified documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% from the EME's Auditor/Accounting Officer.

4. In addition to the above, Tenderers who wish to enter into a Joint Venture or subcontract portions of the contract to BBBEE companies, must state in their tenders the percentage of the total contract value that will be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or sub-contractor/s, as well as a breakdown of the distribution of the aforementioned percentage must also be furnished

In view of the high emphasis which Transnet places on Broad-based Black Economic Empowerment, Transnet will allow certain preference points for BBBEE in the evaluation of all responses. Depending upon the value of the ensuing business award (i.e. below or in excess of R2m), the 80/20 or 90/10 point preference systems will be utilized where BBBEE will count out of 20 or 10 respectively in the evaluation process.

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM 66 **Page**
Date : 03.05.2011 3

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

EACH RESPONDENT IS REQUIRED TO FURNISH PROOF OF THE ABOVE TO TRANSNET. FAILURE TO DO SO WILL RESULT IN A SCORE OF ZERO BEING ALLOCATED FOR BBBEE.

Turnover: Kindly indicate your company's annual turnover for the past year R _____

If annual turnover <R5m, please attach certified confirmation from your Auditor/Accounting Officer

If annual turnover >R5m please attach original or certified copy of accreditation certificate and detailed scorecard by an ABVA accreditation agency (registered as a "Full Member")

PAYMENT TERMS

The following payment terms will apply as from 1 October 2008.

All suppliers will be paid 30 days from receipt of month end statement, i.e. payment term F055.

All CIDB suppliers will be paid 21 days from date of invoice, i.e. payment term F057.

CONDITIONS:

This quotation is subject to the provisions of the Standard Terms and Conditions of Contract, Form US7, (Latest) and the General Tender Conditions, Form CSS5 (Latest) and any other standard or special conditions mentioned and/or embodied in the quotation request.

DATE:

SIGNATURE OF TENDERER(S):
.....

RFQ / TENDER

Tender No: HAM 66 Page
Date : 03.05.2011 4

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

SCHEDULE OF REQUIREMENTS
TENDERERS SHOULD INSERT THEIR PRICES UNDER THE APPROPRIATE HEADINGS HEREUNDER.

IN THIS REGARD THE TENDERER'S ATTENTION IS DIRECTED TO PARAGRAPH 16 OF FORM CSS5 (LATEST).

NB. TENDERERS OFFERING GOODS FROM IMPORTED SUPPLIES MUST SUBMIT THEIR PRICES ON THE DELIVERY BASIS APPEARING UNDER COLUMN (C) OF THIS SCHEDULE OF REQUIREMENTS.

Item	Qty	Material	Description
00010	30	4 Channel sync or 16 dhan asyn	RS 232

R.....
Each

Delivery Date: 30.06.2011

FULL DETAILS OF DESCRIPTION

4 CHANNEL SYNC OR 16 CHANNEL ASYNC RS232 FIBRE TRANCEIVER 48 V (RANGE 36KM) AS PER TECHINAL REQUIREMENT ATTACHED.

DATE:

SIGNATURE OF TENDERER(S):

RFP / TENDER

Tender No: HAM 66
Date : 03.05.2011

Page 5

BOARD LIST
TRANSPORT FREIGHT RAIL
PROCUREMENT DEPARTMENT

3. ADDITIONAL INFORMATION REQUIRED: (WHERE APPLICABLE)

3.1 THE FOLLOWING ADDITIONAL INFORMATION IS REQUIRED:

(A) TRADE DISCOUNT

(B) PRICES/FIRM:

(C) PRICES/FIRM UNTIL THEREAFTER SUBJECT TO REVIEW.

(D) DELIVERY DATE:

TENDERERS MUST FURNISH THEIR ACTUAL DELIVERY AND MANUFACTURING PERIOD HEREUNDER NOTWITHSTANDING THE DELIVERY DATES SPECIFIED BY TRANSNET.

THE FOLLOWING MUST ALSO BE FURNISHED IN REGARD TO THE ABOVE:

1. PERIOD REQUIRED TO OBTAIN RAW MATERIAL.(DAYS)

2. MANUFACTURING PERIOD.(DAYS)

3. PERIOD TO TRANSPORT MATERIAL TO DESTINATION.(DAYS)

[illegible]

Power Supply	
Power Supply Input :	AC : 220 / 110 VAC as per option DC : 110 / 48 / 24 VDC as per option All supplies tolerance = + - 10%
Power supply output :	5V DC \pm 5% 12V DC \pm 5% -12V DC \pm 5%
Power supply type:	AC : Linear regulation, DC : Switched mode.
Connection :	AC : 3 Pin computer type female socket. DC : Robust industrial type screw terminal.
Power consumption :	Approximately 10 watt.

Mechanical	
Height :	70 mm plus 10mm high rubber feet
Width :	275 mm
Depth :	250 mm
Weight :	3.2 kg

Unit is supplied with rubber feet as a table model.
The enclosure is powder coated mild steel.
Additional brackets are available for 19" Chassis mount.

SPECIFICATIONS	
Data Capacity :	4 Channels sync with 2 Handshakes & Clock or 16 Channels async with no Handshake or Mix of above.
Sampling Rate:	528k samples / second
Clock Source :	Internal, External, and Received Clock
Internal Clock Selection:	Dip switch selectable to 1200, 2400, 4800, 9600, 19200, and 38400 Baud
Loop back:	Local and Remote Loop back. (All channels simultaneously)
Indications:	POWER and LINK OK.

OPTION DESCRIPTION		BUDGET		TX LEVEL		RX	
Optic 1A/B	850 short range multimode Up to 3.5km. ST connector	12dB	-18dBm	-30dBm	-30dBm		
Optic 1B/B	1300 medium range multimode Up to 12km. ST connector	12dB	-18dBm	-30dBm	-30dBm		
Optic 1C/B	1300 medium range single mode 36km singlemode, ST connector	18dB	-12dBm	-30dBm	-30dBm		
Optic 1C/C	1300 laser single mode 60km singlemode, ST connector	30dB	0dBm	-30dBm	-30dBm		
Optic 1E/C	1300 laser high power 76km singlemode, ST connector	38dB	0dBm	-38dBm	-38dBm		
Optic 1F/B	1550 laser high power 126.67km singlemode, ST connector	38dB	0dBm	-38dBm	-38dBm		
Optic 1H/C	1550 laser high power FC/PC connector	38dB	0dBm	-38dBm	-38dBm		
Optic 1H/C	1550 laser high power FC/PC connector	38dB	0dBm	-38dBm	-38dBm		

Note : Multimode fibre = 50 / 125 μ fibre
Singlemode fibre = 9 / 125 μ fibre