

Tender No:

JHB-19954

Vendor No: 11001386

BOARD LIST BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT 2000

Purchaser: Nobahle Mjoli Telephone: 011 584 0606

Fax Number:

Please quote reference:

K62/6000617823

Deliver to:

Mr.

Spoornet Capital Projects Spoornet Capital Projects Closing Date Val/dity Date :17.11.2015 :25.03.2016

No :6000617823

FREE STANDING 600X600MM CANINETS OF VARIOUS HEIGHTS AT ISANDO

THE RFQ DOCUMENTS ARE OBTAINABLE FROM THE OFFICE OF TRANSNET FREIGHT RAIL, TENDER ADVISE CENTRE, GROUND FLOOR, INYANDA HOUSE 1, WELLINGTON FOAD PARKTOWN, DURING OFFICE HOURS 08:00 TO 15:00 AND RFQ DOCUMENT IS FOR FREE. RFQ CLOSING DATE: 17 NOVEWICES 2015.

QUOTATIONS MAYBE FAXED TO (011) 774-9129/(011) 774-9186.

FOR ANY TECHNICAL ENQUIRIES WITH REGARD TO THIS RFQ YOU CAN CONTACT :MR ERIC VAN DER MERWE TEL: 083 286 5031.

1.1 QUOTATION/S MUST BE SUBMITTED PUNCTUALLY AT 10:00 ON OR BEFORE CLOSING DATE AND LATE QUOTATIONS WILL NOT BE CONSIDERED.

1.2 IF POSTED:

21 WELLINGTON ROAD INYANDA HOUSE 1 PARKTOWN 2193

1.3 ,IF DELIVERED BY HAND:

TRANSNET FREIGHT RAIL-SUPPLY CHAIN SERVICES 21 WELLINGTON ROAD INYANDA HOUSE 1 PARKTOWN

DATE:	SIGNATURE OF TENDERER(S):		***************************************	
	CONTACT PERSON:	TEL No:	companion	

Tender No: JHB-19954 **Page Date** : 05.11.2015 2

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT

2. CONDITIONS:

- 2.2 ANY PURCHASE ORDER PLACED AS A RESULT OF YOUR QUOTATION WILL BE SUBJECT TO THE STANDARD TERMS AND CONDITIONS OF CONTRACT, FORM US7, (LATEST), GENERAL TENDER CONDITIONS, FORM CSS5 (LATEST) AND CONDITIONS MENTIONED HEREIN.
- 2.3 TENDERERS MAY OFFER AN EARLIER VALIDITY DATE, BUT THEIR QUOTATION MAY, IN THAT EVENT, BE DISREGARDED FOR THIS REASON.
- 2.4 TENDERERS ARE REQUIRED TO OFFER ONLY FIRM PRICES. PRICES SUBJECT TO REVIEW IN TERMS OF CLAUSE 32 OF FORM US7 WILL ONLY BE CONSIDERED SHOULD THE DELIVERY PERIOD REQUIRED EXCEED 6 MONTHS.
- 2.5 BEST DELIVERY TIME MUST BE OFFERED.
- 2.6 DISCOUNT (TRADE DISCOUNT) CASH DISCOUNT (CONDITIONAL DISCOUNT) VALUE VALUE ADDED TAX (VAT) MUST BE SHOWN SEPARATELY.
- 2.7 TRANSNET RESERVES THE RIGHT TO NEGOTIATE PRICES AND COMMERCIAL ASPECTS AFTER THE CLOSING DATE OF THE QUOTATION.



DATE:	SIGNATURE OF TENDERER(S):	

Tender No:

JHB-19954

Page

Date

05.11.2015

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT

- 2,8 DIRECT DELIVERY INTIMATES DELIVERY BEING EFFECTED INTO THE WAREHOUSE OR THE ACTUAL POINT OF SUPPLY AND SHOULD THEREFORE INCLUDE ANY TRANSPORTATION MODE DEEMED NECESSARY IN EXECUTING THIS METHOD OF DELIVERY BASIS IN ORDER TO MEET THE REQUIRED DELIVERY DATE.
- 3. EVALUATION CRITERIA:-
- 3.1, COMPLIANCE TO SPECIFICATION CLAUSE BY CLAUSE DECLARATION.
- 3.2. COMPETITIVE PRICING AND BBBEE.

TAX CLEARANCE CERTIFICATES:

The Regulations in terms of the Public Finance Management Act, 1999: Framework for Supply Chain Management as published in Government Gazette No. 25767 dated 5 December 2003, Clause 9 (1) (d), stipulates that the accounting officer or accounting authority of an institution to which these regulations apply must reject any bid from a supplier who fails to provide written proof from the South African Revenue that the supplier either has no outstanding tax obligations or has made arrangements to meet outstanding tax obligations.

supplier either has no outstanding tax obligations or has made arrangements to meet outstanding tax obligations.

Tenderers will be disqualified if a valid tax clearance certificate or written proof from the South African Revenue Service that supplier has made arrangements to meet outstanding tax obligations is not submitted with the tender.

COMPANY DETAILS:	
NAME OF COMPANY:	
CONTACT PERSON:	
TEL. NO	FAX NO:
REG. NO	

BROAD BASED BLACK ECONOMIC EMPOWERMENT (BBBEE)

Transnet fully endorses and supports the Government. Broad-based Black Economic Empowerment Programme and it is strongly of the opinion that all South African Business Enterprises have an equal obligation to redress the imbalances of the past.

Transnet will therefore prefer to do business with local business enterprises who share those same values. Transnet will endough to de-

Transnet will therefore prefer to do business with local business enterprises who share these same values. Transnet will endeavour to do business with local business enterprises that possess a BBBEE "recognition level" of at least a level 5. Transnet urges Tenderers (large enterprises and QSE's - see below) to have themselves accredited by any one of the various Accreditation Agencies available, who do their BBBEE ratings in accordance with the lates. C des (i.e. those promulgated on 9 February 2007) and whose names appear on the present ABVA (Association of BEE Verification Agencies) - "List of Full Members" as displayed on the ABVA website (www.abva.co.za).

Although no agencies have, as yet, been accredited by SANAS (SA National Accreditation System), Transnet will, in the interim, accept rating certificates of tenderers who have been verified by any of the listed agencies.

Enterprises will be rated by such agency based on the following:

- 1. Large Enterprises (i.e. annual turnover >R35million:
- " Rating level based on all seven elements of the BBBEE scorecard.
- 2. Qualifying Small Enterprises (QSE) (i.e. annual turnover >R5million but <R35million:
- " Rating based on any four elements of the BBBEE scorecard.

NB:

- 3. Emerging Micro Enterprises (EME) (i.e. annual turnover <R5m) are exempted from being rated/verified:
- " Automatic rating of Level 4 BBBEE irrespective of race of ownership, i.e. 100% BBBEE recognition
- " Black ownership >50% or Black Women ownership >30% automatically qualifies as Level 3 BBBEE, i.e. 110% BBBEE recognition
- " EME's should provide certified documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% from the EME's Auditor/Accounting Officer.

DATE:	SIGNATURE OF TENDERER(S):	

Tender No: JHB-19954 **Page Date** : 05.11.2015 4

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT

4. In addition to the above, Tenderers who wish to enter into a Joint Venture or subcontract portions of the contract to BBBEE companies, must state in their tenders the percentage of the total contract value that will be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or sub-contractor/s, as well as a breakdown of the distribution of the aforementioned percentage must also be furnished

In view of the high emphasis which Transnet places on Broad-based Black Economic Empowerment, Transnet will allow certain preference points for BBBEE in the evaluation of all responses. Depending upon the value of the ensuing business award (i.e. below or in excess of R2m), the 80/20 or 90/10 point preference systems will be utilized where BBBEE will count out of 20 or 10 respectively in the evaluation process.

EACH RESPONDENT IS REQUIRED TO FURNISH PROOF OF THE ABOVE TO TRANSNET. FAILURE TO DO SO WILL RESULT IN A SCORE OF ZERO BEING ALLOCATED FOR BBBEE.

Turnover: Kindly indicate your company's annual turnover for the page 300 R

- " If annual turnover <R5m, please attach certified confirmation from your Auditor/Accounting Officer
- " If annual turnover >R5m please attach original or certified corplof accreditation certificate and detailed scorecard by an ABVA accreditation agency (registered as a "Full Member")

PAYMENT TERMS

The following payment terms will apply as from 1 october 2008.

" All suppliers will be paid 30 days from receipton onth end statement, i.e. payment term F055.

CONDITIONS:

This quotation is subject to the provisions of the Standard Terms and Conditions of Contract, Form US7, (Latest) and the General Tender Conditions, Form CSS5 (Latest) and any other standard or special conditions mentioned and/or embodied in the quotation request.

SCHEDUZE OF REQUIREMENTS

PRICES TENDERED ARE TO BE "DIVECT" AND EXCLUDE VAT.

IN THIS REGARD THE TENDERER'S ATTENTION IS DIRECTED TO PARAGRAPH 16 OF FORM CSS5 (LATEST).

DATE:	SIGNATURE OF TENDERER(S):	

Tender No: JH
Date : 05

JHB-19954 05.11.2015 Page 5

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT

TRANSNET INSISTS ON HONESTY AND INTEGRITY BEYOND REPROACH AT ALL TIMES AND WILL NOT TOLERATE ANY FORM OF IMPROPER INFLUENCING, BRIBERY, CORRUPTION, FRAUD, OR ANY OTHER UNETHICAL CONDUCT ON THE PART OF BIDDERS/TRANSNET EMPLOYEES. IF, IN THE OPINION OF TRANSNET'S CHIEF OPERATING OFFICER, A TENDERER / CONTRACTOR / SUPPLIER HAS OR HAS CAUSED TO BE PROMISED, OFFERED OR GIVEN TO ANY TRANSNET EMPLOYEE, ANY BRIBE, COMMISSION, GIFT, LOAN, ADVANTAGE OR OTHER COSIDERATION, TRANSNET SHALL BE ENTITLED TO REVOKE THE TENDER / CONTRACT BY FOLLOWING ITS INTERNAL POLICIES THAT GOVERN THE ECLUSION PROCESS. IN SUCH AN EVENT TRANSNET WILL BE ENTITLED TO PLACE ANY TENDERER / CONTRACTOR / SUPPLIER WHO HAS CONTRAVENED THE PROVISIONS OF TRANSNET'S BUSINESS ETHICS ON ITS LIST OF EXCLUDED TENDERERS. THIS LIST WILL ALSO BE DISTRIBUTED TO ALL OTHER STATE OWNED ENTERPRISES AND GOVERNMENT DEPARTMENTS.

TRANSNET INVITES ITS VALUED SUPPLIERS TO REPORT ANY ALLEGATIONS OF FRAUDCORRUPTION OR OTHER UNETHICAL ACTIVITIES TO TRANSNET TIP-OFFS ANONYMOUS, AT ANY OF THE FOLLOWING ADDRESSES / CONTACT NUMBERS:-

TOLL-FREE ANONYMOUS HOTLINE - 0800 003 056 EMAIL - Transnet@tip-offs.com FAX NUMBER - 0800 007 788

FREEPOST DN 298, UMHLANGA ROCKS, 4320

CONFIDENTIALITY IS QUARANTEED

FULL DETAILS OF DESCRIPTION

COM IDENTIALITY TO CONTAIN FED					
Item	Qty	Material	Description		
00010	4	25 U 600 x 600min	binet	_	
			,	R Each	
Delivery Date	e: 28.02.2016	7			
FULL DETAI	LS OF DESCRI	PTION			
00020	4	38 5 300 x 600mm	Cabinet		
		= 1		R Each	
Delivery Date	e: 28.02.2016			24011	
FULL DETAILS OF DESCRIPTION					
00030	1	Delivery to ISando			
				R Each	
Delivery Date	e: 28.02.2016			Lacii	

NATE	OLONATURE OF TEMPERER (O)	
DATE:	SIGNATURE OF TENDERER(S):	

Tender No: JHB-19954 **Page Date** : 05.11.2015 6

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT



)ATF·	SIGNATURE OF TENDEDER(S):	

Tender No: JHB-19954
Date : 05.11.2015

Page

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT

DATE:

3. ADDITIONAL INFORMATION REQUIRED: (WHERE APPLICABLE)	
3.1 THE FOLLOWING ADDITIONAL INFORMATION IS REQUIRED:	
(A) DISCOUNT:	
(B) SETTLEMENT DISCOUNT:	
(C) PRICE/S FIRM:	
(D) PRICE/S FIRM UNTIL THEREAFTER SUBJECT TO REVIEW.	
(E) PRICE/S NOT FIRM:	
(F) SABS MARK:	
(G) SABS PERMIT NO:	
(H) BRAND/MAKE/TYPE:	
(I) FULL NAME AND ADDRESS OF MANUFACTURER.:	
(J) FULL NAME AND ADDRESS OF INSPECTION POINT:	
(K) COUNTRY OF ORIGIN:	
Comply: Does not Comply: Not applicable :	
(L) SURPLUS MATERIAL: TENDERERS MUST INDICATE IF THEY WILL BE PREPARED TO PURCHASE BACK FROM TRANSNET ANY SURPLI MATERIAL WHICH MAY BECOME AVAILABLE FROM ANY RESULTING PURCHASE ORDER/CONTRACT ORIGINATE FROM THE QUOTATION SUBMITIES.	US ≣D
(M) PAYMENT OVERSEAS:	
ONLY IF TRANSNET LIMITED IS REQUESTED BY THE TENDERER TO EFFECT PAYMENT OVERSEAS DIRECT TO	THE
TENDERER'S PRINCIPAL/SUPPLIER THE FOLLOWING INFORMATION IS REQUIRED:	
* EXCHANGE RATE ON WHICH THE QUOTATION PRICE IS BASED: R1,00 (S.A. CURRENCY) BEING EQUAL	
TO (FOREIGN CURRENCY)	
* PERCENTAGE IN RELATION TO THE QUOTATION PRICE TO BE REMITTED OVERSEAS:	
* NAME OF COUNTRY TO WHICH PAYMENT IS TO BE MADE:	
* APPLICABLE DATE OF EXCHANGE RATE:	
* BENEFICIARY'S NAME AND FULL ADDRESS:	

SIGNATURE OF TENDERER(S):

Tender No: JHB-19954 **Page Date** : 05.11.2015 8

BOARD LIST TRANSNET FREIGHT RAIL PROCUREMENT DEPARTMENT * BENEFICIARY'S BANKERS AND FULL ADDRESS: * APPLICABLE ACCOUNT NUMBER: (N) DELIVERY DATE: TENDERERS MUST FURNISH THEIR ACTUAL DELIVERY AND MANUFACTURING PERIOD HEREUNDER NOTWITHSTANDING THE DELIVERY DATES SPECIFIED BY TRANSNET. THE FOLLOWING MUST ALSO BE FURNISHED IN RECARD O THE ABOVE: 1. PERIOD REQUIRED TO OBTAIN RAW MATERIAL. (DAYS) 2. MANUFACTURING PERIOD.(DAYS) 3. PERIOD TO TRANSPORT MATERIAL TO DESTINATION.(DAYS) MATERIAL NO. 1.(PERIOD) 2.(PERIOD) .(PERIOD) INDICATE THE PERCENTAGE (%)OF THE PINCE THAT IS SUBJECT TO THE VARIABLE COPPER FEE: -----%.

DATE:	SIGNATURE OF TENDERER(S):	

Schedule of Requirements

Description	Quantity
25 U 600x 600mm cabinet	4
38 U 600 x600mm cabinet	4
Delivery to Isando	1

We here of the second of the s





Table of Contents

ΓΕ	LECOMMUNICATIONS SPECIFICATION	1000
GE	NERIC EQUIPMENT CABINET	1
	able of Contents	2
	Document Authorisation	3
	. Distribution	3
ı	I. Change History	3
١	V. Changes since Last Revision	3
•	Abbreviations and Acronyms	4
١	/I. Definitions	4
١	/II. Relevant Documentation	4
	. SCOPE	5
2	. COMPLIANCE	5
(. SERVICE CONDITIONS	5
4	. CABINET COLOUR	5
Ę	TRUNKING AND RTO CABINET MAKE AND ASSEMBLY	5
6	. 25U 19 INCH FREE STANDING TRANSMISSION EQUIPMENT CABINET	7
7	47U 19 INCH FREE STANDING TRANSMISSION EQUIPMENT CABINET	8

I. Document Authorisation

Function	Name	Title and Division	Signature	Date
Updated by	D Mabasa	ET , Quality Assurance	Adding	19/08/2014
Reviewed by:	E van der Merwe	Senior Technologist, Transmission	EveMerare	19/8/2011
Authorised by:	AD Matseke	Chief Engineer Telecommunication	DINGHA	19/08/20

II. Distribution

To be registered in TFR's document management system – Project wise Emailed to all TFR Telecommunications specialists

Provided to relevant Project Managers, Tenders and Contractors

III. Change History

Issue No.	Date	Issued by	Change Summary
1.00	2011-06-13	Transmission	Compilation from old RFPs
2.00	2011-09-20	Transmission	Typical layouts added
2.10	2013-03-20	Transmission	Minor modifications added
3.00	2014-08-18	Transmission	Typical layouts removed

IV. Changes since Last Revision

Clause	Description	

V. Abbreviations and Acronyms

Acronym	Description	G.
TFR	Transnet Freight Rail	

VI. Definitions

Term	Definition	N .	

VII. Relevant Documentation

Document	Description and Relevance
	O O

1. SCOPE

This specification covers the requirements of Transnet for the supply of cabinets. The quantities and the number of accessories will be provided in the Schedule of Requirements, or Bill of Quantities, or Design Document.

2. COMPLIANCE

- 2.1 Tenders must comply with all the specifications and requirements as indicated in this document. Any deviation from this specification must be indicated in the tenderer's submission document.
- 2.2 Transnet will reserve the right to inspect cabinet samples before adjudication of contract.

3. SERVICE CONDITIONS

- 3.1 The equipment must be suitable for continuous operation under the following conditions:
- 3.1.1 Air pollution: Heavily saline laden industria and locomotive fumes.
- 3.1.2 Relative humidity: As high as 95%.
- 3.2 All components and parts must be manufactured and installed to ensure reliable operation under these conditions.

4. CABINET COLOUR

The cabinet and all its components fust be grey and must be Polyester Structured Powder coated with Ral 7035 texture.

5. TRUNKING AND RTO CABINET MAKE AND ASSEMBLY

The cabinet height will be stated in the schedule of requirements. If not, then the default cabinet size is as follows:

No	ITEM /	DESCRIPTION
1	Cabinet standard	IP54
2	Height	38U
3	Size	Width: 600mm Depth: 600mm Width of equipment mounting area: 482.6mm (19")
4	Loading Capacity	Must be fitted with height adjustable feet. Must support 350 kg
5	Door :Front	Lockable perforated aluminium door All doors must be earthed to the bottom plate with a cable that can be removed/ unplugged when removing doors.
	Door :Back	Removable and lockable. Side panels and Rear doors
	Sides of cabinet	Removable panels
6	Plinth	600mm x 600mm

No	ITEM	DESCRIPTION
7	Punch Profile (Back)	19" Rack powder coated punch profile 2*
8	Punch Profile (Front)	19" Rack powder coated punch profile 2*
9	Standard Ground bar	1500 mm Copper Earth bar with at least 15 earth clamps. Mounted Vertically and Insulated from Cabinet
10	Flat mount tray	330 mm deep 1*
11	Blanking Plates	1U 1* and 2U 10*
12	Vent Plates	1U 1*
13	Drawer unit	1U 1*
14	Trunking	40 x 40 PVC Finger Trunking Full Cabine Length 1*
15	Mounting rails	19 inch mounting rails must be fully adjustable within the cabinet
16	Blanking panel	1U 1*
17	Cage nuts, Screws and Cup Washers (loose)	100*
18	Cable Entry	Top and Bottom
	Q	The cable entry positions are to be dust protected by means of a brush entry panel. (Gland plate 4U)
19	Brush Panel	1U 1*
20	Fans	48V DC 2* Top mounted 48 V long- life roller bearing fans
21	Trip switch panel 2U	6* 48 Volt, 10 Amp trip switches with communing strip, spare positions for 2 more switches and a common earth bar insulated from the cabinet.
22	Mains Outlet Strip	5-Way, 15 Amp, 220 VAC equipped with a 15 Amp trip switch

Table 1: Trunking rabinet make and assembly

6. 25U 19 INCH FREE STANDING TRANSMISSION EQUIPMENT CABINET

No	ITEM	DESCRIPTION
1	Height	25U
2	Size	600 mm x 600 mm
3	Loading Capacity	400 kg
		Aluminium framed, Lockable,
4	Door :Front	Toughened Glass door.
		Opening 180 Degrees left to right.
		Hinged and lockable. Side panels and
	Side & Rear	Rear doors must be removable.
5	Paint Specification and Colour	Powder coated Ral 7035 texture.
6	Plinth	600 mm x 600 mm
7	Punch Profile (Rear)	Nage/
8	Punch Profile (Front)	251
		Depper - Mounted Vertical Isolated
9	Standard Ground bar	from Cabinet
10	Flat mount tray	330 mm 2*
11	Gland Plates	Top and bottom
12	Depth Reducer	600 mm 3 Each Side
		40 x 40 Finger Trunking Full Cabinet
13	Trunking	Length 1*
14	Mounting rails	19 inch mounting rails must be fully adjustable
		within the cabinet
15	Blanking panel	1U 1* 7U 1*
16	Cage nuts, Screws and Cup Washers (loose)	36*
17	Cage nuts, Screws and Cub Washers (Assembling)	
18	Cable Duct	100 mm light Duty
19	Cable Entry	Bottom
		The cable entry positions are to be
		dust protected by means of a brush
		entry panel. (Gland plate 4U)
20	Brush Panel	1U 1*
		48V DC 2* Top mounted on gland
21	Fans	plate 4U
22	Patch Panel V.24 (16 Way) (Numbered 1 to 16)	2U 1*
23	Dust proofing	Cabinet must be dust proof with rear air vent and dust filter
24		5 x 5A DC trip switches with
	Trip switch panel 3U	communing strip
	Note: * =Quantity	

Table 2: 25U 19" transmission cabinet make and assembly

7. 38U 19 INCH FREE STANDING TRANSMISSION EQUIPMENT CABINET

No	ITEM	DESCRIPTION
1	Height	38U
2	Size	600 mm x 600 mm (Aluminium Frame)
3	Door :Front	Lockable perforated aluminium door
4	Side & Rear	Hinged and lockable. Side panels and Rear doors must be removable.
5	Paint Specification and Colour	Powder coated: Ocean Grey Ral 7035 texture.
6	Punch Profile (Front)	3811
7	Ground bar	Copper - Mounted Vertical Isolated from Cabinet
8	Depth Reducer	600 mm 5 at each side
9	Trunking	vuo x 100 Finger Trunking Full Cabinet Length
10	19" Mounting rails	Must be fully adjustable within the cabinet
11	Cable tray	100 mm light Duty
12	Cable Entry	Top Panel with brush & bottom through plinth
13	Dust proofing	Cabinet must be dust proofed with gaskets all round doors. Rear doors to be fitted with 2 air vents with dust filters.
14	Cage nuts, screws and cup washes (loose)	20 per cabinet
15	Gland Plates	Top & Bottom (Brush Entry)
16	Trip switch panel 3U	10 x 5A DC trip switches with communing strip
17	Front mount tray 300mm	2 U = 3*
18	Brush panel	1 U = 5*
19	Blanking panel	1 U = 1* 2 U = 1*
20	Patch Panel V.24 (16 Way) (Numbered 1 to 16)	2 U = 5*
21	Fans	48V DC = 2* Top mounted on gland plate 4U
22	Opti panel	4 U = 1* With screw on Perspex lid
	Note: * =Quantity	

Table 3: 380 19" transmission cabinet make and assembly

END OF DOCUMENT

RFQ for the Provision of Supply Free Standing 600X600mm Cabinets of Various Heights at Isando.



COMPLIANCE TO SPECIFICATION CLAUSE BY CLAUSE DECLARATION.

The compliance response is to contain ONLY the following statements, "Comply" or "Do not comply" for Page 5 of 8 of the Specification.

DESCRIPTION	Comply/Not comply	Reason for Deviation
1. CABINETS STANDARD		
2. HEIGHT		
3. SIZE	N	
4. LOADING CAPACITY		
5. DOOR: FRONT	2	
DOOR: BACK		
SIDE OF CABINET		
6. PLINTH	*	

RFQ for the Provision of Supply Free Standing 600X600 mm Cabinets of Various Heights at Isando.



COMPLIANCE TO SPECIFICATION CLAUSE BY CLAUSE DECLARATION.

The compliance response is to contain ONLY the following statements, "Comply" or "Do not comply" for Page 6 of 8 of the Specification.

DESCRIPTION	Comply/Not comply	Reason for Deviation
7. PUNCH PROFILE (BACK)		
8.PUNCH PROFILE (FRONT)		
9. STANDARD GROUND BAR	, in	
10. FLAT MOUNT TRAY		
11. BLANKING PLATES	2	
12. VENT PLATES	O	
13. DRAWER UNIT		
14. TRUNKING	5	
15. MOUNTING RAILS		
16. BLANKING PANEL		
17. CAGE NUTS, SCREWS AND WASHERS (LOOSE)		
18. CABLE ENTRY		
19. BRUSH PANEL		
20. FANS		
21. TRIP SWITCH PANEL 20		
22. MAINS OUTLET STRIP		

RFQ for the Provision of Supply Free Standing $600 \times 600 \text{mm}$ Cabinets of Various Heights at Isando.



COMPLIANCE TO SPECIFICATION CLAUSE BY CLAUSE DECLARATION.

The compliance response is to contain ONLY the following statements, "Comply" or "Do not comply" for Page 7 of 8 of the Specification.

DESCRIPTION	Comply/Not comply	Reason for Deviation
1. HEIGHT		
2. SIZE		
3. LOADING CAPACITY	N	
4. DOOR: FRONT		
SIDE & REAR		
5. PAINT SPECIFICATION AND COLOUR	~	
6. PLINTH		9
7. PUNCH PROFILE (REAR)		
8. PUNCH PROFILE (FRONT)		
9. STANDARD GROUND BAR		
10. FLAT MOUNT TRAY		
11. GLAND PLATES		
12. DEPTH REDUCER		
13. TRUNKING		
14. MOUNTING RAILS		
15. BLANKING PANEL		
16. CAGE NUTS, SCREWS AND WASHERS		
(LOOSE)		
17. CAGE NUTS, SCREWS AND WASHERS (ASSEMBLING)		
18. CABLE DUCT		
19. CABLE ENTRY		
20. BRUSH PANEL		
21. FANS		100
22. PATCH PANEL V.24 (16 WAY) (NUMBERED 1 TO 16)		
23. DUST PROOFING		
24. TRIP SWITCH PANEL 3U		

RFQ for the Provision of Supply Free Standing 600X600mm Cabinets of Various Heights at Isando.



COMPLIANCE TO SPECIFICATION CLAUSE BY CLAUSE DECLARATION.

The compliance response is to contain ONLY the following statements, "Comply" or "Do not comply" for Page 8 of 8 of the Specification.

DESCRIPTION	Comply/Not comply	Reason for Deviation
1. HEIGHT		
2. SIZE		
3. DOOR: FRONT	, N	
4. SIDE & REAR		
5. PAINT SPECIFICATION AND COLOUR	2	
6. PUNCH PROFILE (FRONT)	0	
7. GROUND BAR	1	
8. DEPTH REDUCER		
9. TRUNKING		
10. 19" MOUNTING RAILS	li li	
11. CABLE TRAY		
12. CABLE ENTRY		
13. DUST PROOFING		
14. CAGE NUTS, SCREWS AND WASHERS (LOOSE)		
15. GLAND PLATES		
16. TRIP SWITCH PANEL 3U		
17. FRONT MOUNT TRAY 300mm		
18. BRUSH PANEL		
19. BLANKING PANEL		
20. PATCH PANEL V.24 (16 WAY) (NUMBERED 1 TO 16)		v
21. FANS		
24. OPTI PANEL ©2.,		