



Transnet Freight Rail
A Division of
TRANSNET LIMITED
(Registration No. 1990/000900/06)

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER CRAC-KQG-7471

**SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES
AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY,
ARISTON & LAVA.**

ISSUE DATE	:	15 JUNE 2011
CLOSING DATE	:	05 JULY 2011
CLOSING TIME	:	10H00
OPTION DATE	:	30 SEPTEMBER 2011
BRIEFING DATE	:	01 JULY 2011
BRIEFING TIME	:	08H30
VENUE	:	KLERKSDORP CTC BUILDING, GOLDEN HIGHWAY STREET, KLERKSDORP

FOR DIRECTIONS / SITE CONTACT: NEELS VAN NIEKERK: 083 289 2389

**TENDER BOX ALLOCATED AT THE CHAIRPERSON TRANSNET FREIGHT
RAIL ACQUISITION COUNCIL, GROUND FLOOR, INYANDA HOUSE 1, 21
WELLINGTON ROAD, PARKTOWN, JOHANNESBURG.**

**Please note that late responses and those delivered or posted
to the wrong address will be disqualified.**



RFQ NUMBER CRAC-KQG-7471

**SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES
AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY,
ARISTON & LAVA**

SCHEDULE OF DOCUMENTS

Section

- 1. Notice to Bidders**
- 2. Background, Overview and Scope of Requirements**
- 3. Quotation Form**
- 4. Resolution of Board of Directors (Respondent's Representative)**
- 5. Certificate of Acquaintance with RFQ Documents**
- 6. Pricing and Delivery Schedule**
- 7. General Tender Conditions (CSS5 – Services)**
- 8. Standard Terms and Conditions of Contract (US7 - Services)**
- 9. Certificate of Attendance of Information Briefing Session**
- 10. Schedule of Plant**
- 11. Minimum Communal Health Requirements (E4B)**
- 12. Safety Arrangements and Procedural Compliance (E4E)**
- 13. Suppliers Code Of Conduct**
- 14. Non Disclosure Agreement**
- 15. Tender Safety Clauses and questionnaire**
- 16. Supplier Declaration Forms**

Respondent's Signature

2

Date and Company Stamp



SECTION 1

RFQ NUMBER CRAC-KQG-7471

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

NOTICE TO BIDDERS

Quotations are requested from selected persons, companies, close corporations or enterprises (hereinafter referred to as the "**Respondent(s)**") to supply the above-mentioned requirement to Transnet.

On or after **Wednesday, 15 June 2011** the RFQ documents may be inspected at, and are obtainable from the office of Transnet Tender Advice Centre, Inyanda House 1, Ground Floor, 21 Wellington Road, Parktown, Johannesburg. A non-refundable Quotation fee of R150.00 (Inclusive of VAT) is applicable per quotation. Payment is to be made to Transnet Freight Rail, Standard Bank Account number 203158598, Branch Code, 004805. The deposit slip must reflect RFQ, CRAC-KQG-7471 and the Company Name. Receipts to be presented prior to collection of the RFQ's. RFQ documents to be collected until **30 June 2011 before 15h00**.

A **compulsory** information briefing session will be conducted at Transnet Freight Rail, CTC Building, Golden Highway Street, Klerksdorp on the 1 July 2011 at 08h30 and then from there to all the other sites. Contact Person Neels van Niekerk 083 289 2389.

NOTE:

*** (Very Important) ***

- Respondents failing to attend the compulsory briefing session and site visit will be disqualified.
- Respondents without a valid RFQ document in their possession will not be allowed to attend the briefing session.
- The information briefing session will start punctually at 08h30 and Respondents arriving late will not be accommodated.
- Respondents to provide own Transportation, Beverages and Accommodation.
- Reflective Jackets and Safety Shoes to be worn when visiting the site.
- Respondents, who do not comply with all of the above, will be disqualified immediately on site.
- No facsimile-, telegraphic-, or e-mail tenders/quotations will be accepted.

For specific queries before the closing of the RFQ, the following TRANSNET Freight Rail employee(s) may be contacted by email only:

NAME: Lindi Makhubo
Tel: (011) 584-0634
Email: Lindi.Khambule@transnet.net

Respondent's Signature

3

Date and Company Stamp



1. Quotations **in DUPLICATE** must reach The Chairperson, Transnet Acquisition Council, before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:

RFQ No : CRAC-KQG-7471
Description : SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA.
Closing date and time: 05 July 2011 at 10h00
Closing address (refer options paragraph 4 below)

2. DELIVERY INSTRUCTIONS FOR THIS RFQ

- 4.1 **If posted**, the envelope must be addressed to The Chairperson, TRANSNET Freight Rail Acquisition Council, and P.O. Box 4244, Johannesburg 2000 and must be dispatched in time for sorting by the Post Office to reach the Secretary before the closing time of the RFQ. In the event of the late receipt of a Quotation, the Respondent's franking machine impression will not be accepted as proof that the response was posted in time.
- 4.2 **If delivered by hand**, the envelope is to be deposited in TRANSNET Freight Rail Acquisition Council RFQ box which is located in the foyer on the ground floor, Inyanda House 1, 21 Wellington Road, Parktown, Johannesburg and addressed as follows:

**THE CHAIRPERSON
TRANSNET FREIGHT RAIL ACQUISITION COUNCIL
GROUND FLOOR
RFQ BOX
INYANDA HOUSE 1
21 WELLINGTON ROAD
PARKTOWN
JOHANNESBURG
2001**

The measurements of the "RFQ slot" are 500mm wide x 100mm high, and Respondents must please ensure that response documents or files are not larger than the above dimensions. Responses which are too bulky (i.e. more than 100mm thick) must be split into two or more files, and placed in separate envelopes.

It should also be noted that the above RFQ box is located at the main entrance and is accessible to the public 24 hours per day, 7 days a week.

- 4.3 **If dispatched by courier**, the envelope must be addressed as follows and delivered to The Chairman, TRANSNET Freight Rail and a signature obtained from that Office.

**THE CHAIRPERSON
TRANSNET FREIGHT RAIL ACQUISITION COUNCIL
INYANDA HOUSE 1
21 WELLINGTON ROAD**



**PARKTOWN
JOHANNESBURG
2001**

3. Please note that this RFQ closes punctually at 10:00 on Tuesday 6 July 2011.
4. If responses are not posted or delivered as stipulated herein, such responses will not be considered and will be treated as "UNRESPONSIVE".
5. NO EMAIL OR FACSIMILE RESPONSES WILL BE CONSIDERED.
6. The responses to this RFQ will be opened as soon as practicable after the expiry of the time advertised for receiving them.
7. TRANSNET shall not, at the opening of responses, disclose to any other company any confidential details pertaining to the Quotations / information received, i.e. pricing, delivery, etc. The names and location of the Respondents will, however, be divulged to other Respondents upon request.
8. Envelopes must not contain documents relating to any RFQ other than that shown on the envelope. All envelopes must reflect the return address of the respondent on the reverse side.
9. No slips are to be attached to the response documents. Any additional conditions must be embodied in an accompanying letter. Subject only to clause 22 (ALTERATIONS MADE BY THE RESPONDENT TO RFQ PRICES) of the General RFQ Conditions, alterations, additions or deletions must not be made by the Respondent to the actual RFQ documents.

12. BROAD-BASED BLACK ECONOMIC EMPOWERMENT ("BBBEE")

TRANSNET fully endorses and supports the South African Government's Broad-Based Black Economic Empowerment Programme and it is strongly of the opinion that all business enterprises have an equal obligation to redress the imbalances of the past. TRANSNET would therefore prefer to do business with business enterprises who share these same values and who are prepared to contribute to meaningful BBBEE initiatives (including, but not limited to enterprise development, subcontracting and Joint Ventures) as part of their RFP responses.

Transnet would accordingly allow a "preference" in accordance with the 10% preference system, as per the Preferential Procurement Policy Framework Act, 5 of 2000 (as amended), to companies who provide a BBBEE Accreditation Certificate. All procurement and disposal transactions in excess of R30 000 (thirty thousand S.A. Rand) will be evaluated accordingly. All transactions below this R30 000 will, as far as possible, be set aside for Exempted Micro Enterprises (EMEs).

TRANSNET consequently urges Respondents (Large Enterprises and QSE's - see below) to have themselves duly accredited by any one of the Accreditation Agencies approved by SANAS (the South African National Accreditation Systems, under the auspices of the DTI).

In terms of Government Gazette No 32094, Notice No 354 dated 23 March 2009, as from 1 August 2009 only BBBEE Accreditation Certificates issued by SANAS approved verification agencies will be valid.

Respondent's Signature

5

Date and Company Stamp



However Accreditation Certificates issued before 23 March 2009, and which are still within their one (1) year validity period, will still be acceptable, until their expiry date provided that the accreditation was done in accordance **with the latest Codes (i.e. those promulgated on 9 February 2007).**

BBBEE Accreditation Certificates issued after the published date i.e 23 March 2009, by a Verification Agency not approved by SANSAS, will **NOT** be acceptable as from 23 March 2009.

12.1 Enterprises will be rated by such Accreditation Agencies based on the following:

- (a) **Large Enterprises (i.e. annual turnover >R35 million):**
 - Rating level based on all 7 (seven) elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (b) **Qualifying Small Enterprises – QSE (i.e. annual turnover between R5 million and R35 million):**
 - Rating based on any 4 (four) of the elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (c) **Exempted Micro Enterprises – EME (i.e. annual turnover <R5 million are exempted from being rated or verified):**
 - Automatic rating of Level 4 rating, irrespective of race of ownership, i.e. 100% BBBEE recognition
 - Black ownership >50% or Black Women ownership >30% automatically qualify as Level 3 BBBEE, i.e. 110% BBBEE recognition
 - EME's should only provide documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% (to be renewed annually from their Auditors / Accounting Officers)

12.2 In addition to the above, Respondents who wish to enter into a Joint Venture (JV) or subcontract portions of the contract to BBBEE companies, must state in their RFPs the percentage, of the total contract value that would be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or subcontractor(s), as well as a breakdown of the distribution of the aforementioned percentage must also be furnished with the RFP response to enable Transnet to evaluate / adjudicate all RFPs received on a fair basis.

12.3 Each Respondent is required to furnish proof of its BBBEE status (Certificate and Detailed Scorecard) as stipulated above to TRANSNET.

Turnover: Indicate your company's most recent annual turnover:

R.....

- If annual turnover <R5m, please attach auditors / accounting officers letter confirming annual turnover and percentage black ownership as well as Black Women ownership.

Respondent's Signature

6

Date and Company Stamp



- If annual turnover >R5m please attach BBBEE certificate and detailed scorecard from an accredited rated agency.

12.4 The DTI has created an online **B-BBEE Registry** (<http://www.dti.gov.za>) in order to provide a central and standardized source of the B-BBEE status of all entities, and to facilitate the flow of this information amongst entities by providing a Unique Profile Number (UPN) per each listing. Existing and prospective suppliers are therefore urged to list their B-BBEE status on the DTI Registry. Hence, entities verified by DTI, will receive the following benefits:

- Their BBBEE status will be verified and confirmed by the DTI, before listing on the Registry
- Listing on the Registry will provide suppliers the option to market themselves on the DTI B-BBEE Opportunities Network. This is a search engine that is designed to help businesses find B-BBEE compliant entities who match specific requirements in terms of the nature of services/goods provided, region, B-BBEE status or other search criteria.

Transnet supports this DTI initiative and will use the DTI Registry to verify prospective and existing suppliers' BBBEE credentials.

12.5 Kindly provide Transnet with your DTI B-BBEE UNIQUE PROFILE NUMBER with all RFQ submissions.

DTI BBBEE UNIQUE PROFILE NUMBER:

12.6 Failure to submit your BBBEE information in terms of 14.3 and/or 14.5 (above) will result in a score of zero being allocated for BBBEE evaluation.

13. COMMUNICATION

Respondents are warned that a response will be liable to disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of TRANSNET in respect of this RFQ between the closing date and the date of the award of the business.

A respondent may, however, BEFORE THE CLOSING DATE AND TIME, direct any enquiries relating to the RFQ to the TRANSNET employee as indicated in (2) above, and may also at any time after the closing date of the RFQ, communicate with the Chairperson of the TRANSNET Freight Rail Acquisition Council, at telephone no. 011 544 9486 or fax no. 011 774 9186 on any matter relating to its RFQ response.

14. RFQ SCHEDULE

Respondents will be contacted as soon as practicable with a status update. At this time short-listed Respondents may be asked to meet with TRANSNET representatives at a location to be agreed.

15 INSTRUCTIONS FOR COMPLETING THE RFQ

Respondent's Signature

7

Date and Company Stamp



- (i) Sign one set of documents (sign and date the bottom of each page). This set will serve as the legal and binding copy. A duplicate set of documents is required. This second set can be a copy of the original signed Quotation.
- (ii) Both sets of documents to be submitted to the address specified above.
- (iii) The following returnable documents must accompany all Quotations:
 - Respondent's latest BBBEE Certificate;
 - Respondent's valid Tax Clearance Certificate.

16. COMPLIANCE

The successful Respondent (hereinafter referred to as the "**Supplier**") shall be in full and complete compliance with any and all applicable State and Local Laws and Regulations.

17. ADDITIONAL NOTES:

- All returnable documents as indicated in the Quotation Form (Section 3) must be returned with the response
- Respondents are to note that Quotations in which firm prices are quoted for the duration of any resulting contract may receive precedence over prices which are subject to adjustment
- Changes by the Respondent to its submission will not be considered after the closing date
- The person or persons signing the Quotation must be legally authorised by the Respondent to do so (Refer Section 4). A list of those person(s) authorised to negotiate on your behalf (if not the authorised signatories) must also be submitted along with the Quotation together with their contact details.
- All prices must be quoted in South African Rands
- TRANSNET reserves the right to undertake post-RFQ negotiations with selected Respondents or any number of short-listed Respondents and may wish to visit the Respondent's place of manufacture (works) during this process.
- All RFQ documents must be complete in full and no correction ink (Tippex) must be used.

NB: Unless otherwise expressly stated, all Quotations furnished pursuant to this Request shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated. TRANSNET reserves the right to reject any or all offers.

<p style="text-align: center;">FAILURE TO OBSERVE ANY OF THE ABOVE-MENTIONED REQUIREMENTS MAY RESULT IN A QUOTATION BEING REJECTED</p>

18. DISCLAIMERS

Respondent's Signature

8

Date and Company Stamp



Respondents are hereby advised that TRANSNET is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. In particular, please note that TRANSNET reserves the right to:

- modify the RFQ's Service(s) and request Respondents to re-bid on any changes
- reject any Quotation which does not conform to instructions and specifications which are detailed herein
- disqualify Quotations submitted after the stated submission deadline
- not necessarily accept the lowest priced Quotation
- reject all Quotations, if it so decides
- award a contract in connection with this Quotation at any time after the RFQ's closing date
- award only a portion of the proposed Services which are reflected in the scope of this RFQ
- split the award of the contract between more than one Supplier
- make no award of a contract

Kindly note that TRANSNET will not reimburse any Respondent for any preparatory costs or other work performed in connection with this Quotation, whether or not the Respondent is awarded a contract.

19. LEGAL REVIEW

Any QUOTATION submitted by a Respondent is subject to review and negotiation of the proposed contract by TRANSNET's Legal Counsel. Respondents to complete this section:

NAME OF RESPONDENT
PHYSICAL ADDRESS
.....

Respondent's contact person:	Name.....
	Designation.....
	Telephone.....
	Cell Phone.....
	Facsimile.....
	Email.....
	Website.....

Respondent's Signature

Date and Company Stamp



**TRANSNET urges its clients, suppliers and the general public
to report any fraud or corruption
on the part of TRANSNET's employees to
TIP-OFFS ANONYMOUS : 0800 003 056**

"Preview Copy Only"

Respondent's Signature

10

Date and Company Stamp



SECTION 2

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

Refer Special Conditions of Contract and Specifications attached hereto

A. BUILDING DESCRIPTION: RELAYROOM

CITY TOWN: ARISTON

ASSET NO: 02MJ003

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL,
MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE
Gate Posts: These are to be 75mm x 75mm x 2.0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the

Respondent's Signature

11

Date and Company Stamp



corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed. These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust, grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

ITEM NO SPECIFICATIONS FOR ITEMS

721 Work description: Supply and install sliding gate complete
Sliding Gates: Width sizes are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Center cross bearer to be placed equal-distant between top and bottom bearer. Gate to be provide with 2 x 80mm Roller coaster wheels fitted with ball bearings. These are to be fitted 500mm from ends of gates. One set of Roller guides to be installed for each gate. These are to be painted as per painting specification. Gates to be provided with proper closing and guidance mechanisms. Contractor to discuss with Project Manager. Track for Motor Gates: These are to be absolutely level in order to ensure that the rack of the motor engages correctly. They are to be provided at each sliding gate. Track is to be a 12mm steel rod welded at 300mm crs on both sides to 40mm x 40mm x 5mm angle iron section fixed into a 300mm wide x 400mm deep x required length of gate. Remote Gate Motors: These are to be "Centurion" D5 motors and are to be installed as per manufacturers specifications. They are to be located on the inside of the security area. 220v PowerPoint's for these motors will be identified by Spoornet Electrical department. Route and materials will be specified by Spoornet Electrical department. Contractor to provide all materials and labour required for the for the installation of motors. These are to be placed at gates as shown on plan. Transmitters: (Hand Held) These are to be "Dual Button" Smart Transmitters. Each button is to activate one gate motor by remote control. Frequencies are to be set so that "top" button activates Gate 1 and "bottom" button activates Gate 2. These are to be readily available should they need to be replaced due to loss or damage by staff. Track concrete slabs: Existing tar surface to be cut smoothly in order to create a neat joint with transition slabs. These are to extend 1,5m from track on both sides. Length of slab to be determined by gate opening. Width of slab shall be 300mm and 400mm thick. Minimum concrete strength to be 20Mpa. Slabs to be provided with two sheets of Weld mesh (13mm thick, 150mm grid spacing) reinforcing. One to be placed 50mm from top and bottom or Beam to have 4 X Y10 round steel bar reinforcing with Y8mm stirrups at 300mm crs, fixed in length of beam. Minimum concrete cover is not to exceed 40mm. Surface of slab to be wood float finish. All exposed edges to be neatly nosed off. All in-situ material is to be re-compacted. All loose material to be removed. Before concrete is placed the Project Manager is to approve the foundations excavations and placement of re-enforcing. Before the concrete is placed. The concrete shall have a slump of 50 to 75mm.

Respondent's Signature

12

Date and Company Stamp



B. BUILDING DESCRIPTION: RELAYROOM

CITY TOWN: LAVA

ASSET NO: 02ZD075K

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE
Gate Posts: These are to be 75mm x 75mm x 2.0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed. These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust,

Respondent's Signature

13

Date and Company Stamp



grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

ITEM NO	SPECIFICATIONS FOR ITEMS
---------	--------------------------

721	Work description: Supply and install sliding gate complete
-----	--

	Sliding Gates: Width sizes are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Center cross bearer to be placed equal-distant between top and bottom bearer. Gate to be provide with 2 x 80mm Roller coaster wheels fitted with ball bearings. These are to be fitted 500mm from ends of gates. One set of Roller guides to be installed for each gate. These are to be painted as per painting specification. Gates to be provided with proper closing and guidance mechanisms. Contractor to discuss with Project Manager. Track for Motor Gates: These are to be absolutely level in order to ensure that the rack of the motor engages correctly. They are to be provided at each sliding gate. Track is to be a 12mm steel rod welded at 300mm crs on both sides to 40mm x 40mm x 5mm angle iron section fixed into a 300mm wide x 400mm deep x required length of gate. Remote Gate Motors: These are to be "Centurion" D5 motors and are to be installed as per manufacturers specifications. They are to be located on the inside of the security area. 220v PowerPoint's for these motors will be identified by Spoornet Electrical department. Route and materials will be specified by Spoornet Electrical department. Contractor to provide all materials and labour required for the for the installation of motors. These are to be placed at gates as shown on plan. Transmitters: (Hand Held) These are to be "Dual Button" Smart Transmitters. Each button is to activate one gate motor by remote control. Frequencies are to be set so that "top" button activates Gate 1 and "bottom" button activates Gate 2. These are to be readily available should they need to be replaced due to loss or damage by staff. Track concrete slabs: Existing tar surface to be cut smoothly in order to create a neat joint with transition slabs. These are to extend 1,5m from track on both sides. Length of slab to be determined by gate opening. Width of slab shall be 300mm and 400mm thick. Minimum concrete strength to be 20Mpa. Slabs to be provided with two sheets of Weld mesh (13mm thick, 150mm grid spacing) reinforcing. One to be placed 50mm from top and bottom or Beam to have 4 X Y10 round steel bar reinforcing with Y8mm stirrups at 300mm crs, fixed in length of beam. Minimum concrete cover is not to exceed 40mm. Surface of slab to be wood float finish. All exposed edges to be neatly nosed off. All in-situ material is to be re-compacted. All loose material to be removed. Before concrete is placed the Project Manager is to approve the foundations excavations and placement of re-enforcing. Before the concrete is placed. The concrete shall have a slump of 50 to 75mm.
--	--

Respondent's Signature

Date and Company Stamp



C. BUILDING DESCRIPTION: RELAYROOM

CITY TOWN: ORKNEY

ASSET NO: 02ZD041

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FLOORS

293 Work description: Tile ceramic tiles over cracks with flex adhesive

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE
Gate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be

Respondent's Signature

15

Date and Company Stamp



provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed. These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust, grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

ITEM NO SPECIFICATIONS FOR ITEMS

721 Work description: Supply and install sliding gate complete

Sliding Gates: Width sizes are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Center cross bearer to be placed equal-distant between top and bottom bearer. Gate to be provide with 2 x 80mm Roller coaster wheels fitted with ball bearings. These are to be fitted 500mm from ends of gates. One set of Roller guides to be installed for each gate. These are to be painted as per painting specification. Gates to be provided with proper closing and guidance mechanisms. Contractor to discuss with Project Manager. Track for Motor Gates: These are to be absolutely level in order to ensure that the rack of the motor engages correctly. They are to be provided at each sliding gate. Track is to be a 12mm steel rod welded at 300mm crs on both sides to 40mm x 40mm x 5mm angle iron section fixed into a 300mm wide x 400mm deep x required length of gate. Remote Gate Motors: These are to be "Centurion" D5 motors and are to be installed as per manufacturers specifications. They are to be located on the inside of the security area. 220v PowerPoint's for these motors will be identified by Spoornet Electrical department. Route and materials will be specified by Spoornet Electrical department. Contractor to provide all materials and labour required for the for the installation of motors. These are to be placed at gates as shown on plan. Transmitters: (Hand Held) These are to be "Dual Button" Smart Transmitters. Each button is to activate one gate motor by remote control. Frequencies are to be set so that "top" button activates Gate 1 and "bottom" button activates Gate 2. These are to be readily available should they need to be replaced due to loss or damage by staff. Track concrete slabs: Existing tar surface to be cut smoothly in order to create a neat joint with transition slabs. These are to extend 1,5m from track on both sides. Length of slab to be determined by gate opening. Width of slab shall be 300mm and 400mm thick. Minimum concrete strength to be 20Mpa. Slabs to be provided with two sheets of Weld mesh (13mm thick, 150mm grid spacing) reinforcing. One to be placed 50mm from top and bottom or Beam to have 4 X Y10 round steel bar reinforcing with Y8mm stirrups at 300mm crs, fixed in length of beam. Minimum concrete cover is not to exceed 40mm. Surface of slab to be wood float finish. All exposed edges to be neatly nosed off. All in-situ material is to be re-compacted. All loose material to be removed. Before concrete is placed the Project Manager is to approve the foundations excavations and placement of re-enforcing. Before the concrete is placed. The concrete shall have a slump of 50 to 75mm.

Respondent's Signature

16

Date and Company Stamp



D. BUILDING DESCRIPTION: RELAYROOM

CITY TOWN: KLERKSDORP

ASSET NO: 02AJ027K

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

700 Work description: Remove security fence complete up to 2.1m high

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE
Gate Posts: These are to be 75mm x 75mm x 2.0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed.

Respondent's Signature

17

Date and Company Stamp



These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust, grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

ITEM NO	SPECIFICATIONS FOR ITEMS
---------	--------------------------

721	Work description: Supply and install sliding gate complete
-----	--

	Sliding Gates: Width sizes are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Center cross bearer to be placed equal-distant between top and bottom bearer. Gate to be provide with 2 x 80mm Roller coaster wheels fitted with ball bearings. These are to be fitted 500mm from ends of gates. One set of Roller guides to be installed for each gate. These are to be painted as per painting specification. Gates to be provided with proper closing and guidance mechanisms. Contractor to discuss with Project Manager. Track for Motor Gates: These are to be absolutely level in order to ensure that the rack of the motor engages correctly. They are to be provided at each sliding gate. Track is to be a 12mm steel rod welded at 300mm crs on both sides to 40mm x 40mm x 5mm angle iron section fixed into a 300mm wide x 400mm deep x required length of gate. Remote Gate Motors: These are to be "Centurion" D5 motors and are to be installed as per manufacturers specifications. They are to be located on the inside of the security area. 220v PowerPoint's for these motors will be identified by Spoornet Electrical department. Route and materials will be specified by Spoornet Electrical department. Contractor to provide all materials and labour required for the for the installation of motors. These are to be placed at gates as shown on plan. Transmitters: (Hand Held) These are to be "Dual Button" Smart Transmitters. Each button is to activate one gate motor by remote control. Frequencies are to be set so that "top" button activates Gate 1 and "bottom" button activates Gate 2. These are to be readily available should they need to be replaced due to loss or damage by staff. Track concrete slabs: Existing tar surface to be cut smoothly in order to create a neat joint with transition slabs. These are to extend 1,5m from track on both sides. Length of slab to be determined by gate opening. Width of slab shall be 300mm and 400mm thick. Minimum concrete strength to be 20Mpa. Slabs to be provided with two sheets of Weld mesh (13mm thick, 150mm grid spacing) reinforcing. One to be placed 50mm from top and bottom or Beam to have 4 X Y10 round steel bar reinforcing with Y8mm stirrups at 300mm crs, fixed in length of beam. Minimum concrete cover is not to exceed 40mm. Surface of slab to be wood float finish. All exposed edges to be neatly nosed off. All in-situ material is to be re-compacted. All loose material to be removed. Before concrete is placed the Project Manager is to approve the foundations excavations and placement of re-enforcing. Before the concrete is placed. The concrete shall have a slump of 50 to 75mm.
--	---

Respondent's Signature

Date and Company Stamp



E. BUILDING DESCRIPTION: SIGNAL CABIN

CITY TOWN: KLERKSDORP

ASSET NO: 02AJ086K

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

698 Work description: Paint fence posts/stays (2.1m long)
Clean down and paint the poles and stays two coats bituminous aluminum.

705 Work description: Erect / Replace 2.1m razor mesh fence
STANDARD OF A GOOD/PROPER FENCE: The fence shall be in a straight line between straining posts. All posts shall planted vertically in a straight line. All straining, corner, anchor and gate posts shall be solid, upright and embedded in concrete up to ground level. All intermediate posts must be upright, and on the same level, following the natural ground contours. RAZOR MESH FENCING: 2.1m high fencing to be high tensile steel Razor mesh. Apertures of the mesh are 150mm across x 300mm high. Corner Posts and Straining Posts: Posts shall be dia. 100mm fence tubing x 2,5mm wall thickness. The posts to be installed at corners and at 60m (maximum) intervals along fence line and at gates. Posts to be fitted with 110mm end caps and 300 x 300 x 3mm steel base plates. Posts to be secured 600mm below ground level and encased in concrete 15 Mpa (after 28 days) 400 x 400 x 600mm deep. Stays: Stays shall be dia. 76mm fence tubing x 2,0mm wall thickness. Stay tubes 2700mm long fitted with 150 x 150 x 3mm base plates - other end flattened and drilled. These to be bolted either side of Corner and Straining posts and on outside of Gate posts (in fence direction) with dia. 10mm bolts. Bolts to be positioned 400mm from top of Corner, Straining or Gate posts. Stays to be encased below ground level 300 x 300 x 300mm deep with 15 Mpa concrete. All Corner , Straining and Gate posts to be provided with Stays. Intermediate posts: Intermediate posts to be Iscor 'Y' standards. 2,1m Intermediate standards to be knocked 300mm deep into the ground at 3,5m (maximum) intervals and bound to each straining wire with 2mm galvanized steel binding wire. Straining wire: The straining wire shall be of dia. 4mm smooth high tensile steel, fully galvanized to CLASS A, spaced at 600mm centres. The top and bottom straining wires shall be secured at top of fence height and 75mm above ground level respectively. Straining wires shall be tensioned between and secured to all intermediate posts with 2mm galvanized wire.

Respondent's Signature

19

Date and Company Stamp



713 Work description: Gate paint

ITEM NO SPECIFICATIONS FOR ITEMS

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE

Gate Posts: These are to be 75mm x 75mm x 2.0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed. These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust, grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

Respondent's Signature

20

Date and Company Stamp



ITEM NO SPECIFICATIONS FOR ITEMS

721 Work description: Supply and install sliding gate complete

Sliding Gates: Width sizes are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Center cross bearer to be placed equal-distant between top and bottom bearer. Gate to be provide with 2 x 80mm Roller coaster wheels fitted with ball bearings. These are to be fitted 500mm from ends of gates. One set of Roller guides to be installed for each gate. These are to be painted as per painting specification. Gates to be provided with proper closing and guidance mechanisms. Contractor to discuss with Project Manager. Track for Motor Gates: These are to be absolutely level in order to ensure that the rack of the motor engages correctly. They are to be provided at each sliding gate. Track is to be a 12mm steel rod welded at 300mm crs on both sides to 40mm x 40mm x 5mm angle iron section fixed into a 300mm wide x 400mm deep x required length of gate. Remote Gate Motors: These are to be "Centurion" D5 motors and are to be installed as per manufacturers specifications. They are to be located on the inside of the security area. 220v PowerPoint's for these motors will be identified by Spoornet Electrical department. Route and materials will be specified by Spoornet Electrical department. Contractor to provide all materials and labour required for the for the installation of motors. These are to be placed at gates as shown on plan. Transmitters: (Hand Held) These are to be "Dual Button" Smart Transmitters. Each button is to activate one gate motor by remote control. Frequencies are to be set so that "top" button activates Gate 1 and "bottom" button activates Gate 2. These are to be readily available should they need to be replaced due to loss or damage by staff. Track concrete slabs: Existing tar surface to be cut smoothly in order to create a neat joint with transition slabs. These are to extend 1,5m from track on both sides. Length of slab to be determined by gate opening. Width of slab shall be 300mm and 400mm thick. Minimum concrete strength to be 20Mpa. Slabs to be provided with two sheets of Weld mesh (13mm thick, 150mm grid spacing) reinforcing. One to be placed 50mm from top and bottom or Beam to have 4 X Y10 round steel bar reinforcing with Y8mm stirrups at 300mm crs, fixed in length of beam. Minimum concrete cover is not to exceed 40mm. Surface of slab to be wood float finish. All exposed edges to be neatly nosed off. All in-situ material is to be re-compacted. All loose material to be removed. Before concrete is placed the Project Manager is to approve the foundations excavations and placement of re-enforcing. Before the concrete is placed. The concrete shall have a slump of 50 to 75mm.

Respondent's Signature

21

Date and Company Stamp



F. BUILDING DESCRIPTION: RELAYROOM

CITY TOWN: KLERKSDORP

ASSET NO: 02AJ105K

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES ON WORK LISTS IS ONLY FOR TENDER PURPOSE.

ITEM NO SPECIFICATIONS FOR ITEMS

FENCING

690 Work description: Clean area both sides of fence 1.0m wide, in total 2.0m wide
Clean area 1one meter wide, both sides of fence of all vegetation.

700 Work description: Remove security fence complete up to 2.1m high

718 Work description: SUPPLY AND INSTALL STEEL PALISADE FENCE
Gate Posts: These are to be 75mm x 75mm x 2.0mm steel square tubing posts and are to be provided on each side of gate opening. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 450mm x 450mm wide x 600mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Corner Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing posts. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specification. These are to be founded in concrete footings measuring 400mm x 400mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Intermediate Posts: These are to be 75mm x 75mm x 2,0mm steel square tubing and provide at centres not exceeding 2,0m. Posts to be capped. Top of capped post to be 50mm above paling height. These are to be painted as per painting specifications. These are to be founded in concrete footings measuring 300mm x 300mm wide x 500mm deep. Concrete strength to be 20Mpa (minimum) at 28 days. Concrete to consist of cement, sand and stone. Fence Bearers: These are to be 40mm X 40mm x 5mm angle iron. These are to be placed 300mm from top of paling and 300mm from bottom paling. (350mm from ground level). These are to be welded flush with the back of the corner or intermediate posts. Welding flux to be removed before applying undercoat. These are to be painted as per painting specifications. Palings, "Devil's Fork" (Uprights): (16 Palings per panel) These are to be 40mm x 40mm x 2,5mm steel angle iron palings 2,40m long. These are to be placed at 150mm centres. Palings to be placed equally from centre of cross bearer. Tops to be

Respondent's Signature

22

Date and Company Stamp



provided with a "Devil Fork" effect. They are to be firmly welded to bearers. Flux to be removed. These are to be painted as per painting specification. All joints shall be smoothed off. Painting specification: Dulux, Plascon or other products approved by project manager are to be used as specified below and is to be applied as follows: Prepare Surface for Painting. All rust, grease and loose materials to be removed from steel. Apply one coat Primer for steel. Apply one coat universal undercoat for All Surfaces. Apply one coat Windsor green Gloss enamel or colour as specified by the project manager.

ITEM NO	SPECIFICATIONS FOR ITEMS
---------	--------------------------

- | | |
|-----|--|
| 722 | Work description: Supply and install hinge fence gate complete. Width size are as per plan. These are to be constructed as follows: 40mm x 40mm x 2,5mm angle iron palings welded to a 75mm x 50mm rectangular tubing (on edge) bearer frame. Gate frame to be 300mm from top of paling. Frame to have three cross bearers. Centre cross bearer to be placed equal-distant from top and bottom bearer. Each gate panel to be provide with 3 bullet type hinges (100mm x 40mm x 20mm). These are to be fitted 300mm from top and bottom with one hinge opposite middle crossbar. Gates to be provided with 16mm "Drop-pin" stay on both panels to assist with keeping gates in a closed or open position. 25mm Steel pipes (150mm long), to be placed in ground to accommodate pins when dropped. Gates to be provided with an eyelet to accommodate a heavy duty padlock. Gates are to open inwards towards Station Building. Gates are to be painted as per painting specification. |
|-----|--|



SECTION 3
SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES
AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY,
ARISTON & LAVA

QUOTATION FORM

I/We _____
(name of company, close corporation or partnership)

_____ of (full address)

carrying on business under style or title of

represented by _____

in my capacity as _____

being duly authorized thereto by a Resolution of the Board of Directors or Members or Certificate of Partners, as the case may be, dated _____ a certified copy of which is annexed hereto, hereby offer to supply the above-mentioned Services at the prices quoted in the schedule of prices in accordance with the terms set forth in the accompanying letter(s) reference _____ and dated _____ (if any) and the documents listed in the accompanying schedule of RFQ documents.

I/We agree to be bound by those conditions in TRANSNET's :

- (i) Standard Terms and Conditions of Contract, Form No. US7 - Services (revised August 2008);
- (ii) General RFQ Conditions, Form CSS5 – Services (revised August 2008); and
- (iii) any other standard or special conditions mentioned and/or embodied in the Request for Quotation form; and;-

I/We accept that unless TRANSNET should otherwise decide and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence), together with TRANSNET's acceptance thereof shall constitute a binding contract between TRANSNET and me/us.

Respondent's Signature

Date and Company Stamp



Should TRANSNET decide that a formal contract should be signed and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence) together with TRANSNET's letter of acceptance, shall constitute a binding contract between TRANSNET and me/us until the formal contract is signed.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to enter into a formal contract if called upon to do so, or fail to commence the service, within 4 (four) weeks, TRANSNET may, without prejudice to any other legal remedy which it may have, recover from me/us any expense to which it may have been put in calling for Quotations afresh and/or having to accept any less favorable Quotation.

I/We accept that any contract resulting from this offer will be for a period of _____ only; and agree to a penalty clause to be negotiated with TRANSNET, which will allow TRANSNET to invoke a penalty (details to be negotiated) against us should the delivery of the Services be delayed due to non-performance by us.

The law of the Republic of South Africa shall govern the contract created by the acceptance of this RFQ. The *domicillium citandi et executandi* shall be a place in the Republic of South Africa to be specified by the Respondent hereunder, at which all legal documents may be served on the Respondent who shall agree to submit to the jurisdiction of the courts of the Republic of South Africa. Foreign Respondents shall, therefore, state hereunder, the name of their accredited agent in the Republic of South Africa who is empowered to sign any contract which may have to be entered into in the event of their Quotation being accepted and to act on their behalf in all matters relating to the contract.

Respondent to indicate *domicillium citandi et executandi* hereunder:

NOTIFICATION OF AWARD OF RFQ

As soon as possible after approval to award the contract/s, the successful Respondent (the Supplier) will be informed of the acceptance of its Quotation. Unsuccessful Respondents will be advised in writing of the name of the successful Supplier and the reason as to why their Quotations have been unsuccessful, for example, in the category of price, deliverables, quality, BBBEE status or for any other reason.

VALIDITY PERIOD

Respondent's Signature

Date and Company Stamp



TRANSNET desires a validity period of 4 (four) months (from closing date) against this RFQ. It should be noted that Respondents may offer an earlier validity period, but that their Quotations may be disregarded for that reason. Should Respondents be unable to comply with this validity period, an alternative validity period must be stated hereunder:

This RFQ is valid until _____ (State alternative validity period/date).

TAX (VAT) REGISTRATION NUMBER

The Respondent must state hereunder the tax registration number which is applicable to Value-Added Tax:

TAX CLEARANCE CERTIFICATE

Respondents are required to forward a valid copy of their company's Tax Clearance Certificate with their Quotation.

Indicate tax clearance certificate expiry date: _____

BANKING DETAILS

BANK: _____

BRANCH NAME / CODE: _____

ACCOUNT HOLDER: _____

ACCOUNT NUMBER: _____

NAME(S) AND ADDRESS / ADDRESSES OF DIRECTOR(S) OR MEMBER(S)

The Respondent must disclose hereunder the full name(s) and address(s) of the director(s) or members of the company or close corporation (C.C.) on whose behalf the Quotation is submitted.

(i) Registration number of company / C.C.

(ii) Registered name of company / C.C.

(iii)	Full name(s) of director/member(s)	Address/Addresses	ID Number/s
-------	------------------------------------	-------------------	-------------

--

Respondent's Signature

Date and Company Stamp



.....
.....
.....
.....
.....

REGISTRATION CERTIFICATE

Respondents must submit a certified copy of their company's Registration Certificate with their Quotation.

NAME AND ADDRESS OF ACCREDITED AGENT

Provide hereunder, if applicable, details of the accredited agent in the Republic of South Africa appointed as local representative by foreign Respondents and whose address shall be regarded as the Respondent's domicilium citandi et executandi in terms of the Standard Terms and Conditions of Contract, US7 – Services (revised August 2008).

Name
Address

CONFIDENTIALITY

All information related to a subsequent contract, both during and after completion, is to be treated with strict confidence. Should the need however arise to divulge any information gleaned from provision of the Service(s), which is either directly or indirectly related to TRANSNET's business, written approval to divulge such information will have to be obtained from TRANSNET.

DISCLOSURE OF PRICES TENDERED

Respondents must indicate here **whether TRANSNET may disclose** their tendered prices and conditions to other Respondents:

YES	
-----	--

NO	
----	--

Respondent's Signature

Date and Company Stamp



DECLARATION

Respondents to declare hereunder whether any family and/or direct relationship exists between any of the owners / members / directors / partners / shareholders (unlisted companies) of the responding company and any employee or board member of the TRANSNET Group:

YES	
-----	--

NO	
----	--

If YES, please indicate below:

FULL NAME OF OWNER/MEMBER/DIRECTOR/
PARTNER/SHAREHOLDER

ADDRESS

Indicate nature of relationship (if any):

(Failure to furnish complete and accurate information in this regard may lead to the disqualification of a response and may preclude a Respondent from future business with TRANSNET)

PRICE REVIEW

The successful Respondent(s) will be obliged to submit to an annual price review. TRANSNET will be benchmarking this price offering(s) against the lowest price received as per the benchmarking exercise. If the Respondent's price(s) is/are found to be higher than the benchmarked price(s), then the Respondent shall match or better such price(s) within 30 days - failing which the Contract may be terminated at TRANSNET's discretion or the particular Service(s) purchased outside the contract.

Respondent's Signature

Date and Company Stamp



RETURNABLE DOCUMENTS

Respondents are required to submit the following returnable documents with their responses:

Notice to Bidders – Section 1	√
Background overview – Section 2	√
Quotation Form – Section 3	√
Resolution of Board of Directors (Respondent's Representative) - Section 4	√
Certificate of Acquaintance with RFQ Documents – Section 5	√
Pricing - Section 6	√
General Tender Conditions - Form CSS5 – Section 7	√
Conditions of Contract - Form US7 – Section 8	√
Certificate of attendance of Information Briefing Session – Section 9	√
Schedule of plant and Equipment – Section 10	√
E4E – Safety arrangements and procedural compliance – Section 11	√
Safety arrangements and Procedural Compliance – Section 12	√
Suppliers Code Of conduct – Section 13	√
Non disclosure Agreement – Section 14	√
Tender Safety Clauses And Questionnaire – Section 15	√
Supplier Declaration / Application – Section 16	√
Copy of cancelled cheque or letter from the bank verifying banking details (with bank stamp)	√
Certified Copy of identity document of shareholders/directors/members (Where applicable)	√
Certified Copy of share Certificates of Incorporation and CM29/and C/CK2 (if CC)	√
Certified Copy of share certificates of shareholders, CK1	√
A Letter with the company's letterhead confirming physical and postal addresses	√
Valid original or certified SARS Tax Clearance Certificate and VAT certificate	√
A Signed letter from the Auditor/Accountant confirming most recent annual turnover and percentage black ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (ABVA MemberBBBEE Accreditation Certificate	√

NOTE: Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16 as indicated in the footer of each page, must be signed and dated by the Respondent.

By signing the RFQ documents, the Respondent is deemed to acknowledge that he / she has made himself / herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet Limited will recognize no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or otherwise.

SIGNED a _____ this _____ day of _____ 2009.

SIGNATURE OF WITNESSES:

ADDRESS OF WITNESSES:

1. _____

1. _____

Respondent's Signature

29

Date and Company Stamp



2.

2.

SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE:

NAME: _____

DESIGNATION: _____

Respondent's Signature

Date and Company Stamp



SECTION 4

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

SIGNING POWER : RESOLUTION OF BOARD OF DIRECTORS

Name of Company _____

It was resolved at a meeting of the Board of Directors held on _____ that

FULL NAME(S)	CAPACITY	SIGNATURE
_____	_____	_____
_____	_____	_____
_____	_____	_____

in his/her capacity as indicated above is/are hereby authorized to enter into, sign, execute and complete any documents relating to RFQs, Quotations and/or Contracts for the supply of Services.

FULL NAME _____

SIGNATURE CHAIRMAN

FULL NAME _____

SIGNATURE SECRETARY

Respondent's Signature

Date and Company Stamp



SECTION 5

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF COMPANY: _____

I/We _____ do

hereby certify that I/we acquainted myself/ourselves with all the documentation comprising this RFQ and all conditions contained therein, as laid down by Transnet Limited for the carrying out of the proposed supply/service/works for which I/we submitted my/our response.

I/We furthermore agree that Transnet Limited shall recognize no claim from me/us for relief based on an allegation that I/we overlooked any RFQ/contract condition or failed to take it into account for the purpose of calculating my/our offered prices or otherwise.

SIGNED at _____ on this _____ day of _____ 2010.

WITNESS : _____

SIGNATURE OF RESPONDENT



SECTION 6

RFQ NUMBER KDS80B6694 - 6911

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

PRICING AND DELIVERY SCHEDULE

CONTRACTOR TENDER PRICE LIST PER ITEM

A. BUILDING DESC: RELAYROOM

CITY TOWN: ARISTON

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02MJ003

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FENCING					
690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	42	M^2		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	42	M		
721	SUPPLY MATERIAL, MANUFACTURE AND INSTALL PALISADE SLIDING GATE COMPLETE (SPECIFY SIZE 4,000M) (Paint colour BITUMINIOUS ALUMINIUM).	1	EA		

Preliminary and General:

P and G shall include all cost not directly Relate to specific item on the schedule of Prices and rates. All items not specifically Mentioned in the Schedule of Rates and prices And form part of contractor's requirements Such as cost of stationery, as well as Establishment of workers on site and removal Of site establishment, it will also include the Handling over of the site to the contractor and The handling back of the site after completion Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

34

Date and Company Stamp



B. BUILDING DESC: RELAYROOM

CITY TOWN: LAVA

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02ZD075K

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FENCING					
690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	60	M^2		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	60	M		
721	SUPPLY MATERIAL, MANUFACTURE AND INSTALL PALISADE SLIDING GATE COMPLETE (SPECIFY SIZE 3,000M) (Paint colour BITUMINIOUS ALUMINIUM).	1	EA		

Preliminary and General:

P and G shall include all cost not directly Relate to specific item on the schedule of Prices and rates. All items not specifically Mentioned in the Schedule of Rates and prices And form part of contractor's requirements Such as cost of stationery, as well as Establishment of workers on site and removal Of site establishment, it will also include the Handling over of the site to the contractor and The handling back of the site after completion Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

36

Date and Company Stamp



C. BUILDING DESC: RELAYROOM

CITY TOWN: ORKNEY

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02ZD041

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
---------	--	------------	--------------	-----------	-------------

FLOORS

293	EXSTRA OVER ITEM TO TILE CERAMIC FLOOR TILES WITH FLEX ADHESIVE OVER CRACK IN WALL. (USE ITEM TO TILE OVER CRACKS THAT IS ONLY UP T 2mm WIDE CRACKS USUALLY IN DOOR OPENINGS. ITEM IS ONLY FOR PRICE DIFFERENCE OF FLEX ADHESIVE	1	M^2		
-----	--	---	-----	--	--

FENCING

690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	70	M^2		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	70	M		
721	SUPPLY MATERIAL, MANUFACTURE AND INSTALL PALISADE SLIDING GATE COMPLETE (SPECIFY SIZE 4,000M) (Paint colour BITUMINIOUS ALUMINIUM).	1	EA		

Preliminary and General:

P and G shall include all cost not directly Relate to specific item on the schedule of Prices and rates. All items not specifically Mentioned in the Schedule of Rates and prices And form part of contractor's requirements Such as cost of stationery, as well as Establishment of workers on site and removal Of site establishment, it will also include the Handling over of the site to the contractor and The handling back of the site after completion Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

38

Date and Company Stamp



D. BUILDING DESC: RELAYROOM

CITY TOWN: KLERKSDORP

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02AJ027K

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FENCING					
690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	46	M^2		
700	REMOVE SECURITY FENCE COMPLETE WITH ALL WIRE, POSTS, STAYS, DRIPPERS AND GATES AND FILL HOLES WITH APPROVED SOIL AND LEVEL. FENCE SECURITY UP TO 2.1m	46	M		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	46	M		
722	SUPPLY MATERIAL, MANUFACTURE AND INSTALL PALISADE SLIDING GATE (SPECIFY SIZE 3,50M) (Paint colour BITUMINIOUS ALUMINIUM).	1	EA		

Preliminary and General:

P and G shall include all cost not directly
Relate to specific item on the schedule of
Prices and rates. All items not specifically
Mentioned in the Schedule of Rates and prices
And form part of contractor's requirements
Such as cost of stationery, as well as
Establishment of workers on site and removal
Of site establishment, it will also include the
Handling over of the site to the contractor and
The handling back of the site after completion
Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

40

Date and Company Stamp



E. BUILDING DESC: SIGNAL CABIN

CITY TOWN: KLERKSDORP

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02AJ086K

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FENCING					
690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	69	M ²		
698	SUPPLY PAINT AND PAINT FENCE POSTS AND STAYS (2.1m long) 2 COATS ALUMINIUM PAINT	24	EA		
705	SUPPLY MATERIAL ERRECT / REPLACE DIAMOND MESH FENCE 2.1m HIGH WITH RAZOR MESH	68	M		
713	SUPPLY PAINT AND PAINT GATE 2 COATS BITUMEN ALUMINIUM PAINT OR AS SPECIFIED	1	M ²		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	34	M		
721	SUPPLY MATERIAL, MANUFACTURE AND INSTALL PALISADE SLIDING GATE (SPECIFY SIZE 4,000M) (Paint colour BITUMINIOUS ALUMINIUM)	1	EA		

Preliminary and General:

P and G shall include all cost not directly Relate to specific item on the schedule of Prices and rates. All items not specifically Mentioned in the Schedule of Rates and prices And form part of contractor's requirements Such as cost of stationery, as well as Establishment of workers on site and removal Of site establishment, it will also include the Handling over of the site to the contractor and The handling back of the site after completion Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

42

Date and Company Stamp



F. BUILDING DESC: RELAYROOM

CITY TOWN: KLERKSDORP

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK

MEASUREMENTS AND OR QUANTITIES DO NOT INCLUDE OFFCUTS OR WASTE, ALL MEASUREMENT OF MATERIAL IS MEASURE AS NETT FIXED. CONTRACTOR TO ADD HIS OWN %

CONTRACTOR TO CHECK ALL MEASUREMENTS AND QUANTITIES BEFORE ORDER ANY MATERIAL, MEASUREMENTS AND QUANTITIES IS ONLY FOR TENDER

IF CONTRACTOR IS VAT REGISTER ITEM PRICES MUST EXCLUDE VAT!

To be supplied by the Contractor:

The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORKS as per the attached worklist and specification and as may be ordered by the Project Manager.

Respondent's Signature

Date and Company Stamp



ASSET NO: 02AJ105K

Page 1 of 1 SUB TOTAL PAGE 1

--

ITEM NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
FENCING					
690	CLEAN AREA BOTH SIDES OF FENCE 1m WIDE OF ALL VEGETATION (IN TOTAL 2.0m WIDE)	44	M ²		
700	REMOVE SECURITY FENCE COMPLETE WITH ALL WIRE, POSTS, STAYS, DRIPPERS AND GATES AND FILL HOLES WITH APPROVED SOIL AND LEVEL. FENCE SECURITY UP TO 2.1m	44	M		
718	SUPPLY MATERIAL, MANUFACTURE AND ERECT STEEL PALISADE FENCE 2.10m HIGH AS PER SPECIFICATION AND PAINT 3 COATS AS PER SPECIFICATION (Paint colour BITUMINIOUS ALUMINIUM).	44	M		
722	SUPPLY MATERIAL, MANUFACTURE AND INSTALL STEEL HINGE PALISADE FENCE GATE (SPECIFY SIZE), 1,000M (Paint colour BITUMINIOUS ALUMINIUM).	1	EA		

Preliminary and General:

P and G shall include all cost not directly Relate to specific item on the schedule of Prices and rates. All items not specifically Mentioned in the Schedule of Rates and prices And form part of contractor's requirements Such as cost of stationery, as well as Establishment of workers on site and removal Of site establishment, it will also include the Handling over of the site to the contractor and The handling back of the site after completion Of work

P + G

TOTAL CIVIL

TOTAL ELECTRICAL

SUB TOTAL

VAT

TOTAL

Respondent's Signature

44

Date and Company Stamp



SECTION 7

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

GENERAL TENDER CONDITIONS - SERVICES

Refer Form CSS5 attached hereto.

Respondent's Signature

45

Date and Company Stamp



SECTION 8

RFQ NUMBER KDS80B6694 - 6911

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

STANDARD TERMS AND CONDITIONS OF CONTRACT

FOR THE SUPPLY OF SERVICES TO TRANSNET

Refer Form US7 attached hereto.

**Respondents should note the obligations as set out in
Clause 19 of the General Tender Conditions (Section 7) which reads as follows:**

"The Supplier shall adhere to the Standard Terms and Conditions of Contract as set out in Form US7 - Services), a copy of which is attached hereto. Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer an alternative. Please note that any alternative offered shall be compared with acceptance of the Form US7 conditions or alternatives offered by other Respondents."

Respondent's Signature

46

Date and Company Stamp



SECTION 9

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

CERTIFICATE OF ATTENDANCE OF INFORMATION BRIEFING SESSION

It is hereby certified that -

1.
2.

Representative(s) of
(name of company)

attended the briefing session in respect of the proposed Service(s) to be rendered in terms of this RFQ on
..... 2009.

.....
TRANSTNET REPRESENTATIVE

.....
RESPONDENT'S REPRESENTATIVE

DATE:

DATE:

Respondent's Signature

Date and Company Stamp



SECTION 10

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

SCHEDULE OF PLANT

Schedule of major plant and equipment to be used in the execution of this contract in terms of the Contract Conditions and specifications. The respondent must state which plant is immediately available and which will have to be acquired.

(i) **Plant immediately available for work tendered for :**

(ii) **Plant on order and which will be available for work tendered for :**

(iii) **Plant to be acquired for the work tendered for :**

Respondent's Signature

Date and Company Stamp



SECTION 11

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

MINIMUM COMMUNAL HEALTH REQUIREMENTS

Refer Form E4B attached hereto.

Respondent's Signature

49

Date and Company Stamp



SECTION 12

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE

Refer Form E4E attached hereto.

Respondent's Signature

50

Date and Company Stamp



SECTION 13

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

Suppliers Code Of Conduct

Refer to Annexure attached hereto.

Respondent's Signature

51

Date and Company Stamp



SECTION 14

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

NON-DISCLOSURE AGREEMENT

THIS AGREEMENT is made the day of 2011

BETWEEN:

- (1) **Transnet Limited** ("Transnet") (Registration Number 1990/000900/06) whose registered office is at 49th Floor, Carlton Centre, 150 Commissioner Street, Johannesburg 2001, and
- (2) [.....] ("the Company") (Registration Number) whose registered office is at [.....]

Transnet and the Company wish to exchange Information (as defined below) and it is envisaged that each party may from time to time receive Information relating to the other in respect thereof. In consideration of each party making available to the other such Information, the parties jointly agree that any dealings between them shall be subject to the terms and conditions of this Agreement which themselves will be subject to the parameters of the Proposal.

IT IS HEREBY AGREED

1. Interpretation

1.1 In this Agreement:-

"**Agents**" means directors, officers, employees, agents, professional advisers, contractors or sub-contractors, or any Group member;

"**Confidential Information**" means Information relating to one party (the "Disclosing Party") and/or the business carried on or proposed or intended to be carried on by that party and which is made available for the purposes of the Proposal to the other party (the "Receiving Party") or its Agents by the Disclosing Party or its Agents or recorded in agreed minutes following oral disclosure and any other information otherwise made available by the Disclosing Party or its Agents to the Receiving Party or its Agents, whether before, on or after the date of this Agreement, and whether in writing or otherwise, including any information, analysis or specifications derived from, containing or reflecting such information but excluding information which:-

- (i) is publicly available at the time of its disclosure or becomes publicly available (other than as result of disclosure by the Receiving Party or any of its Agents contrary to the terms of this letter); or

Respondent's Signature

52

Date and Company Stamp



- (ii) was lawfully in the possession of the Receiving Party or its Agents (as can be demonstrated by its written records or other reasonable evidence) free of any restriction as to its use or disclosure prior to its being so disclosed; or
- (iii) following such disclosure, becomes available to the Receiving Party or its Agents (as can be demonstrated by its written records or other reasonable evidence) from a source other than the Disclosing Party or its Agents, which source is not bound by any duty of confidentiality owed, directly or indirectly, to the Disclosing Party in relation to such information;

“Group” means any subsidiary, any holding company and any subsidiary of any holding company of either party;

“Information” means all information in whatever form including, without limitation, any information relating to systems, operations, plans, intentions, market opportunities, know-how, trade secrets and business affairs whether in writing, conveyed orally or by machine-readable medium;

“Proposal” means the aggregation of Transnet's Request for Information (RFI) and Request for Proposal (RFP).

2. Confidential Information

- 2.1 The Receiving Party will treat and keep all Confidential Information as secret and confidential and will not, without the Disclosing Party's written consent, directly or indirectly communicate or disclose (whether in writing or orally or in any other manner) Confidential Information to any other person other than in accordance with the terms of this Agreement.
- 2.2 The Receiving Party will only use the Confidential Information for the sole purpose of technical and commercial discussions between the parties in relation to the Proposal or for the subsequent performance of any contract between the parties in relation to the Proposal.
- 2.3 Notwithstanding clause 2.1, the Receiving Party may disclose Confidential Information:
 - (i) To those of its Agents who strictly need to know the Confidential Information for the sole purpose set out in clause 2.2 provided that the Receiving Party shall ensure that such Agents are made aware prior to the disclosure of any part of the Confidential Information that the same is confidential and that they owe a duty of confidence to the Disclosing Party. The Receiving Party shall at all times remain liable for any actions of such Agents that would constitute a breach of this Agreement; or
 - (ii) to the extent required by law or the rules of any applicable regulatory authority, subject to clause 2.4 below.
- 2.4 In the event that the Receiving Party is required to disclose any Confidential Information in accordance with clause 2.3 (ii) above, it shall promptly notify the Disclosing Party and co-operate with the Disclosing Party regarding the form, nature, content and purpose of such disclosure or any action which the Disclosing Party may reasonably take to challenge the validity of such requirement.
- 2.5 In the event that any Confidential Information shall be copied, disclosed or used otherwise than as permitted under this Agreement then, upon becoming aware of the same, without prejudice to any rights or remedies of the Disclosing Party, the Receiving Party shall as soon as practicable notify the Disclosing



Party of such event and if requested take such steps (including the institution of legal proceedings) as shall be necessary to remedy (if capable of remedy) the default and/or to prevent further unauthorised copying, disclosure or use.

2.6 All Confidential Information shall remain the property of the Disclosing Party and its disclosure shall not confer on the Receiving Party any rights, including intellectual property rights, over the Confidential Information whatsoever beyond those contained in this Agreement.

3. Records and return of Information

3.1 The Receiving Party agrees to ensure proper and secure storage of all Information and any copies thereof to at least the same standard as the Receiving Party keeps its own Confidential Information. The Receiving Party shall not make any copies or reproduce in any form any Confidential Information except for the purpose of disclosure as permitted in accordance with this Agreement.

3.2 The Receiving Party shall keep a written record, to be supplied to the Disclosing Party upon request, of the Confidential Information provided and any copies made thereof and, so far as is reasonably practicable, of the location of such Confidential Information and any copies thereof.

3.3 The Receiving Party shall, within seven days of receipt of a written demand from the Disclosing Party or of its ceasing to be interested in the Proposal:

- (i) Return all written Confidential Information (including all copies); and
- (ii) expunge or destroy any Confidential Information from any computer, word processor or other device whatsoever into which it was copied, read or programmed by the Receiving Party or on its behalf (including by any person to whom disclosure has been made as permitted under clause 2.3(i) above).

The obligations in this clause 3.3 shall not apply to the extent that (but only for so long as) it is necessary to retain copies for the purpose of providing information to any regulatory authority in accordance with clause 2.3 (ii) above.

3.4 The Receiving Party shall on request supply a certificate signed by a director as to its full compliance with the requirements of clause 3.3 (ii) above.

4. Announcements

4.1 Neither party will make or permit to be made any announcement or disclosure of its prospective interest in the Proposal without the prior written consent of the other party.

4.2 Neither party shall make use of the other party's name or any information acquired through its dealings with the other party for publicity or marketing purposes without the prior written consent of the other party.

5. Duration

The obligations of each party and its Agents under this Agreement shall [be continuing and shall survive the termination of any discussions or negotiations between the parties regarding the Proposal continue for a period of 3 (three) years.

Respondent's Signature

Date and Company Stamp



6. Principal

Each party confirms that it is acting as principal and not as nominee, agent or broker for any other person and that it will be responsible for any costs incurred by it or its advisers in considering or pursuing the Proposal and in complying with the terms of this Agreement.

7. Representations

- 7.1 Each party agrees that any Information made available to the Receiving Party or its Agents for the purpose of negotiations or discussions in relation to the Proposal will not form the basis of, or any representation in relation to, any contract, nor constitute an offer or invitation by the Disclosing Party.
- 7.2 Except in the case of fraudulent misrepresentation, the Disclosing Party accepts no responsibility for nor makes any representation or warranty, express or implied, with respect to the accuracy, reliability or completeness of any Information made available to the Receiving Party or its Agents.

8. Adequacy of damages

- 8.1 Without prejudice to any other rights or remedies of the Disclosing Party, the Receiving Party acknowledges and agrees that damages would not be an adequate remedy for any breach by it of the provisions of this Agreement and that the Disclosing Party shall be entitled to seek the remedies of injunction, specific performance and other equitable relief for any threatened or actual breach of any such provision by the Receiving Party or its Agents, and no proof of special damages shall be necessary for the enforcement of the rights under this Agreement.
- 8.2 Nothing contained in this Agreement shall be construed as prohibiting the Disclosing Party from pursuing any other remedies available by it, either at law or in equity, for any such threatened or actual breach of this Agreement including specific performance, recovery of damages or otherwise.

9. Data Protection

The Receiving Party warrants that it and its Agents have the appropriate technical and organizational measures in place against unauthorized or unlawful processing of personal data and against accidental loss or destruction of, or damage to, personal data held or processed by them.

10. General

- 10.1 Neither party may assign the benefit of this Agreement or any interest hereunder except with the prior written consent of the other, save that Transnet may assign this Agreement at any time to any member of the Transnet Group.
- 10.2 No failure or delay in exercising any right, power or privilege under this Agreement will operate as a waiver of it, nor will any single or partial exercise of it preclude any further exercise or the exercise of any right, power or privilege under this Agreement or otherwise.
- 10.3 The provisions of this Agreement shall be severable in the event that any of its provisions are held by a court of competent jurisdiction or other applicable authority to be invalid, void or otherwise unenforceable, and the remaining provisions shall remain enforceable to the fullest extent permitted by law.



- 10.4 This Agreement may only be modified by a written agreement duly signed by persons authorized on behalf of each party.
- 10.5 Nothing in this Agreement shall constitute the creation of a partnership, joint venture or agency between the parties.

This Agreement will be governed by, and construed in accordance with South African law and the parties irrevocably submit to the exclusive jurisdiction of the South African courts.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed by their respective duly authorized representatives.

TRANSNET LIMITED:

By:
(Signature)

Print name: _____

Title: _____

Date: _____

[Insert company name]:

By:
(Signature)

Print name: _____

Title: _____

Date: _____



SECTION 15

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

TRANSNET LIMITED / CONTRACTORS / SUB-CONTRACTORS

CONTRACTUAL SAFETY CLAUSES WHICH WILL FORM PART OF ANY RESULTING CONTRACT

The parties agree on the following arrangements according to section 37 (2) of the Occupational Health and Safety Act, 1993 (Act 85 of 1993) to ensure compliance by the mandatory with provisions of the Act.

- 1) That the contractor is an “employer” in his own right as defined in section 1 of Act 85 of 1993 and that he must fulfill all his obligations as an employer in terms of the Act.
- 2) The contractor shall comply with the requirements of Act 85 of 1993 in its entirety.
- 3) Where special permits are required, such as electrical switching, hot work permits, etc. the contractor shall obtain them from a person designated by Transnet Limited for this purpose, and all requirements of the contractor must rigidly comply with the permit.
- 4) The contractor shall conduct a risk assessment of the work to be performed by a competent person prior to the commencement of work, to identify risks and hazards that persons may be exposed to, analyse and evaluate identified hazards.
- 5) The contractor shall have a documented Health and Safety Plan based on the risks and hazards identified before commencement of work.
- 6) The Health and Safety Plan shall include the following:
 - 6.1 The safety management structure to be instituted with all appointments in terms of the Act and Regulations
 - 6.2 The safe working methods and procedures to be implemented to ensure work is performed in compliance to the Act.
 - 6.3 The safety equipment, devices and clothing to be made available by the contractor to his employees.
 - 6.4 The site access control measures pertaining to health and safety to be implemented.
 - 6.5 Control measures for ensuring that the Health and Safety Plan is maintained and monitored for the duration of the contract.
- 7) The contractor shall ensure that all work is performed under the close supervision of a person trained to understand the hazards associated with the work performed and who has authority to ensure that the necessary precautionary measures are implemented.
- 8) The contractor must appoint a Health and Safety coordinator to liaise with Transnet Limited on matters pertaining to occupational health and safety.



- 9) The appointed Safety coordinator must liaise at least once a week with the* Health and Safety Section / Risk Manager /Occupational Risk Manager of Transnet Limited.
- 10) The contractor shall furnish the* Health and Safety Section/ Risk Manager/ Occupational Risk Manager of Transnet Limited immediately with full particulars of any sub-contractor which he may involve in the contract in order that the sub-contractor himself can be made aware of all the clauses in this contract pertaining to health and safety.
- 11) The contractor shall stop any subcontractor from executing work which is not in accordance with the Health and Safety Plan or which poses a threat to health and safety of persons.
- 12) The contractor shall ensure that all his employees and visitors undergoes health and safety induction pertaining to the hazards prevalent, proof of such training must be kept on file.
- 13) In the event where the risk assessment reveals the risk relating to working from an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a Fall Protection Plan.
- 14) The Fall Protection Plan shall include:
 - 14.1 A risk assessment of all work carried out from an elevated position
 - 14.2 Procedures and methods to address all the identified risks per location
 - 14.3 Evaluation of employees physical and psychological fitness necessary to work at elevated position.
 - 14.4 The training of employees working from an elevated position.
 - 14.5 Procedure addressing the inspection, testing and maintenance of all fall protection equipment.
- 15) The contractor shall advise the * Health and Safety Section / Risk Manager/ Occupational Risk Manager of Transnet Limited of any hazardous situations which may arise from work being performed either by the contractor or his sub-contractor.
- 16) Copies of all appointments required by the act must be given to * Health and Safety Section / Risk Manager / Occupational Risk Manager of Transnet Limited.
- 17) The contractor shall ensure that a Health and Safety File is available which shall include all documentation as required by the Act, copy of his and his subcontractors Risk Assessment and Health and Safety Plan.
- 18) All incidents referred to in Section 24 of the Act involving the contractor and his subcontractor on Transnet Ltd premises, shall be reported as prescribed. Transnet Ltd hereby obtains an interest in the issue of any investigation, formal inquiry conducted in terms of Section 31 and 32 of the Act into any incident involving the contractor, his subcontractor, any person or machinery under his control on Transnet Ltd premises.
- 19) No alcohol or any other intoxicating substance shall be allowed on Transnet Ltd premises. The contractor shall not allow anyone under or suspected to be under the influence of alcohol or any other intoxicating substance on Transnet Ltd premises.
- 20) A letter of good standing in terms of Section 80 (Employer to register with the Compensation Commissioner) of the Compensation for Occupational Injuries and Disease Act 1993 (Act 130 of 1993) must also be furnished.

All clauses in the contract pertaining health and safety forms an integral part of the contract and if not complied with may be construed as breach of contract.



SECTION 16

SUPPLY & INSTALL PALISADE FENCES, GATES & RAZOR MECH FENCES AT RELAY ROOMS & SIGNAL CABIN AT KLERKSDORP, ORKNEY, ARISTON & LAVA

Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
2. **Original** cancelled cheque **OR** letter from the bank verifying banking details (**with bank stamp**)
3. **Certified** copy of Identity document of Shareholders/Directors/Members (where applicable)
4. **Certified** copy of certificate of incorporation, CM29 / CM9 (name change)
5. **Certified** copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
6. A letter with the company's letterhead confirming physical and postal addresses
7. **Original** or **certified** copy of SARS Tax Clearance certificate and Vat registration certificate
8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company **AND/OR** BBBEE certificate and detailed scorecard from an accredited rating agency (SANAS member).

NB:

- **Failure to submit the above documentation will delay the vendor creation process.**
- *Where applicable, the respective Transnet business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the respective Transnet business unit etc.*

IMPORTANT NOTES:

- a) **If your annual turnover is less than R5 million**, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If your company is classified as an EME, please include in your submission, a signed letter from your Auditor / Accountant confirming your company's most recent annual turnover is less than R5 million and percentage of black ownership and black female ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) **If your annual turnover is between R5 million and R35million**, then in terms of the DTI codes, you are classified as a Qualifying Small Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBBEE score-card, please include your BEE certificate in your submission as confirmation of your status.
NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SANAS Member).
- c) **If your annual turnover is in excess of R35million**, then in terms of the DTI codes, you are classified as a Large Enterprise and you claim a specific BEE level based on all seven elements of the BBBEE generic score-card. Please include your BEE certificate in your submission as confirmation of your status.
NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).

Respondent's Signature

59

Date and Company Stamp



- d) **To avoid PAYE tax being automatically deducted from any invoices received from you,** you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, **No payments can be made to a vendor** until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) **Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.**

Regards,

Transnet Vendor/Supplier Management *[please substitute this with your relevant Transnet department before sending this document out]*

Supplier Declaration Form

Company Trading Name							
Company Registered Name							
Company Registration Number Or ID Number If A Sole Proprietor							
Form of entity	CC	Trust	Pty Ltd	Limited	Partnership	Sole Proprietor	
VAT number (if registered)							
Company Telephone Number							
Company Fax Number							
Company E-Mail Address							
Company Website Address							
Bank Name		Bank Account Number					
Postal Address						Code	
Physical Address						Code	
Contact Person							
Designation							
Telephone							
Email							
Annual Turnover Range (Last Financial Year)		< R5 Million		R5-35 million		> R35 million	
Does Your Company Provide		Products		Services		Both	
Area Of Delivery		National		Provincial		Local	
Is Your Company A Public Or Private Entity				Public		Private	
Does Your Company Have A Tax Directive Or IRP30 Certificate				Yes		No	
Main Product Or Service Supplied (E.G.: Stationery/Consulting)							
BEE Ownership Details							

Respondent's Signature

60

Date and Company Stamp



% Black Ownership		% Black women ownership		% Disabled person/s ownership	
Does your company have a BEE certificate			Yes	No	
What is your broad based BEE status (Level 1 to 9 / Unknown)					
How many personnel does the firm employ		Permanent		Part time	

Transnet Contact Person	
Contact number	
Transnet operating division	

Duly Authorised To Sign For And On Behalf Of Firm / Organisation			
Name		Designation	
Signature		Date	

Stamp And Signature Of Commissioner Of Oath			
Name		Date	
Signature		Telephone No.	

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

2. VENDOR TYPE OF BUSINESS

(Please tick as applicable)

(* - Minimum requirements)

2.1	Indicate the business sector in which your company is involved/operating:		
Agriculture		Mining and Quarrying	
Manufacturing		Construction	
Electricity, Gas and Water		Finance and Business Services	
Retail, Motor Trade and Repair Services		Wholesale Trade, Commercial Agents and Allied Services	
Catering, accommodation and Other Trade		Transport, Storage and Communications	
Community, Social and Personal Services		Other (Specify)	
Principal Business Activity *			
Types of Services Provided			
Since when has the firm been in business?			

2.2	What is your company's annual turnover (excluding VAT)? *
-----	---

Respondent's Signature

61

Date and Company Stamp



<R20k	>R20k <R0.3m	>R0.3m <R1m	>R1m <R5m	>R6m <R10m	>R11m <R15m	>R16m <R25m	>R26m <R30m	>R31m <R34m	>R35m

2.3	Where are your operating/distribution centres situated *

3. VENDOR OWNERSHIP DETAIL

(Please tick as applicable)

(* - Minimum requirements)

3.1	Did the firm previously operate under another name? *
YES	NO

3.2	If Yes state its previous name:*
Registered Name	
Trading Name	

3.3	Who were its previous owners / partners / directors?*
SURNAME & INITIALS	ID NUMBERS

3.4	List Details of current partners, proprietors and shareholders by name, identity number, citizenship, status and ownership as relevant: *							
SURNAME & INITIALS	IDENTITY NUMBER	CITI-ZENSHIP	HDI	DIS – ABLED	GENDER	DATE OF OWNERSHIP	% OWNED	% VOTING

Respondent's Signature

Date and Company Stamp



3.5	List details of current directors, officers, chairman, secretary etc. of the firm: *					
SURNAME & INITIALS	IDENTITY NUMBER	TITLE	DIS – ABLED	GENDER	% OF TIME DEVOTED TO THE FIRM	CONTACT NUMBER

3.6	List details of firms personnel who have an ownership interest in another firm: *				
SURNAME & INITIALS	IDENTITY NUMBER	NAME & ADDRESS OF OTHER FIRM	TITLE IN OTHER FIRM	% OWNED	TYPE OF BUSINESS OF OTHER FIRM

4. VENDOR DETAIL
(Please tick as applicable) (* - Minimum requirements)

4.1	How many personnel does the firm employ? *					
	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Permanent						
Part Time						

4.1.1	In terms of above kindly provide numbers on women and disabled personnel? *					
	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Women						
Disabled						

4.2	Provide Details of Contact Person/s Responsible for Broad Based Black Economic Empowerment (BBBEE) in the Company *			
SURNAME	INITIALS	DESIGNATION	TELEPHONE NO.	

Respondent's Signature

Date and Company Stamp



4.2.1	Is your company a value adding supplier (i.e. registered as a vendor under the VAT Act of 1991, where NPAT + total labour cost > 25% of total revenue)?		
YES		NO	

4.2.2	Is your company a recipient of Enterprise Development Contributions?*		
YES		NO	

4.2.3	May the above mentioned information be shared and included in Transnet Supplier Database for future reference? *		
YES		NO	

4.2.4	If you are successful in the tender/contract (where applicable) and this is awarded to your company / organisation, will this have a positive impact on your employment plans? *		
YES		NO	

4.2.5	If yes (above) kindly provide the following information:					
	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Permanent						
Part Time						

4.2.6	In terms of above kindly provide numbers on woman and disabled personnel:					
	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Women						
Disabled						

4.2.7	Are any of your members/shareholders/directors ex employees of Transnet?		
YES		NO	

4.2.8	Are any of your family members employees of Transnet?		
YES		NO	

4.2.9	If Yes to points 4.2.7 & 4.2.8, list details of employees/ex-employees				
SURNAME & INITIALS	IDENTITY NUMBER	NAME & ADDRESS OF OTHER FIRM	TITLE IN OTHER FIRM	% OWNED	TYPE OF BUSINESS OF OTHER FIRM

Respondent's Signature

Date and Company Stamp



Internal Transnet Departmental Questionnaire (for office use only)

Section 1: To be completed by the Transnet Requesting / Sourcing Department											
TFR		TRE		TPT		TPL		TNPA		TRN	
Creat		Amen		Block		Unblock		Once-Off / Emergency			
Extend		Delet		Undel							

Supplier's trading name											
Supplier's registered											
Please indicate if the Supplier has a contract with sourcing Transnet OD								Yes		No	
If yes please submit a copy of the letter of award											

a) What is being procured from the supplier?				
i. Products only	Yes		No	
ii. Services only	Yes		No	
iii. Labour only	Yes		No	
iv. Mix of services and	Yes		No	
v. Mix of services and labour	Yes		No	

b) If your answer is **YES** to questions II, III, IV or V in paragraph a) above, please indicate whether the relevant **PAYE questionnaires** have been forwarded to the appropriate **Transnet Operational Divisions'** decision making bodies / **Strategic Supply Management** team for a directive /decision on tax withholding from payments to this supplier.

Yes		No	
-----	--	----	--

c) If your reply to (b) is "NO", please furnish	
---	--

d) Certification and Approval of proposed Vendor Creation/Unblocking/Other Changes by Transnet Official with Appropriate Delegated Authority :
--

*I HEREBY CERTIFY THAT THE TRANSNET DETAILED PROCUREMENT PROCESS (DPP) / PROCUREMENT MECHANISM HAS **IN ALL RESPECTS** BEEN ADHERED TO AND I THEREFORE APPROVE THE PROPOSED VENDOR CREATION/APPROVAL/OTHER CHANGES TO BE EFFECTED ON THE VENDOR MASTER*

Name	Grade	Date	Signature
		Y Y Y Y M M D D	

Tel No:		Fax	
---------	--	-----	--

Section 2: To be completed by the BEE Department (this section is for Confirmation/Determining of							
---	--	--	--	--	--	--	--

NARROW BASED (NB)				BROADBASED (BBBEE)			
BEE O/S	BWBE	DPBE	MR	CONTB. LEVEL	EME: <R5m	QSE: >R5m <R35m	LARGE: >R35m
							VALIDITY DATE

Respondent's Signature

Date and Company Stamp



Name	Grade	Date								Signature
		Y	Y	Y	Y	M	M	D	D	
		Y	Y	Y	Y	M	M	D	D	

"Preview Copy Only"

Respondent's Signature

Date and Company Stamp