

RFQ / TENDER

Tender No: HAM 70

Vendor No: 11001386

BOARD LIST
BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT
2000

Purchaser : Helena Mauger
Telephone : 011 584 0604
Fax Number : .

Please quote reference:
DD3/6000567524

Deliver to:
Mr.
Spoornet Capital Projects
Spoornet Capital Projects

Closing Date : 14.06.2011
Validity Date : 16.09.2011
RFQ No : 6000567524

1. RETURN OF QUOTATION/S:

1.1 QUOTATION/S MUST BE SUBMITTED PUNCTUALLY AT 10:00 ON THE CLOSING DATE AND LATE QUOTATIONS WILL NOT BE CONSIDERED, AND MUST BE ENCLOSED IN A SEALED ENVELOPE WHICH MUST HAVE INSCRIBED ON THE OUTSIDE: TENDER NO: HAM 70 DESCRIPTION : POWER SUPPLIES

CLOSING DATE AND TIME:

14 JUNE 2011 AT 10:00h

1.2 IF POSTED:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
PO BOX 4244
JOHANNESBURG
2000

1.3 IF DELIVERED BY HAND:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
GROUND FLOOR
21 WELLINGTON ROAD
PARKTOWN
2193

2. CONDITIONS:

2.1, ANY PURCHASE ORDER PLACED AS A RESULT OF YOUR QUOTATION WILL BE SUBJECT TO THE STANDARD TERMS AND CONDITIONS OF CONTRACT, FORM US7, (LATEST), GENERAL TENDER CONDITIONS, FORM CSS5 (LATEST) AND CONDITIONS MENTIONED HEREIN.

2.2, TENDERERS MAY OFFER AN EARLIER VALIDITY DATE, BUT THEIR QUOTATION MAY, IN THAT EVENT, BE DISREGARDED FOR THIS REASON.

2.3, TENDERERS ARE REQUIRED TO OFFER ONLY FIRM PRICES.

2.4, BEST DELIVERY TIME MUST BE OFFERED.

2.5, DISCOUNT (TRADE DISCOUNT) CASH DISCOUNT (CONDITIONAL DISCOUNT) VALUE ADDED TAX (VAT) MUST BE SHOWN SEPARATELY.

2.6, TRANSNET RESERVES THE RIGHT TO NEGOTIATE PRICES AND COMMERCIAL ASPECTS AFTER THE CLOSING DATE

DATE: SIGNATURE OF TENDERER(S):

CONTACT PERSON: TEL No:

RFQ / TENDER

Tender No: HAM 70 **Page**
Date : 02.06.2011 **2**

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

OF THE QUOTATION.

"Preview Copy Only"

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No : HAM 70 Page
Date : 02.06.2011 3

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

2.7.DIRECT DELIVERY INTIMATES DELIVERY BEING EFFECTED TO THE ACTUAL POINT OF SUPPLY AND SHOULD THEREFORE INCLUDE ANY TRANSPORTATION MODE DEEMED NECESSARY IN EXECUTING THIS METHOD OF DELIVERY BASIS IN ORDER TO MEET THE REQUIRED DELIVERY DATE.

TAX CLEARANCE CERTIFICATES:

The Regulations in terms of the Public Finance Management Act, 1999, Framework for Supply Chain Management as published in Government Gazette No. 257/67 dated 5 December 2003, Clause 9 (1) (d), stipulates that the accounting officer or accounting authority of an institution to which these regulations apply must reject any bid from a supplier who fails to provide written proof from the South African Revenue that the supplier either has no outstanding tax obligations or has made arrangements to meet outstanding tax obligations.
Tenders will be disqualified if a valid tax clearance certificate or written proof from the South African Revenue Service that supplier has made arrangements to meet outstanding tax obligations is not submitted with the tender.

BROAD BASED BLACK ECONOMIC EMPOWERMENT (BBBEE)

Transnet fully endorses and supports the Government's Broad-based Black Economic Empowerment Programme and it is strongly of the opinion that all South African Business Enterprises have an equal obligation to redress the imbalances of the past.
Transnet will therefore prefer to do business with local business enterprises who share these same values. Transnet will endeavour to do business with local business enterprises that possess a BBBEE "recognition level" of at least a level 5. Transnet urges Tenderers (large enterprises and QSE's - see below) to have themselves accredited by any one of the various Accreditation Agencies available, who do their BBBEE ratings in accordance with the latest Codes (i.e. those promulgated on 9 February 2007) and whose names appear on the present ABVA (Association of BEE Verification Agencies) - "List of Full Members" as displayed on the ABVA website (www.abva.co.za).
Although no agencies have, as yet, been accredited by SANAS (SA National Accreditation System), Transnet will, in the interim, accept rating certificates of tenderers who have been verified by any of the listed agencies.

Enterprises will be rated by such agency based on the following:

1. Large Enterprises (i.e. annual turnover >R35million:
Rating level based on all seven elements of the BBBEE scorecard.
2. Qualifying Small Enterprises - (QSE) (i.e. annual turnover >R5million but <R35million:
Rating based on any four elements of the BBBEE scorecard.
NB:
3. Emerging Micro Enterprises - (EME) (i.e. annual turnover <R5m) are exempted from being rated/verified:
Automatic rating of Level 4 BBBEE irrespective of race of ownership, i.e. 100% BBBEE recognition
Black ownership >50% or Black Women ownership >30% automatically qualifies as Level 3 BBBEE, i.e. 110% BBBEE recognition
EME's should provide certified documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% from the EME's Auditor/Accounting Officer.

4. In addition to the above, Tenderers who wish to enter into a Joint Venture or subcontract portions of the contract to BBBEE companies, must state in their tenders the percentage of the total contract value that will be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or sub-contractor/s, as well as a breakdown of the distribution of the aforementioned percentage must also be furnished

In view of the high emphasis which Transnet places on Broad-based Black Economic Empowerment, Transnet will allow certain preference points for BBBEE in the evaluation of all responses. Depending upon the value of the ensuing business award (i.e. below or in excess of R2m), the 80/20 or 90/10 point preference systems will be utilized where BBBEE will count out of 20 or 10 respectively in the evaluation process.

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM 70 Page
Date : 02.06.2011 4

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

EACH RESPONDENT IS REQUIRED TO FURNISH PROOF OF THE ABOVE TO TRANSNET. FAILURE TO DO SO WILL RESULT IN A SCORE OF ZERO BEING ALLOCATED FOR BBEE.

Turnover: Kindly indicate your company's annual turnover for the past year R _____

If annual turnover <R5m, please attach certified confirmation from your Auditor/Accounting Officer
If annual turnover >R5m please attach original or certified copy of accreditation certificate and detailed scorecard by an ABVA accreditation agency (registered as a "Full Member")

PAYMENT TERMS

The following payment terms will apply as from 1 October 2008.

All suppliers will be paid 30 days from receipt of month end statement, i.e. payment term F055.

All CIDB suppliers will be paid 21 days from date of invoice, i.e. payment term F057.

CONDITIONS:

This quotation is subject to the provisions of the Standard Terms and Conditions of Contract, Form US7, (Latest) and the General Tender Conditions, Form CSS5 (Latest) and any other standard or special conditions mentioned and/or embodied in the quotation request.

"Preview Copy"

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No : HAM 70
Date : 02.06.2011

Page
5

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

SCHEDULE OF REQUIREMENTS
TENDERERS SHOULD INSERT THEIR PRICE/S UNDER THE APPROPRIATE HEADINGS HEREUNDER.

IN THIS REGARD THE TENDERER'S ATTENTION IS DIRECTED TO PARAGRAPH 16 OF FORM CSS5 (LATEST).

NB. TENDERERS OFFERING GOODS FROM IMPORTED SUPPLIES MUST SUBMIT THEIR PRICES ON THE DELIVERY BASIS APPEARING UNDER COLUMN (C) OF THIS SCHEDULE OF REQUIREMENTS.

Item	Qty	Material	Description
------	-----	----------	-------------

00010 44 CONVERTORS

R.....
Each

Delivery Date: 30.11.2011

FULL DETAILS OF DESCRIPTION

A STATEMENT OF COMPLIANCE TO SPECIFICATION BBD5417 VERSION -1 ATTACHED IS REQUIRED.
BATCH TESTING AND CERTIFICATION BY TRANSNET FREIGHT RAIL IS REQUIRED BEFORE DELIVERY CAN TAKE PLACE.
TENDERERS MUST FULLY ACQUAINT THEMSELVES WITH ALL TFR REQUIREMENTS BEFORE SUBMITTING ANY QUOTATION FOR TECHNICAL RELATED MATTERS.

KINDLY CONTACT NICK BREYTENBACH 012-315-2921 OR ON CELLULAR 083-286-1995.

00020 44 SUPPRESSOR BOARDS

R.....
Each

Delivery Date: 30.11.2011

FULL DETAILS OF DESCRIPTION

EQUAL OR BETTER THAN S489
BATCH TESTING AND CERTIFICATION BY TFR IS REQUIRED BEFORE DELIVERY CAN TAKE PLACE.
TENDERERS MUST FULLY ACQUAINT THEMSELVES WITH ALL TFR REQUIREMENTS BEFORE SUBMITTING ANY QUOTATION.

FOR TECHNICAL RELATED MATTERS , KINDLY CONTACT NICK BREYTENBACH 012-315-2921 OR ON CELLULAR 083-286-1995.

00030 44 FUSE BOARDS

R.....
Each

Delivery Date: 30.11.2011

FULL DETAILS OF DESCRIPTION

EQUAL OR BETTER THAN S577.

DATE:

SIGNATURE OF TENDERER(S):

.....

RFQ / TENDER

Tender No : HAM 70
Date : 02.06.2011

Page
6

BOARD LIST
TRANSNET FREIGHT RAIL
PROCUREMENT DEPARTMENT

Item	Qty	Material	Description
------	-----	----------	-------------

TENDERERS MUST FULLY ACQUAINT THEMSELVES WITH ALL TFR REQUIREMENTS BEFORE SUBMITTING ANY QUOTATION FOR TECHNICAL RELATED MATTERS.

KINDLY CONTACT NICK BREYTENBACH 012-315-2921 OR ON CELLULAR 083-286-1995.

00040 4 AS ATTACHED REQUIREMENT

R.....
Each

Delivery Date: 30.11.2011

FULL DETAILS OF DESCRIPTION

INPUT 220 V AC. OUTPUT 110V DC/2A FULL BRIDGE TYPE (NOT REGULATED +-10V)CONTINUOUS RATING: SIZE +-180(L)*154(W)*144(H).

POWER SUPPLIES

POWDER COATED CHARCOAL :

MASS +-6 KG:

DC OUTPUT 3A CIRCUIT BREAKER PROTECTED (FRONT/BACK):

125V DC NEEDLE VOLTMETER (50MM*50MM) (FRONT CONNECTED BETWEEN BREAKER - OUTPUT JACKS).

3 A DC AMP NEEDLE METER (50MM*50MM)(FRONT)220 V INPUT FUSE PROTECTED EXTERNAL (BACK).2M AC CORD WITH 3 PIN PLUG (BACK).

2 NEG CONNECTED BLACK BANANA SCREW TYPE JACKS(FRONT +- 40MM SPACED FROM POS:

2 POS CONNECTED RED BANANA SCREW TYPE JACKS (FRONT +- 40MM SPACED FROM NEG):

TOP CARRY HANDLE AIR VENTS AT THE TOP SIDES OR BACK. 4 RUBBER SCREWED BASE/FOOT STAND OFFS (STICKY TYPE NOT ACCEPTED)

TENDERERS MUST FULLY ACQUAINT THEMSELVE WITH ALL TFR REQUIREMENTS BEFORE SUBMITTING ANY QUOTATION.

FOR TECHNICAL RELATED MATTERS , KINDLY CONTACT NICK BREYTENBACH 012-315-2921 OR ON CELLULAR 083-286-1995.

DATE:

SIGNATURE OF TENDERER(S):



CAPITAL PROGRAM

SPECIFICATIONS

LOCOMOTIVE RADIO DC CONVERTOR

Author: Senior Technologist N Breytenbach Nick Breytenbach
Capital Program
Approved: Senior Engineer D Marais
Engineering
Authorised: Project Director Mr W Kuys
Capital Program

Date: 14 January 2009

Circulation Restricted To:
Transnet Freight Rail
Transnet and Relevant Third Parties
Unrestricted

© This document as a whole is protected by copyright. The information herein is the sole property of Transnet Ltd. It may not be used, disclosed or reproduced in part or in whole in any manner whatsoever, except with the written permission of and in a manner permitted by the proprietors.

TABLE OF CONTENT

1. DESCRIPTION	3
2. REQUIREMENTS.....	3
3. KIT.....	3

"Preview Copy Only"

1. Description


Transnet Freight rail (TFR) require DC converters to be used in our locomotive fleet to power train radio equipment at a nominal output of 13.6V from the locomotive batteries. The DC converter will be used and replace existing units which means it must be have the same profile and connections. The converters must be similar or better than the SOS type S008AHV DC converter.

2. Requirements:


- 2.1 Input voltage: 55v – 165v DC
 - 2.2 Output voltage: 13.6v @ 12A
 - 2.3 Continuous rated.
 - 2.4 Low no load current.
 - 2.5 No additional cooling required.
 - 2.6 Output must be over voltage protected.
 - 2.7 4 pin connector similar to the existing ones. Pin connections must be the same as existing models.
 - 2.8 Reverse polarity protection.
 - 2.9 Supplied with 2 m connecting wire.
 - 2.10 Size: Width = 150mm Depth = 170mm Height = 41mm
 - 2.11 Finished: Anodised Aluminium plated steel.
 - 2.12 Mass: +- 0.5kg
 - 2.13 Mounting profile: Same as present models.
 - 2.14 All connectors must be the same to fit existing harnesses.
- ### 3. Kit:
- The kit must consist of the following.
- 3.1 DC converter.
 - 3.2 2m connecting cable with connector.

The following photos are of the existing equipment.


Top view of converter.



Rear view



Top view to indicate mounting holes.



End of specification.

"Preview Copy Only"