

TRANSNET FREIGHT RAIL, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ1/N) BFX/53060

FOR THE PROVISION OF EXTERIOR PAINTWORK TO ADMIN BUILDING (ASSET NO. 02HX019B) REPLESTATE MANAGEMENT, BLOEMFONTEIN

ISSUE ATE: 11 JULY 2014

DOMEST DATE : 5 AUGUST 2014

LOSING TIME : 10:00

FORMAL BRIEFING : 22 JULY 2014 AT 11:00 - A COMPULSORY PRE-

QUOTATION SITE MEETING AND/OR BRIEFING SESSION WILL BE CONDUCTED AT TRANSNET

FREIGHT RAIL, REAL ESTATE MANAGEMENT, NATHAN

STREET, BLOEMFONTEIN

NOTE:

RFQ DOCUMENTS MAY BE OBTAINED ON AND AFTER FRIDAY, 11 JULY 2014 AT TRANSNET FREIGHT RAIL, SUPPLY CHAIN SERVICES, ROOM 102, 1ST FLOOR, TRANSNET ENGINEERING ADMIN BUILDING, TRANSNET ROAD, BLOEMFONTEIN

LAST DATE OF ISSUE - RFQ BFX/53060 WILL ONLY BE ISSUED UNTIL 15:00 ON FRIDAY 18 JULY 2014

FOR ENQUIRIES REGARDING COLLECTION OF DOCUMENTS, CONTACT GIDEON JOUBERT, TEL. NO. 051 – 408 2167 OR E-MAIL Gideon. Joubert @Transnet.net

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD: Courier or By hand

CLOSING VENUE: The Secretariat

Acquisition Council

Admin Support Office

Tender Box Office No. 2

Real Estate Management Building

Austen Street, Beaconsfield

Kimberley (Contact person: Maggie Pain Tel. 0/3-838 3341)

1 RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

2 BROAD-BASED BLACK ECONOMIC EMPOWERMENT [B-BBEE]

Transnet fully endorses and surports the Government's Broad-Based Black Economic Empowerment Programme and it would therefore orefor to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate All proceedings will be evaluated accordingly.

2.1 B-BBEE Score and Rating

As prescribed in terms of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- In this RFQ, Transnet will apply 80/20 preference point system prescribed in the PPPFA.
- Proposals will be evaluated on price which will be allocated 80 points and preference which will be allocated 20 points.
- The 80/20 preference point system applies where the acquisition of the Services will be less than R1 000 000.00. However, if the 80/20 preference point system is stipulated in this RFQ and all Bids received exceed R1 000 000.00, the RFQ will be cancelled.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.

Enterprises will be rated by such agencies based on the following:

- (a) Large Enterprises [i.e. annual turnover greater than R35 million]:
 - Rating level based on all seven elements of the B-BBEE scorecard

Respondent's Signature

- (b) Qualifying Small Enterprises QSE [i.e. annual turnover between R5 million and R35 million]:
 - Rating based on any four of the elements of the B-BBEE scorecard
- (c) **Exempted Micro Enterprises EME** (i.e. annual turnover less than R5 million):

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of B-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transmet. [i.e., a valid detailed scorecard as stipulated above in respect of Large Enterprises and Q. 30, 32 valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of **20** [twen y] points to the Respondent's final score based on an entity's B-BBEE scorecard rating.

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated in B-BBEE.

[Refer clause 18 below for Return ble Do uments required]

3 COMMUNICATION

- a) Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.
- b) A Respondent not, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name. Gideon Joubert

Gideon, Joubert@Transnet.net

Respondents may also, at any time after the closing date of the RFQ, communicate with Supply thain Services, Admin Support on any matter relating to its RFQ response:

Telephone 053 838 3341

Email Maggie.Pain@Transnet.net

4 TAX CLEARANCE

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission may result in disqualification.

5 VAT REGISTRATION

The valid VAT registration number must be stated here: ______ [if applicable]

6 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

7 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time.

8 PRICING

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

9 PRICES SUBJECT TO CONFIRMATION

Prices quoted which are subject to confirmation will not be considered.

10 NEGOTIATIONS

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

11 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

12 DISCLAIMERS

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondent but on any changes;
- reject any Quotation which does not conform to instruction, and specifications which are detailed herein;
- disqualify Quotations submitted after the stated ubmission deadline;
- not necessarily accept the lowest priced Capation,
- reject all Quotations, if it so decides;
- place an order in connection with this Quo ation at any time after the RFQ's closing date;
- award only a portion of the proposed sods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all

tribunal or regulatory obligation.

an addition, Transhit reserves the right to exclude any Respondent from the bidding process who has been
convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to
breaches of the Competition Act 89 of 1998. Respondents are required to indicate below whether or not
they have been round guilty of a serious breach of law during the past 5 [five] years:
I/we do hereby certify that I/we
ha frame not been found guilty during the preceding 5 [five] years of a serious breach of law,
iscluding but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other
auministrative body. The type of breach that the Respondent is required to disclose excludes relatively
minor offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
DATE OF PREACH.
DATE OF BREACH:
Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent from

Respondent's Signature Date & Company Stamp

the bidding process, should that person or entity have been found guilty of a serious breach of law,

13 EVALUATION CRITERIA

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness Completeness of response and returnable documents
- Substantive responsiveness Prequalification criteria, if any, must be met and whether the Bid materially complies with the scope and/or specification given
- Weighted evaluation based on 80/20 preference point system as indicated in paragraph 2 above :
 - Pricing and price basis [firm] whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical
 - B-88EE status of company

Preference points will be awarded to a bidder for attaining the B-BBEB status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of politis (80/20 system)
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant con ribute.	0

14	VALIDITY PERIOD
	Transnet desires a validity peopl of 90 [ninety] days from the closing date of this RFQ.
	This RFQ is valid until
.5	BANKING DE ATES
	BANK.
	BEANTH NAME / CODE:
	CC UNT HOLDER:
	CCOUNT NUMBER:
6	COMPANY REGISTRATION
	Registration number of company / C.C.
	Registered name of company / C.C.
_	
7	DISCLOSURE OF PRICES QUOTED
	Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to
	Respondents:
	YES NO
	YES NO NO

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

a) Respondents are required to submit with their Quotations the **Returnable Documents**, as detailed below

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these mandatory Returnable Documents by so indicating [Yes or No] in the table below:

	Returnable Documents	Submitted [Yes or No]
SEC	CTION 1 : Notice to Bidders	
-	Valid B-BBEE Verification Certificate [RSA Large Enterprises and 156.5] Note: failure to provide a valid B-BBEE Verification Certificate at the closing dat, and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	
-	Valid B-BBEE certificate from auditor, accounting offiler or SAMAS accredited Verification Agency [RSA EMEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic story of zero being allocated for B-BBEE scorecard	
-	In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement	
SEC	CTION 2 : Quotation Form	
SEC	TION 3: Vendor Application Sorto	
-	Original cancelled chaques chank verification of banking details	
-	Certified copies of It of shareholder/directors/members [as applicable]	
-	Certified copy of Certificate of Incorporation [CM29/CM9 name change]	
-	Certified copy of thare certificates [CK1/CK2 if C.C.]	
-	Entity's atterbead	
	Cartifed copy of VAT Registration Certificate [RSA entities only]	
	ertined copy of valid Company Registration Certificate [if applicable]	1.77
	riginal valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party]	
-	Special Conditions Civil Work	
-	Specifications per item Annexure A	
-	Contractor Tender price list Annexure B	
-	Form E.4E Transnet (Jan 2004) Safety arrangements and Procedural compliance with the Occupational Health and Safety act (Act 85 of 1993 and applicable	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following <u>additional documents</u> as detailed below.

ADDITIONAL DOCUMENTS	SUBMITTED [Yes or No]
- Letter of Good Standing	

Section 2 QUOTATION FORM

I/We	
hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordan	Ce
with the conditions related thereto.	

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods or Services to Transnet [Section 3 hereof];
 and
- any other standard or special conditions mentioned and/or embodied in this Pequest for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me, us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery had-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afrom and/or having to accept any less favourable offer.

Price Schedule

I/We quote as follows for the service required, on a "delivered nominated destination" basis, excluding VAT:

See Contractor Tender price Annexure B

Notes to Pricing

- a) All rices must be quoted in South African Rand, exclusive of VAT
- c) To incilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price chedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.

Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

Respondent's Signature

Section 3 VENDOR APPLICATION FORM

PREVILEN

TRANSN



Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

- 1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
- 2. Original cancelled cheque OR letter from the bank verifying banking details (with bank stamp)
- 3. Certified copy of Identity document of Shareholders/Directors/Members (where applicable)
- 4. Certified copy of certificate of incorporation, CM29 / CM9 (name change)
- 5. Certified copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
- 6. A letter with the company's letterhead confirming physical and postal addresse
- Original or certified copy of SARS Tax Clearance certificate and Vat registration certificate
- 8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company AND/OR BBBEE certificate and detailed precard from an accredited rating agency (SANAS member).
- NB: Failure to submit the above documentation will delay the vention of ation process.
 - Where applicable, the respective Transnet business unit processing our application may request further information from you. E.g. proof of an existence of a service/Business contract between your business and the respective Transnet business unit etc.

IMPORTANT NOTES:

- a) If your annual turnover is less than R5 million, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If you company is classified as an EME, please include in your submission, a signed letter from your A dire 1/1 cocountant confirming your company's most recent annual turnover is less than R5 million and pe centage of black ownership and black female ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) If your annual turnover is Letween K5 million and R35million, then in terms of the DTI codes, you are classified as a Quality and amail Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBEE score-card, please include your BEE certificate in your submission as confirmation of your status.

 NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SALAS Member).
- c) If your agnue, turn over is in excess of R35million, then in terms of the DTI codes, you are classified as a Linge Entirprise and you claim a specific BEE level based on all seven elements of the BBBEE generic core-card. Please include your BEE certificate in your submission as confirmation of your status.
 - (NB) BBB. c certificate and detailed scorecard should be obtained from an accredited rating agency (no frmanent SANAS Member).
- To avoid PAYE tax being automatically deducted from any invoices received from you, you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- Unfortunately, <u>No payments can be made to a vendor until</u> the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.

Regards,

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883.

TRANSN



Supplier Declaration Form

Company Trading Name											
Company Registered Name											
Company Registration Nun	nber Or ID Number If	A Sole Proprieto	or								
Form of entity	cc	Trust	Pty Ltd	Li	mited) Pa	rtnership	s	ole Pro	prietor	
VAT number (if registered)			IN THE STATE OF TH			***************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Company Telephone Numb	per							***************************************			
Company Fax Number											
Company E-Mail Address				_			11,				
Company Website Address	S						1				
Bank Name			Ban	k Accou	unt N	umber			*******		
Postal Address								Code			
Physical Address	······································				~~~~		·····	Code			
Contact Person			***************************************			THE RESERVE OF THE PERSON NAMED IN COLUMN TWO	////		********	·····	
Designation			4						702401	AMPLIAN PROPERTY.	
Telephone											
Email											
Annual Turnover Range (La	ast Financial Year)	-	25 h. ".on	ACCUSED THE THE	F	R5-35 million	1	>	R35 mil	lion	
Does Your Company Provi	de	Produ 's			S	Services		В	oth		
Area Of Delivery		National			Provincial			L	oçal		
Is Your Company A Public	Or Private Entity			Public		P	rivate				
Does Your Company Have	A Tax Directive Or If	230 Certificate		Yes		N	No				
Main Product Or Service S	upplied (E.G.: Sta	en (Consulting)									~~~~~
BEE Ownership Details	CONTROL CONTRO	DESCRIPTION AND ADDRESS OF THE PERSON NAMED AND ADDRESS OF THE	Z-0-1-1-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-				CONTRACTOR DESCRIPTION	******		************	
%Black Ownership	% BI	ack women own	ership			% Disable ownership	•				
Does your company have a	BEL certi cote			Yes			No)			
What is your broad based 8	Bearst tus (Level 1 to	9 / Unknown)				·····					
How many personnel	the firm employ		Peri	manent			Part time	3			
Transnet Conta (Pe son								,			
Contact number											
Transpot op væring division											····
Duly Authorise To Sign	For And On Behalf (Of Firm / Organ	isation		::::::::::::::::::::::::::::::::::::::	NECESSION CONTRACTOR RECOGNIC					
Name					Des	ignation					
Signature	Signature Date										
Stamp And Signature Of	Commissioner Of O	ath	alan k Bahaylani an Angalah kanaya kahiji ka kana	ANNATARIANA.		···		ئىداردۇرىداردۇرى ئىداردۇرىداردۇرى	**************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Name					Date	9					
Signature					Tele	phone No.					· · · · · ·

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883

Section 4

BREACH OF LAW FORM

NAME OF ENTITY:				
I/We				
do hereby certify that <i>I/we have/have i</i> serious breach of law, including but not lim				
·				
of law, tribunal or other administrative be disclose excludes relatively minor offences				ondent is required to
disclose excludes relatively fillior offences	or misdeane	anours, e.g. na	ic offences,	
Where found guilty of such a serious breac	h, please di	scloser	7	
NATURE OF BREACH:				
DATE OF BREACH:				
Furthermore, I/we acknowledge that Train	nsnet SOC	Ltd reserves the	e right to exc	lude any Respondent
from the bidding process, should that pers	on or entity	have been four	nd guilty of a s	serious breach of law,
tribunal or regulatory oligation.				
SIGNE vat	this	day of		20
)				
	_			
SIGNATURE OF WITNESS		SIGNATURE	OF RESPOR	NDENT

Section 5

SUPPLIER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling goods and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support. These are:

- The Transnet Supply Chain Policy
- Section 217 of the Constitution the five pillars of Public PSCM [Procurement and Supply Chain Management]: fairness, equity, transparency, competitiveness and cost effectiveness;
- The Public Finance Management Act [PFMA];
- The Broad-Based Black Economic Empowerment Act (B-18LT); and
- The Prevention and Combating of Corrupt Activities

This Code of Conduct has been included in this rique formally apprise prospective Transnet Suppliers of Transnet's expectations regarding the behaviour and conduct of its Suppliers.

Prohibition of bribes, kickbacks, ml wful ayments, and other corrupt practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

- a) Transpet vit not participate in corrupt practices and therefore expects its Suppliers to act in a similar manner.
 - Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions and payments to our Suppliers.
 - Employees must not accept or request money or anything of value, directly or indirectly,
 to:
 - illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
 - win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
 - gain an improper advantage.
 - There may be an occasion when a Supplier is confronted with fraudulent or corrupt behaviour by a Transnet employee. We expect our Suppliers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

- b) Transnet is firmly committed to the ideas of free and competitive enterprise.
 - Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.
 - Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing 8-BBEE spend [fronting].
- c) Transnet's relationship with Suppliers requires us to clearly define requirements, exchange information and share mutual benefits.
 - Generally, Suppliers have their own business standards and regulations. Although
 Transnet cannot control the actions of our Suppliers, we will not tolerate any illegal
 activities. These include, but are not limited to:
 - misrepresentation of their product [e.g. on an of manufacture, specifications, intellectual property rights];
 - collusion;
 - failure to disclose accurate information equired during the sourcing activity (e.g. ownership, financial situation, * BBEE status);
 - corrupt activities listed above; and
 - harassment, intimidation of other aggressive actions towards Transnet employees.
 - Suppliers must be evaluated and approved before any materials, components, products
 or services are purchased from them. Rigorous due diligence is conducted and the
 Supplier is expected to participate in an honest and straight forward manner.
 - Suppliers must be ord and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflicts of in eres

A condict of interest arises when personal interests or activities influence [or appear to influence] the about to a ton the best interests of Transnet. Examples include, but are not limited to:

- Transnet employees awarding business to entities in which their family members or business associates have an interest
- Transnet employees having a financial interest in a bidding entity

Bidding entities are required to disclose any interest/s which exist between themselves and any employee and/or Transnet Board member.

TRANSNET LIMITED (REGISTRATION NO 1990/000900/06)

trading as Transnet freight rail (Hereinafter referred to as TRANSNET)

GENERAL BUILDING MAINTENANCE WORK TO TRANSNET FREIGHT RAIL ASSET ADMIN BUILDING AT R.E.M 02HX019B BLOEMFONTEIN

SPECIAL CONDITIONS CIVIL WORK

Scope of work

This contract comprises the performance of general work as specified and according to attached specifications and plans as per annexure A, and B for the Civil building trades.

All work in the specification must be carried out strictly according to local and National Civil building regulations

Site Location:

The sites are situated at the Transnet freight rail at R.E.M.

2. This contract will consist of a contract document and letter of accept

DEFINITIONS: Project Manager means any person appoint ranshet Freight Rail from time to time to supervise and take charge of the Contract.

Transnet Freight Rail is a business unit of Transnet Limited, Newstration No 90/00900/06, a Company registered under the Company Laws of the Republic of South Africa.

Works means the works to be executed in terms this contract.

3. Discrepancies in Tender:

Where there is a discrepancy between the tmounts in figures and in words, the amount in words shall govern. If in the Bill of Quantities there is an arrow in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the declinal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.

Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tendency's addition of prices, the total of the prices shall govern and the tendency will be asked by region addition of prices, (and their rates if hills of quantities and by to

tenderers will be asked to replace selected item prices (and their rates if bills of quantities apply) to achieve the tendered talk the prices

4. Acquaintance with Contract Documents

The tenderers are real red to acquaint themselves with the contents of the aforesaid documents and complete the wowing forms:

required to check the number of pages and should any be found to be missing or in dup cate or he figures or writing to be indistinct or should there be any doubt or obscurity as to the from of any particular word or phrase or descriptions or should tenderers consider that any item is incorrectly or inadequately described they must inform, the Senior Buyer (SCS) of the project, at once in writing, under reference and have the matter rectified or explained as the case may be, as no liability whatsoever will be admitted by Transnet freight rail in respect of errors in a tender due to the foregoing.

No alterations, erasures or additions of any kind shall be made by the tenderers, in from or to any part of this specification unless expressly required to be made by written notice and should any unauthorized alterations, erasures or additions be made, they will not be recognized by Transnet freight rail.

5. Communication and Availability:

The Contractor shall provide sufficient communication facilities including e-mail address and fax machine in order that he may be reached at any time and place during the duration of the contract.

6. Certificates of Compliance

Where required as per the by laws of any Local Authority or Municipality the Contractor will provide the necessary Compliance certificates of completed work. All Electrical work MUST have a Certificate of Compliance issued once the work is completed.

7. Competency and Qualifications

The Contractor shall also provide:

a. Satisfactory proof of his or his staff's qualifications for the task required before Transnet will permit him/her to commence this task duty.

Acceptable proof of qualifications shall be:

- A trade test diploma from the Department of Manpower issued at a test centre;
- ii. A completed contract of apprenticeship;
- Proof of qualification acceptable to the Department of Manpower in the case of qualified iii. artisans from a foreign country
- A license for water connections, if applicable; ì٧.
- Plumbing work shall be done by a trained/registered plumber or under the supervision of a register plumber as require by law in the national building regulations, regulation A18 CONTROL OF PLUMBERS AND PLUMBING WORK. A certificate of Compliance must be issued as per IOPSA and the Government Notice R 1875, 31st August 1979
- Any competency as needed and recognized by the Department of Labour. Vi.
- Proof that he is able to perform all kinds of general repair work, vii.
- b. If the workmanship is not of standard, albeit that the incumben ho undertakes the work is qualified as per clause 13 above, Transnet will reserves the right to ask that this incumbent be removed for doing work for Transnet.
- tove s Mo shall perform the various c. The successful tenderer shall give a name list of his em tasks to Transnet.

In addition to above the site contractor foreman / person he charge at the site shall have the necessary experience to do the necessary supervising and quality control of all the necessary tasks to complete the project to the satisfaction of Transnet freight rail

8. Environment

The Contractor shall, at all times, comply with the statutes that prohibit pollution of any kind. These statutes are enacted in the following legislation.

- The National Environmental Mahagement Act, 107/1998;
- The Environmental Conservation Act, 73/1989; and The National Water Act, 36/1998.
 The Construction Regulations GN 1010 (Act 85) ίì.
- ΪÏ.
- iv.

The Contractor shall appoint a responsible person to ensure that no incident shall occur on site that could cause pollution. Where the Contractor was negligent and caused any form of pollution the damage shall be rediffice at the Contractor's cost.

9. Transnet Specifications (Enclosed)

Occupational Health & Safety Act 85 (of 1993) The convactor shall comply with the Occupational Health & Safety Act, 1993 (Act 85 of 1993).

10. Han ling over of Site

to work will commence on any individual project before the site has been officially handed over by the project manager by means of a written site hand over document and instruction in the Site Instruction Book,

11. Sub-contractor

The Contractor shall not assign his obligations under the contract, nor subjet the contract work. Where specialized work or part there of is required the contractor can use a sub contractor with the consent of the Transnet freight rail Project Manager. Specialized work will include Vertical blinds, carpets, tinting of window panes. Breach of this condition will entitle Transnet to cancel the contract forthwith.

12. Price structure and payment

 Payments shall be made (within 30 days of receiving of invoice by finance in Johannesburg) when work is completed, (minus retention money), and in accordance with the Schedule of

Rates and Prices.

Payments will be paid for each particular project once completed. If the working period in the project is longer than one month a progress payment may be made. This will be a part payment for the work completed on the date of measurement. No payment will be made for material on site.

b. The invoiced amount payable to the Contractor shall be the sum of the charges as agreed and set out in the Schedule of Rates and Prices of each individual project and as approved on the acceptance letter for the project.

13. Retention:-

Transnet will retain 10% of the value of the civil work for a period of SIX months (the maintenance period) or such further period beyond the maintenance period if defects have not yet been made good to the satisfaction of the Project Manager.

14. Advertising rights & Trading

- a. The Contractor acknowledge that he is acquainted with the provisions of section 14(2) of the Merchandise Marks Act of 1941, in terms of which he is prohibited from advertising the fact that he is a Contractor to Transnet unless the written authority of Mansnet thereto has first been obtained. Transnet reserves all advertising rights on Transnet's property.
- b. The Contractor shall not trade on Transnet's properly

15. Supervision

Transnet Real Estate technical manager will de egite a responsible person (Project manager) to take control of the supervision and management of the contract. The contractor shall only respond to these incumbents that have been appointed in writing any instruction that is not given via the delegated managers will be null and void.

16. Inspection of work

- a. During the progress of the contract, all materials used and all work being undertaken by the Contractor shall be subjected to periodic inspections.
- b. Should at any stage in the progress of the said works, an inspection visit or test reveal any defects due to improver materials or workmanship or any other fault or neglect on the part of the Contractor, such defective materials or workmanship shall immediately be replaced or remedied by the Contractor at his own expense and to the entire satisfaction of the authorized representative.
- c. No work shall be covered up or put out of view without the approval of the Project Manager. The O intractor shall afford full opportunity for the Project Manager to examine and measure any work, which is about to be covered up or put out of view before permanent work is place thereon.
- d. The Contractor shall give due notice to the Project Manager whenever such work is ready or about to be ready for examination. The Project Manager shall without unreasonable delay, examine and or measure such work as required.
- e. The Contractor shall uncover any parts or parts of the work or make openings in or through the same as the Project Manager may from time to time direct and shall reinstate and make good such parts to the satisfaction of the Project Manager. The Contractor's costs for the reinstating shall be borne by the Contractor.

17. Instructions to the contractor and Site records

Instructions to the Contractor shall be confirmed in writing and only requests that are received in writing, (By Fax) or written in the recognized Site Instruction book will be accepted for payment.

a. Site Diary

The Contractor shall provide a diary (A5 or bigger), in triplicate to record ALL day-to-day work done, weather conditions, staff on site and incidents that could occur during the contract period. This includes weather, number of workers on the site, incidences that have occurred and what work is to be done on that day. These records shall be used to enable the parties to determine exactly how many hours per day (including overtime) the Contractor and his staff have been working on a particular project

b. Site Instruction Book

The Contractor shall provide a site instruction book (A5 or bigger), in triplicate for the project manager to place all instructions that are needed to compliment the specifications and drawings and any other instruction that may affect the cost of the work. For each project.

18. Program & Planning of the work:

The contractor shall provide to the Project Manager with a detailed plan of how he intends to do the work. This plan must be to the requirements of the operation of Transnet has the rail with minor disruptions as no delays must be allowed for in this regard. The program must be agreed to (in the site instruction book) before any work will be allowed to commence. The program can be in a form of a pert (bar) chart and will be used as a guide to measure progress of the work.

19. Additional work

No work will be recognized for additional payment unless it has been asked for and a variation order approved and the VO recorded and signed by the Project Manager in the aforesaid book.

20. Electricity supply and water supply

Electricity may be made available to the Contractor. The contractor must adhere to the safety standards as per the General Safety Regulations, Electrical Machine Regulations, Electrical Installation Regulations of the Health and Safety Act. (act 85 of 1993) and SABS 0142.

Water may be made available for the purpose of construction of the works only. The water shall be used conservatively and if not, this privilege shall be removed and the water shall be metered, and the cost of the metered water shall be bodge by the Contractor as well as all charges as entertained by Transnet. The Contractor must supply all tonic ctions, hoses, etc., as necessary.

21. Access to site, store for contractor material equipment and Transnet staff occupying buildings. The areas are restricted an Unie contractor must ensure he complies with the regulations of Transnet in every way.

Contractor and or solv sub-contractors shall be required to apply for permission to enter the restricted area in writing.

The contrad or will provide his own portable store facilities, the store appearance shall be subject to the approval of the Transnet project manager. The location where the store may be placed shall be showed to the contractor by the Transnet freight rail Project manager and the store may only be place at this approved location.

All debris and materials removed from the building shall be safely and neatly stacked at an approved location and the area shall be cordoned off with barrier tape.

The contractor is responsible for the safe keeping of all his material and equipment on site, the contractor can have two staff members on site 24 hours 7 day a week to protect his material and equipment, these staff members will act as security and will not be allowed to sleep, wash or cook food on the Transnet premises.

The <u>Building will not</u> be occupied during the renovations. The labour required to move any furniture, in the same room, if necessary is to be included in all items.

22. Security

A list of names of workmen shall be given to the manager to arrange for the necessary permits. A 48 Hours minimum notice is necessary for processing these permits. This includes changes to staff during the contract period. The contractor shall also provide each of his workers with a laminated identification card. On the front of the card must be the contract business name and a photo of the

employee. On the back of the card the following local emergency numbers shall be printed. Ambulance service. Fire department and Police.

The employee shall not be allowed on site if he does not have his identification card with him.

23. Materials found on site:

The Contractor shall not use on the works any materials found on the site without the prior written consent of the manager. No material that is lying on the site or on Transnet's property may be removed (even if deemed as scrap) by the contractor.

24. Measure of work

Contractor to check all measurements provided on work and price list before submitting quote per project. The list provided by Transnet is only a guide, contractor to inform project manger of any discrepancies in measurements and quantities before submitting quote for Project. Contractor is also responsible to do all measuring work for material needed.

25. Site meetings

Site meetings to discuss the project will be held, on a regular basis as greed pon, between Transnet record Specialists may be requested Freight Rail Project manager and the Contractor, (Relevant Sub of to attend).

Progress and site inspection meetings will take place on a regular basis, once a week or as per arrangement.

26. Hire equipment

If necessary to hire abnormal equipment to do any work, the payment for the hire equipment shall be market related priced, actual invoice plus a 10% mark-up. These costs shall be included in the quote for the project. The approval of the Transnet Project manager is neglected before such equipment is hired.

27. Working outside normal working hours:
Normal working hours are between 07. 0 and 16:00 Mondays to Fridays.

The Project manager, the contractor and manager of the Transnet staff using the building will meet to discuss and agree if contractor equests work outside the normal hours as indicated above and on Weekends and Public Holidays. Due to security reasons this may be disallowed..

28. Safety

The Contractor shall submit and safety plan before any site will be handed over for approval. The health and safet plan will cover all the projects under the contract, the health and safety plan shall include a risk assessment to cover the standard risk and safety plan to general maintenance and alteration work to buildings. As per this list

- Erection & dismantling and working on Scaffold
 - Using ladders
 - Working on sloping roof
- d. Working within a public area
- e. Hazardous chemical substances
- g. Hire plant and machinery
- h. Fire fighting equipment
- Gas cylinders
- Portable electrical tools j.
- k. Transport staff
- Transport material
- m. Occupational health
- Welfare facilities
- o. Speed restriction
- p. Permits
- q. Occupational health and safety signage
- Personal protective clothing, equipment (PPE)
- s. Potential hazard situations
- Working at Heights of more than 3metre
- Working Near to Electricity overhead lines

v. Installing and replacing electrical equipment

Precautions to be taken: See Transnet attached E7-1 document

The contractor will how ever also be responsible to do a risk assessment of each individual project and if there is any risk at an individual project that is not covered under the general risk assessment that is included in the health and safety plan the risk assessment will be included in the health and safety plan.

Contractor will have first aid box on site at every project, except if where buildings are not further than 100m form building where the first aid kit is kept.

The first aid box shall be stocked with the equipment as per general safety regulation and the location of the first aid box will be indicated with appropriate signage

The contractor and all his employees shall attend a Safety Induction session on safety before any work start on Transnet property. The contractor and his employees shall sign a register that they attended the Safety Induction session and only workers who have attended the session will be allowed to work on the site.

29. Insurance

The contractor shall provide the insurance for the following: Public Liability and safety of contractor's employees.

30. Substance abuse testing

REVIE

The OHSA (Act 85 of 1993) clearly states in the Santy Regulations no. 2A "INTOXICATION" An employer or user, as the case may be, shall not permit any person who appears to be under the influence of intoxicating liquor or drugs to eiter or remain at a workplace". Transnet Freight Rail enforces this legislation by means of its Substance Abuse Policy, and therefore reserves the right to do substance abuse testing on anyone who entercare premises.

ANNEXURE A

TEND	ER NO:		ASSET NO: 02HX019B	
ITEM	NO.	SPECIFICATIONS PER ITE	EM.	
WINDO 198	Work d Clean v frame c expose and two open ar paint wi	complete and wipe off all sand of metal surfaces with an appolence of coats water-base Dulux Peand close easily. All Window hindow The Window handles,	ne complete. Iirt by scraping or by means of steel wire brush. Sading dust to obtain a perfectly clean surface. Prime roved metal primer. Apply one coat universal undearlglo. After painting, window-opening sections shadles, peg stays and sliding stays shall be removed peg stays and sliding stays shall be removed clear ponsible for any lost window ittings.	e alf ercoaf alf e to
	Work deprevious and rins defective dust with New do to dry are enamel. Allow particular and the control of the	se with clean water. Remove the places with a suitable woo tha damp cloth. Allow to dry fors to be varnished: Sand s and apply one coat wood prim . Apply three coats varnish o aint to dry between coats as	horoughly with a suitable detergent to remove all defective paint rarnish and repair all holes and differ. Sand complete door and wipe off all sanding and apply two coats of varnish on varnished door mooth and wipe sanding dust off with damp cloth, er, one dost priversal undercoat and one coat glost doors to be varnished. Der specification.	ng s. Allow
287	Remove damp cl primer.	loth. Spot prime any lais m	prime and paint 2 coats. sand completely and wipe off all sanding dust with etal areas with Dulux, Plascon or approved anti rustroved universal undercoat and one coat Plascon, E	કા
312	Previous remove defective dust with example us and wipe off surfaces gloss-er with dam 2 coats	escription: Naint/rame with fasty painted booden door francall Ptc, ripse with clean water places with a suitable wooden as mp cloth. Allow too droppainted frames. Previous dirt by means of scraping, so all sanding dust with damp of swith an approved metal primamel. New wooden door frame cloth, allow to dry. Apply one	an light, complete 2 coats. ne: Wash thoroughly with a suitable detergent to r. Remove defective paint and repair all holes and diller. Sand complete frame and wipe off all sand y and apply one coat universal and one coat gloss sly painted steel doorframes: Clean doorframe frosteel wire brush or sanding. Sand frame complete cloth. Allow too dry. Spot prime all exposed metal mer. Apply one coat universal undercoat and one mes to be painted: Sand smooth, wipe sanding done coat wood primer, one coat universal undercoates. Allow paint to dry between coats as per	ing om all and l coat ust of
ROOF				
Tende	erer slar	nature:	Date:	

TENDER NO: ASSET NO: 02HX019B

ITEM NO. SPECIFICATIONS PER ITEM.

Work description: Seal roof / flashing against wall / seal ridging joint.

Special precaution and care shall be taken when walking on roof not to break roof tiles, any tiles that are broken by contractor shall be replaced by contractor at his cost. Apply Ever bond or approved membrane and sealer as specified by the manufactures. The membrane shall be at lease 250 mm wide. This gives a 125mm membrane on the vertical wall and 125mm on the sloping horizontal roof. Pre-saturated type can be used for large jobs.

Work description: Paint roof ASSBESTOS
ALL WORK ON ASBESTOS ROOF TO BE DONE IN ACCORDANCE WITH ASBESTOS
REGULATIONS

Special precaution and care shall be taken when walking on roof not to break roof sheets, any sheets that is broken by contractor shall be replace by contractor on his cost. Do small repairs as necessary, Such repairs could consist of jobs like bandaging cricks in broken tiles, replacing tiles. Contact project manager to inspect any defect before using repairs Paint roof as per paint manufacture specifications.

Don't paint when it's too hot! Don't paint when it's too cold! Don't paint f ain looks imminent! Don't paint when it's windy or misty! Don't paint if there's likely to be after sunset! Rather paint in overcast weather, but don't paint if rain is likely to tall within 4 hours! Obviously, you must choose the day and then decide if the conditions are favor rable!

Using a good quality wide long-bristled paint brush, apply at east TWO even coats of APROVED ACRYLIC ROOF Paint finishing evenly in a uniform direction to give the job an attractive appearance from down below. Overcost time shall be 4 hours or as per paint manufactures specification

EVEN IF THE PROJECT MANAGER DID APPLOVED THE ROOF TO BE PAINTED AFTER THE ROOF HAD BEEN CLEANED, THE CONTRACTOR WILL STILL BE RESPONSIBLE IF THE PAINT PEFCIN THE LETENTION OR GUARANTEE PERIOD. AS THE CONTRACTOR SHALL WORK PREPARE AND APPLY THE PAINT ACCORDING TO THE MANUFACTURE SPECIFICATIONS.

- Work description: Paint explice nof timber purlin. Item include cleaning by restring off all dirt. Remove all loose, chalky, flaking, peeling paint from wood, sand and sipe on randing dust with damp cloth and leave to dry before applying paint.
- Work description. Paint expose roof timber sprockets.

 Item include channing by washing off all dirt. Remove all loose, chalky, flaking, peeling paint from wood sand and wipe off sanding dust with damp cloth and leave to dry before applying paint.

FACIA/BAPGL POLICÓS

Tenderer signature:	Date://	Page 2 of 4

ASSET NO: 02HX019B TENDER NO:

SPECIFICATIONS PER ITEM. ITEM NO.

616 Work description: Paint fascia board steel/asbestos two coats

STEEL FASCIA BOARDS: Clean from rust and dirt by scraping or by means of steel wire brush, sand completely and wipe off all sanding dust to obtain perfectly clean surface. Spot prime all exposed metal surface with an approved metal primer. Apply one coat universal undercoat and one coat of gloss enamel.

CEMENT FIBRE FASCIA BOARDS WITH PAINT IN GOOD CONDITION: Clean from all dust and dirt with approved detergent and rinse with clean water. Remove all defective paint, sand completely wipe off all sanding dust with a damp cloth, spot prime all nail and screw heads and apply two coats Plascon wall and all paint of Dulux wall guard paint or approved paint for cement fibre products.

CEMENT FIBRE FASCIA BOARDS WITH PAINT IN BAD CONDITION: Remove all paint coatings back to bare surface, sand down to a smooth surface, spot prime half and screw heads with universal undercoat, and paint surfaces two coats Plascon walkand all or with two coats Dulux wall quard paint.

CEMENT FIBRE FASCIA BOARDS NEW

t paint surfaces two Clean, spot prime nail and screw heads with universal undered coats Plascon wall and all or with two coats Dulux wall gua

617 Work description; Paint Barge board steel/Cement fibre to coals STEEL BARGE BOARDS: Clean from rust and dirt by scraping or by means of steel wire brush, sand completely and wipe off all sanding dust to obtain perfectly clean surface. Spot prime all exposed metal surface with an approvalment primer. Apply one coat universal undercoat and one coat of gloss enamel.

CEMENT FIBRE BARGE BOARDS WITH PAIN IN GOOD CONDITION: Clean from all dust and dirt with approved detergent and trinse with clean water. Remove all defective paint, sand completely wipe off all sanding dus with a damp cloth, spot prime all nail and screw heads and apply two coats Piliscon wall and all paint of Dulux wall guard paint or approved paint for cement fibre product

CEMENT FIBRE BARGE BOARDS WITH PAINT IN BAD CONDITION: Remove all paint coatings back to bare surface, said down to a smooth surface, spot prime nail and screw heads with universal updered all and paint surfaces two coats Plascon wall and all or with two coats Dulux wall share paint.
NEW CEMENT FIX RE LAR SE BOARDS NEW

Clean, spot prime nail and screw heads with universal undercoat, and paint surfaces two coats Plascor wall and all or with two coats Dulux wall guard paint.

GUTTERS/DOWN LES

Work despription: Remove gutter and down pipe complete, including brackets, gotter's brackets with care as not to damage wood sprockets

ERIOR

Work lescription: Paint walls (Tyrolean plaster) all paint work shall be done to the specification of the manufacturer. Over coating time shall be done as specified by the manufacturer. All surfaces not being painted such as brickwork, sills, floors and the like must be covered up and protected against spotting before any painting commenced. No sweeping or dusting shall be done while painting is in progress or while paint is still wet. All items that is more cost effective to remove from wall and to re-fix must be removed to avoid cutting in against items as notice boards and other such items... Dry film thickness to be 90µm per coat

SITE CLEANING/CUT TREE/RUBBLE

Tenderer signature:	 Date:	<u></u>	I	
Tenderer signature:	 Date:		1	

TENDER NO: ASSET NO: 02HX019B

ITEM NO. SPECIFICATIONS PER ITEM.

Work description: Cut back tree branches overhanging roof
All equipment and machinery that will be used in the execution of the contract shall comply
with the safety standards as required in Act 85 of 1993 and all amendments and all
regulations to the Act. Personnel shall have all the necessary safety equipment at all times
in their possession and shall use it. The contractor shall repair and make good any damage
to buildings, fences and any other property to the satisfaction of the representative. The
Contractor shall remove and dispose of all the branch and rubbish that may accumulate on
the site. After completion the contractor shall leave the site in a clean and tidy condition.



Tenderer signature:	 Date:	,	/	I
renderer signature.	 Date.	,		************

EXTERIOR WORK LIST ADMIN OFFICE R.E.M.

ASSET NO 02HX019B BLOEMFONTEIN

No	EXTERIOR WORK ITEM	UNIT	FRONT	LEFT	BACK	RIGHT	TOTAL
RO	OF						
550	Seal roof flashing 300mm to 400mm wide with ever bond and membrane or with Abe super acryl liquid water proofing and membrane, item includes corr iron, IBR or tile roof finish	М	80	0	0	0	80
589	Paint asbestos roof sheets 2 coats white Dulux roof guard or Plascon nu roof paint, overcoat time 4 hours, area is length x width (area do not include roof sheet profile) (see attached paint specification)	M^2	449	0	0	0	i449
598	Paint exposed roof timber purlin, paint 1 pink wood primer, 1 coat universal undercoat and 2 coats white Oulux roof guard paint, apply paint only after preparation as per attached specification	M	176	0	0	0	176
599	Paint exposed roof timber sprockets, 1 coat universal undercoat and 2 coats white 2 coats white Dulux wall guard or Dulux roof guard, bare wood areas shall be spot primed with wood primer, apply paint only after preparation as per attached specification.	М	.6	0	0	0	45
FA	CIA/BARGE BOARDS						
616	Paint facia board steel / nutec-cement, 2 coats Plascon wall and all paint or with Driux white sof guard paint (paint only front side), apply paint only after preparation as per attached spec fication has been done	M	88	0	0	0	88
	Paint barge board stee Vinuse-rement 2 coats Plascon wall and all paint or with Dulux white roof guard paint (paint only (ron) side) apply paint only after preparation as parattaché specification had been done	M	26	0	0	0	26
	TTEPS LOW RPIPES					0	
622	Reh over guiters, complete with brackets, down open and down pipe holder bats, item include the fill of down pipe holder bat holes in wall with cement	M	44	0	0	0	44
WA	LLS EXTERIOR						
683	Paint exterior plaster tyrolene finish walls with 2 coats Dulux wall guard paint or similar paint approved by project manager after all preparations as specified was done (see attached specification), colour: Dulux barely beige code 3hi-1.	M^2	357	0	0	0	357
SITE	e cenarirozore terrzera						
857	Cut tree Up to 250mm girth over hanging roof and remove from site	JOB	1	0	0	0	:1 :

19 June 2014 Page 1 of 1

ANNEXURE B

CONTRACTOR TENDER PRICE LIST PER ITEM

BUILDING DESCRIPTION ADMIN OFFICE R.E.M.

CITY / TOWN: BLOEMFONTEIN

TENDER NO: ASSET NO: 02HX019B

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before paring any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached worklist and specification and as may be ordered by the project Manager.

GENERAL: The Building will be occupied during renovations, N. Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintanance plan for the building. The necessary move of furniture in the same room if necessary is included in all the items. All normal sleaning, prepartion include sanding, stopping and wash of items to be painteded as specified by the paint manufacturer is included in all the paint items, Were abnormal clearing is required it will be specified as an additional item. All scaffolding and use of labbles up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attached specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications. Where no applicableSANS Specification exists the materials must be approved by the Transnet freight rail project manager.

All material shall be fitted in tall or applied as specified by the manufacture.

The contractor shall be limble for any damages cause by him or his staff to any Transnet freight rail property and requipment.

SAFTEY: The conflictor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

		Page 1 of 3 S	UB TO	TAL PAG	E 1	
END	ER NO:	ASSET NO:	02HX01	19B	<u>l</u>	
ITEM NO	FAULT DISCRIPTION		ITEM TOTAL	MEASURE UNIT	E UNIT RATE	ITEM AMOUNT
	WINDOWS INT AND EXT					
198	Paint residential small pane type word universal undercoat and 2 coal lockness code 311-5, item includes glass area and cleaning of glass, s	its. Dulux water-base pearlglo removing all old paint from	1 21	EA		
	DOORS/SECURITY GATES					
272	Varnish door complete hoth sides, coats varnish, use exterior varnish 2.03m door = 3.66m2, door 750mn preparations as per attached detail	on exterior side, door 810mn i x 2.03m door = 3,42m2, aft		EA]
	Tenderer signature:		Date: _			·

	Page 2 of 3	SUB TO	TAL PAGI	E 2	
TEND	ER NO: ASSET NO:	02HX0	19B	<u></u>	
ITEM NO	FAULT DISCRIPTION	(TEM TOTAL	MEASURE UNIT	UNIT	ITEM AMOUNT
287	Security gate prepare for painting, spot prime, paint 1 coat universal undercoat and 1 coat white gloss enamel, single standard 810 x 2030mm gate, 40mm square tubing outer fram 25mm square tubing gate frame and 12mm dia round bars , so attached spec	10 ee. ee	EA [
	DOORFRAMES				
312	Paint door frame with fan light, undercoat and 2 coats Dulux pearlglo lockness code-3l1-5, item includes the paint of fan ligi window, single frame.115mm=1.85m2, 230mm=2.50m2, doub frame 1511mmx115mm =2.1 m2, 230mm=3.00 m2, preparationcluded	le	EA [111	
	ROOF			4	
550	Seal roof flashing 300mm to 400mm wide with ever bond and membrane or with Abe super acryl liquid water proofing and membrane, item includes corr iron, IBR or tile roof finish	80	M	334	
589	Paint asbestos roof sheets 2 coats white Dulux roof guard or Plascon nu roof paint, overcoat time 4 hours, area is length x width (area do not include roof sheet profile) (see attached pai specification)	449 nt			
598	Paint exposed roof timber purlin, paint 1 pink wood primer, 1 c universal undercoat and 2 coats white Dulux roof guard paint apply paint only after preparation as per attached specification		Μ [
599	Paint exposed roof timber sprockets, 1 coat universal unde coand 2 coats white 2 coats white Dulux wall guard on Dulux roof guard, bare wood areas shall be spot primed with wood prime apply paint only after preparation as per attacked specification		м [774777	
	FACIA/BARGE BOARDS				
616	Paint facia board steel / nutec-cement, "Co ats Plascon wall ar all paint or with Outux white roof go and value paint only front side) apply paint only after preparation as per attached specification has been done	nđ 88	М		
617	Paint barge board steely no police, nent 2 coats Plascon wall all paint or with Dulux white roll guard paint (paint only front side) apply pain only after preparation as per attaché specification bud bren della	nd 26	м [1 P
	GUTTERS/D WMPIPES				
622	Remove subsection complete with brackets, down pipes and down pipe holder but bole air wall with cement	n 44	м [
	WALLS EXTERIOR				
	Paint exterior plaster tyrolene finish walls with 2 coats Dulux waguard paint or similar paint approved by project manager after preparations as specified was done (see attached specification colour: Dulux barely beige code 3hi-1.	all	M^2 [,,,,,,	ANALYS AN
	SITE CLEANING/CUT TREE/RUBBLE				
	Cut tree Up to 250mm_girth over hanging roof and remove from site	m 1	JOB [

Tenderer signature: ______ Date: _____/ _________

	Page 3 of 3	SUB TOTAL PAGE	3
TENDER NO:	ASSET N	O: 02HX019B	
ITEM FAULT DISCRIPTION NO		ITEM MEASURE TOTAL UNIT	UNIT ITEM RATE AMOUNT
PRELIMINARY AND GENERAL			
P and G shall include all cost not direct relate to a specific item on the schedule prices and rates. All items not specifical mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery well as establishment of workers on sit removal of site establishment, it will also include the handing over of the site to the contractor and the handing back of the after completion of work. RISK ASSESSMENTAND SAFTEY INDUCT Cost for the risk assessment must include a identification of the risks before the work stancessary equipment, appropriate precaution of work must be provided and Implemented Cost for the risk assessment and saftey included in risk and saftey. The standardised freight rail induction shall be given to all state contractors at the start of each project and the shall send all his staff that will work on the Trail site to the induction on the date as agree TFR Project manager and the contractor. The sub total price, excluding Cost Form, Section 6 of the PFC the Service Fee and Cost Form.	e of P+C ally RISK RISK Risk Risk Risk Risk Risk TOTA Tion full arts and the arts and systems Lide complete lealth Safety Act diff of all the contactors Transhet froign and on between VAT, must be Q. The amount	AND SAFTEY AL CIVIL AL ELECTRICAL SUB TOTAL VAT TOTAL carried over to the must also be wr	itten in words on
Tenderer signature:		Date:/	

TRANSNET SOC LIMITED

(Registration no. 1990/000900/30)

SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and a terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons of the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the heal hand afety management of the site, and shall agree on the practical arrangements and procedules to a implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. Definitions

- 2.1 In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, chall have be meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The working uded in this Contract shall for the purposes of compliance with the Act be deemed to be "Contraction Work", which, in terms of the Construction Regulations, 2003 means any work in contraction Wien:
 - the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
 - (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
 - (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
 - (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 "competent person" in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 **"contractor"** means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 **"fall protection plan"** means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;

- 2.6 **"health and safety file"** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 "Health and Safety Plan" means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;
- 2.8 "Risk Assessment" means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard:
- 2.9 "the Act" means the Occupational Health and Safety Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before callying out such work, notify the Provincial Director in writing if the construction work:-
 - (a) includes the demolition of a structure exceeding a height of 2 meases; or
 - (b) includes the use of explosives to perform construction work or
 - (c) includes the dismantling of fixed plant at a beight greater than 3m,

and shall also notify the Provincial Director in witting when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

- (a) includes excavation work deepert an 1m or
- (b) includes working at a height freater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Oirector shall be on a form similar to Annexure A of the Construction Regulations, 2003, also show in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification, arm is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor skell in accordance with the Act and applicable Regulations, make all the necessary appointments of computery persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractor shall also make the above written appointments and the Contractor shall deliver copies then of a the Technical Officer.
- 3.5 The case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.
- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
 - (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the At that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- The Contractor's Health and Safety Programme shall be based on a kisk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in proteins, the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall for in part of the Health and Safety programme to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and legards that persons may be exposed to;
 - (b) the analysis and evaluation of the hazards identified;
 - (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified.
 - (d) a monitoring nerview plan.
- 5.4 The Health and 5 fety Plan shall include full particulars in respect of: -
 - (a) The sale-a management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
 - (a) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
 - (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
 - (d) the site access control measures pertaining to health and safety to be implemented;
 - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
 - (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.
- 5.4 The Health and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.

- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitonic and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Asses meet.
- The Contractor shall ensure that all subcontractors are informed sparding any hazard as stipulated in the Risk Assessment before any work commences, and there fiter at such times as may be determined in the 5.10 Risk Assessment.
- struction site undergoes health and safety induction 5.11 The Contractor shall ensure that all visitors shall be provided with the necessary personal pertaining to the hazards prevalent on the site protective equipment.

6. Fall Protection Plan

- 6.1.1 In the event of the risk and harard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working 5 m an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract. The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 6.3 The fall protection than thall include:-
 - Sk Assessment of all work carried out from an elevated position; (a)
 - procedures and methods to address all the identified risks per location;
 - the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions; and
 - the procedure addressing the inspection, testing and maintenance of all fall protection (e) equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.

- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

ORY ONLY

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Regulation 3(1) of the Construction Regulations

NOTIFICATION OF CONSTRUCTION WORK

1(a)	Name and postal address of principal contractor:
(b)	Name and tel. no of principal contractor's contact person:
2.	Principal contractor's compensation registration number:
3.(a)	Name and postal address of client:
(b)	Name and tel no of client's contact person or agent:
4.(a)	Name and postal address of designer(s) for the project:
(b)	Name and tel. no of designer(s) contact per on:
5.	Name and telephone number of principal contractor's construction supervisor on site appointed in terms of regulation 6(1).
6.	Name/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of regulation 6(2).
7.	Exact physical address of the construction site or site office:
8.	Nature of the construction work:
9.	Expected commencement date:
10.	Expected completion date:

12. Planned number	of contractors on the construction site accountable to the principle contractor
13. Name(s) of co	ontractors already chosen.
	······································
Principal Contracto	Date
Client	Date

- * THIS DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR **PRIOR TO COMMENCEMENT** OF WORK ON SITE.
- * ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE NAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

SECTION/REGULATION:
REQUIRED COMPETENCY:
In terms of
representing the Employer) do hereby appoint
As the Competent Person on the premises at
(physical address) to assist in compliance with the Act and the applicable Requireds.
Your designated area/s is/are as follows :-
Date:
Signature :-
Designation :-
ACCEPTANCE OF DESIGNATION
I, do hereby accept this Designation and acknowledge
that I understand the requirements of this appointment.
under statu the requirements of this appointment.
Date :
Signature :-
Designation :-

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

In terms of the above Act I, and obligations as Chief Executive Of far as is reasonably practicable, ensuabove Act are properly discharged.	ficer, defined in Section 1 of tre that the duties and oblic	the Act and in terms of	assuming the duties ection 16(1), I will, as contemplated in the
Signature :			
		•	
"bbr.			

(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED)

SITE ACCESS CERTIFICATE

Access to :	(Area)
	· · · · · · · · · · · · · · · · · · ·
Contract/Order No.:	
The contract works site/area described	above are made available to you for the carrying out of associated works
In terms of your contract/order with (company)	
Kindly note that you are at all times ruunder your control having access to the	sponsible for the control and safety of the Works Site, and for person site.
and Safety Act, 1993 (Act 85 of 1993) a	ponsible for compliance with the requirements of the Occupational Healt is amended, and a conditions of the Contract pertaining to the site of the contract documents including the plans of the site or work areas forming
Signed :	Date :
TECHNICAL OF TECH	
A	KNOWLEDGEMENT OF RECEIPT
Name of Co. Lac.Jr/Builder	I,
	do hereby acknowledge and accept th
and obligations in respect of the Health and Safety Act; Act 85 of 1	Safety of the site/area of Work in terms of the Occupations 993.
Name :	Designation :
Signature :	Date :