



Transnet Freight Rail
an Operating Division of
TRANSNET LIMITED
(Registration No. 1990/000900/06)

REQUEST FOR QUOTE (RFQ)

RFQ NUMBER – CRAC- JHB 6742

SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

ISSUE DATE : 08 OCTOBER 2010
CLOSING DATE : 19 OCTOBER 2010
OPTION VALIDITY DATE : 14 DECEMBER 2010

Please note that late responses and those delivered or posted
to the incorrect address will be disqualified.

**CLOSING VENUE: (TENDER BOX) ALLOCATED AT
THE CHAIRPERSON TRANSNET FREIGHT RAIL, ACQUISITION COUNCIL,
GROUND FLOOR, INYANDA HOUSE 1
21 WELLINGTON ROAD
PARKTOWN, JOHANNESBURG**

Respondent's Signature

1

Date and Company Stamp



RFQ NUMBER – CRAC- JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR
BREAK ISOLATING SWITCHES - KRUGERSDORP**

SCHEDULE OF DOCUMENTS

Section

- 1. Notice to Bidders**
- 2. Background, Overview and Scope of Requirements**
- 3. Quotation Form**
- 4. Resolution of Board of Directors (Respondent's Representative)**
- 5. Certificate of Acquaintance with RFQ Documents**
- 6. General Tender Conditions (CSS5 – Services)**
- 7. Standard Terms and Conditions of Contract (US7 - Services)**
- 8. Non-Disclosure Agreement**
- 9. Supplier Code of Conduct**
- 10. Supplier Declaration Form**

Respondent's Signature

2

Date and Company Stamp



SECTION 1

CRAC JHB 6742

CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

NOTICE TO BIDDERS

1. Quotations are requested from interested / selected persons, companies, close corporations or enterprises (hereinafter referred to as the "**Respondent(s)**") to supply the above-mentioned requirement to Transnet.

On or after 08 October 2010 the RFQ documents may be inspected at, and are obtainable from the office of Transnet Freight Rail, Tender Advice Centre, 21 Wellington Road, Ground Floor, Inyanda House 1, Parktown, Johannesburg.

A non refundable tender fee of R100.00 (VAT inclusive) is applicable per tender (listed below) - Payment is to be made to Transnet Freight Rail, Standard Bank Account number 203158598, Branch code 004805. The deposit slip must reflect RFQ: CRAC-KGG-6743 and the Company Name.

Receipt/s to be presented prior to collection of the tender/s.

Any additional information or clarification will be faxed or emailed to all potential Respondents, if necessary.

For specific queries before the closing of the RFQ, the following Transnet employee(s) may be contacted by email only:

Name : Beverley Ramaru 011 584 0611
Division : Supply Chain Services
Email : Beverley.ramaru@transnet.net

2. Quotations in duplicate must reach the Tender Advise Box, before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:

RFQ No : CRAC-KGG 6742 DESCRIPTION; SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES Closing date and time: 19 October 2010 @ 10:00 am Closing address (refer options paragraph 4 below)

Respondent's Signature

3

Date and Company Stamp



4. DELIVERY INSTRUCTIONS FOR THIS RFQ

- 4.1 **If posted**, the envelope must be addressed to the Transnet Acquisition Council, and must be dispatched in time for sorting by the Post Office to reach the Secretary before the closing time of the RFQ. In the event of the late receipt of a Quotation, the Respondent's franking machine impression will not be accepted as proof that the response was posted in time.
- 4.2 **If delivered by hand**, the envelope is to be deposited in the TRANSNET tender box which is located at the Acquisition Counsel , and should be addressed as follows:

THE SECRETARY
TRANSNET FREIGHT RAIL ACQUISITION COUNCIL
GROUND FLOOR
INYANDA HOUSE 1
21 WELLINGTON ROAD
PARKTOW

The measurements of the "tender slot" are 500mm wide x 100mm high, and Respondents must please ensure that response documents or files are not larger than the above dimensions. Responses which are too bulky (i.e. more than 100mm thick) must be split into two or more files, and placed in separate envelopes.

- 4.3 **If dispatched by courier**, the envelope must be addressed as follows and delivered to the 21 Wellington road Inyanda House no 1 Parktown and a signature obtained from that Office.

THE SECRETARY
TRANSNET FREIGHT RAIL ACQUISITION COUNCIL
GROUND FLOOR
INYANDA HOUSE 1
21 WELLINGTON ROAD
PARKTOW

5. Please note that this RFQ closes punctually at **10:00 on 19 October 2010 (Tuesday)**.
6. If responses are not posted or delivered as stipulated herein, such responses will not be considered and will be treated as "UNRESPONSIVE."
7. NO EMAIL OR FACSIMILE RESPONSES WILL BE CONSIDERED.
8. The responses to this RFQ will be opened as soon as practicable after the expiry of the time advertised for receiving them.
9. Transnet shall not, at the opening of responses, disclose to any other company any confidential details pertaining to the Quotations / information received, i.e. pricing, delivery, etc. The names and location of the Respondents will, however, be divulged to other Respondents upon request.
10. Envelopes must not contain documents relating to any RFQ other than that shown on the envelope. All envelopes must reflect the return address of the Respondent on the reverse side.
11. No slips are to be attached to the response documents. Any additional conditions must be embodied in an accompanying letter. Subject only to clause 22 (*Alterations made by the Respondent to Tendered Prices*) of the General Tender Conditions, alterations, additions or deletions must not be made by the Respondent to the actual RFQ documents.

Respondent's Signature

4

Date and Company Stamp



12. **BROAD-BASED BLACK ECONOMIC EMPOWERMENT (“BBBEE”)**

TRANSNET fully endorses and supports the South African Government’s Broad-Based Black Economic Empowerment Programme and it is strongly of the opinion that all business enterprises have an equal obligation to redress the imbalances of the past. TRANSNET would therefore prefer to do business with business enterprises who share these same values and who are prepared to contribute to meaningful BBBEE initiatives (including and not limited to enterprise development, subcontracting and Joint Ventures) as part of their tender response.

Transnet would accordingly allow a “preference” in accordance with the 10% preference system, as per the Preferential Procurement Policy Framework Act 5 of 2000 (as amended) to companies who provide a BBBEE accreditation Certificate. All procurement and disposal transactions in excess of R30000 will be evaluated accordingly. All transactions below R 30,000 will as far as possible be earmarked for EME’s.

TRANSNET consequently urges Respondents (Large enterprises and QSE’s – see below) to have themselves duly accredited by any one of the Accreditation Agencies **approved** by SANAS (South African National Accreditation System, under the auspices of the DTI).

In terms of Government Gazette No. 32467, Notice No. 810 dated 31 July 2009, as from 1 February 2010 only BBBEE certificates issued by Accredited Verification Agencies of Verification Agencies that are in possession of a valid pre-assessment letter from South African National Accreditation System will be valid.

However accreditation certificates issued by non-accredited verification agencies before 01 February 2010 and which are still within their one (1) year validity period will still be acceptable, until their expiry date provided that the accreditation was done in accordance with the latest codes (i.e. those promulgated on 9 February 2007).

BBBEE Accreditation Certificates issued after the published date i.e. 01 February 2010, by a Verification Agency not approved by SANAS, will NOT be acceptable as from 01 February 2010.

Enterprises will be rated by such Accreditation Agencies based on the following:

- (a) **Large Enterprises (i.e. annual turnover >R35 million):**
 - Rating level based on all 7 (seven) elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (b) **Qualifying Small Enterprises – QSE (i.e. annual turnover >R5 million but <R35 million):**
 - Rating based on any 4 (four) of the elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (c) **Exempted Micro Enterprises – EME (i.e. annual turnover <R5m are exempted from being rated or verified):**
 - Automatic BBBEE Level 4 rating, irrespective of race ownership, i.e. 100% BBBEE recognition
 - Black ownership >50% or Black Women ownership >30% automatically qualify as Level 3 BBBEE rating, i.e. 110% BBBEE recognition



- EME's should provide documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% (to be renewed annually) from their Auditors / Accounting Officers

In addition to the above, Respondents who wish to enter into a Joint Venture (JV) or subcontract portions of the contract to BBBEE companies must state in their Tenders / Proposals the percentage of the total contract value which would be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and/or sub-contractors, as well as a breakdown of the distribution of the aforementioned percentage allocation must also be furnished with the tender response to enable Transnet to evaluate / adjudicate on all tenders received on a fair basis.

Each Respondent is required to furnish proof of its BBBEE status (Certificate and Detailed Scorecard) and ensure that the documentation is valid at the date of Tender Submission as stipulated above to TRANSNET.

Failure to submit your BBBEE Certificate and Detailed Scorecard will result in a score of zero being allocated for BBBEE evaluation.

Turnover: Indicate your company's most recent annual turnover:

R.....

- If annual turnover <R5m, please attach auditors / accounting officers letter confirming annual turnover and percentage black ownership as well as Black Women ownership
- If annual turnover >R5m please attach BBBEE certificate and detailed scorecard from an accredited rating agency.

The DTI has created an online **B-BBEE Registry** (<http://www.dti.gov.za>) in order to provide a central and standardized source of the B-BBEE status of all entities, and to facilitate the flow of this information amongst entities by providing a Unique Profile Number (UPN) per each listing. Existing and prospective suppliers are therefore urged to list their B-BBEE status on the DTI Registry. Hence, entities verified by DTI, will receive the following benefits:

- Their BBBEE status will be verified and confirmed by the DTI, before listing on the Registry
- Listing on the Registry will provide suppliers the option to market themselves on the DTI B-BBEE Opportunities Network. This is a search engine that is designed to help businesses find B-BBEE compliant entities who match specific requirements in terms of the nature of services/goods provided, region, B-BBEE status or other search criteria.

Transnet supports this DTI initiative and will use the DTI Registry to verify prospective and existing suppliers' BBBEE credentials.

Kindly provide Transnet with your DTI B-BBEE UNIQUE PROFILE NUMBER with all tender submissions.

DTI BBBEE UNIQUE PROFILE NUMBER:

.....

Failure to submit your BBBEE information in terms of the above-mentioned clauses will result in a score of zero being allocated for BBBEE evaluation.



13. COMMUNICATION

Respondents are warned that a response will be liable to disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.

A respondent may, however, BEFORE THE CLOSING DATE AND TIME, direct any enquiries relating to the RFQ to the Transnet employee as indicated in clause 2 above, and may also at any time after the closing date of the RFQ, communicate with the Depot Engineer, at telephone number _____ or fax no. _____ on any matter relating to its RFQ response.

14. INSTRUCTIONS FOR COMPLETING THE RFQ

- (i) Sign one set of documents (sign and date the bottom of each page). This set will serve as the legal and binding copy. A duplicate set of documents is required. This second set can be a copy of the original signed Quotation.
- (ii) Both sets of documents to be submitted to the address specified above.
- (iii) The following returnable documents must accompany all Quotations:
 - Respondent's valid Tax Clearance Certificate.

15. COMPLIANCE

The successful Respondent (hereinafter referred to as the "Supplier") shall be in full and complete compliance with any and all applicable State and Local Laws and Regulations.

16. ADDITIONAL NOTES:

- All returnable documents as indicated in the Quotation Form (Section 3) must be returned with the response
- Respondents are to note that Quotations in which firm prices are quoted for the duration of any resulting contract may receive precedence over prices which are subject to adjustment
- Changes by the Respondent to its submission will not be considered after the closing date
- The person or persons signing the Quotation must be legally authorised by the Respondent to do so (Refer Section 4). A list of those person(s) authorised to negotiate on your behalf (if not the authorised signatories) must also be submitted along with the Quotation together with their contact details.
- All prices must be quoted in South African Rands
- Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents and may wish to visit the Respondent's place of manufacture (works) during this process.

NB: Unless otherwise expressly stated, all Quotations furnished pursuant to this Request shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated. Transnet reserves the right to reject any or all offers.

Respondent's Signature

7

Date and Company Stamp

SECTION 2

CRAC JHB 6742

CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

Specification No. CEE.0200.93

This issue cancels Specification no.: CEE.0200.87

11 kV, OUTDOOR, THREE-POLE, AIR-BREAK ISOLATING SWITCHES

This Specification Covers the Supply of 11 kV Outdoor,
Three-Pole, Air-Break Isolating Switches

INDEX

SECTION	CONTENTS	PAGE NO
1.0	SCOPE	3
2.0	STANDARDS/SPECIFICATIONS	3
3.0	METHOD OF TENDERING	3
4.0	SERVICE CONDITIONS	3
5.0	APPENDIX	3
6.0	ADDITIONAL INFORMATION	4
7.0	INSTRUCTIONS AND DRAWINGS	4
8.0	CONSTRUCTION AND PERFORMANCE	4
9.0	TEST CERTIFICATES	6
10.0	SPARES	6
11.0	INSPECTION	6
12.0	PACKING	7

1.0 SCOPE

This specification covers the supply of 11 kV outdoor, three-pole air-break isolating switches.

2.0 STANDARDS/SPECIFICATIONS

2.1 The following standards are referred to in this specification:

2.1.1 South African Bureau of Standards:

SABS 763 - Hot dip galvanising.

2.1.2 International Electrotechnical Commission:

IEC 129 - Alternating current disconnectors (isolators) and earthing switches.

IEC 168 - Test on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltages greater than 1000 V.

IEC 273 - Dimensions of indoor and outdoor post insulators and post insulator units for systems with nominal voltages greater than 1000 V.

2.1.3 Spoornet Infrastructure (Electrical) Specifications:

CEE.0089 - Drawings for electrical equipment supplied under electric light and power contracts.

CEE.0012 - Method of tendering.

3.0 METHOD OF TENDERING

Method of tendering shall be in accordance with Specification CEE.0012.

Complies/Does not comply

4.0 SERVICE CONDITIONS

4.1 The isolating switches shall be designed and rated for operation under the following conditions:

Altitude - 0 to 1800 m above sea level.

Ambient air temperature - Minus 5 degrees Celsius to plus 40 degrees Celsius.

Relative humidity - As high as 86 percent.

Lightning conditions - Severe.

High winds are experienced. In some areas smog and salt laden atmospheres are encountered. Sudden changes in temperature can occur and on occasions, snow and freezing conditions are experienced.

Complies/Does not comply

5.0 APPENDIX

5.1 The following appendix forms part of this specification:

5.1.1 Appendix No. 1: Technical Data Sheet

The "Technical Data Sheet" which calls for specific technical information to be furnished by tenderers.

Failure to complete the Technical Data Sheet may preclude a tender from consideration.

Complies/Does not comply

6.0 ADDITIONAL INFORMATION

Tenderers shall submit detailed descriptive information, literature and illustrations covering the equipment offered, including drawings showing details of design and construction, principal dimensions and clearance to earth and between poles under all conditions of travel of the operating parts.

Complies/Does not comply

7.0 INSTRUCTIONS AND DRAWINGS

Complies/Does not comply

7.1 The successful tenderer shall submit to the Spoornet Infrastructure (Electrical) Chief Electrical Engineer, 3 prints of drawings showing details of construction including dimensions and clearances, as well as 2 sets of detailed instructions covering the assembly, mounting, alignment, operation and maintenance of the equipment.

7.2 Drawings shall be in accordance with Specification No. CEE.0089.

7.3 The above drawings and instructions shall be supplied within 4 weeks of receipt of the order.

8.0 CONSTRUCTION AND PERFORMANCE

Complies/Does not comply

8.1 The isolating switches shall comply with the requirements of IEC 129.

8.2 They shall be of the outdoor, ganged, 3-pole, air-break type, suitable for vertical mounting on electric traction masts as well as wood, concrete and steel transmission poles. They shall be designed for motorized operation and independent manual operation by persons standing on the ground.

8.3 They shall be of the 3 insulator per pole, rocking type or, alternatively, of the 3 insulator per pole, pivoted blade type having two fixed terminal post insulators and a coupling insulator between the isolator blade and the operating lever on the phase coupling shaft.

8.4 The isolating switches shall be rated for operation on a 3 phase, 11 kV, 50 Hz system with solidly earthed neutral.

8.5 They shall be of the load-break type and shall be fitted with arcing horns.

- 8.6 The continuous current rating shall be not less than 100 amps.
- 8.7 The minimum 1 second short-time withstand current rating shall be 8, 0 kA rms.
- 8.8 The isolating switches shall have a rated lightning impulse withstand voltage level of 95 kV (peak) to earth and between poles and a rated 1 minute power frequency withstand voltage level of 28 kV (rms) to earth and between poles.
- 8.9 The isolating switches shall be of rugged design and construction to ensure trouble free service and long life.
- 8.10 The insulators shall comply with the requirements of IEC 168 and IEC 273.
- 8.11 The main contacts shall be liberally designed to ensure good contact under all conditions, unaffected by vibration or fault currents. They shall be of the high pressure, self-cleaning type and be manufactured from nickel-plated, hard-drawn, high-conductivity copper.
- 8.12 Adequately rated, insulated, flexible copper shunts shall be provided across all pivoted joints in the current carrying circuit.
- 8.13 Substantial incoming and outgoing terminals with universal clamps suitable for conductors of up to 13 mm in diameter shall be provided.
- 8.14 The bases for each pole of the isolating switches shall be of strong and rigid design and provided with fixing holes to enable the equipment to be assembled into 3-pole units.
- 8.15 Tenderers shall indicate the minimum distance permissible between centres of adjacent poles when assembled into 3-pole units, for the voltage and current duty specified. This distance should not, however, exceed 825 mm.
- 8.16 The isolating switches shall be so designed and uniformly constructed to ensure that, when assembled into 3-pole units, the contacts of all 3 poles make and break simultaneously when operated.
- 8.17 The equipment shall be supplied complete with phase pole coupling shafts, levers, joints, unions, operating rods, operating handles and all equipment necessary for their operation, with the exception of the operating rod intermediate guides which will be provided by the purchaser to suit the type of structure on which they will be mounted.
- 8.18 The phase pole coupling shafts and levers shall be designed for positive location and fixing to avoid the possibility of their shifting once aligned and secured. They shall also be designed to permit the securing of the levers to the phase pole coupling shafts at any desired position along the shafts.
- 8.19 Operating rods shall be of pipe of adequate diameter and wall thickness, and 7 metres in length. All couplings and joints necessary shall be supplied. The connecting up of the operating rods to the operating handle mechanisms shall be by means which do not necessitate the cutting of screw threads at the ends of the operating rods when the rods are cut to length on site.
- 8.20 The operating handle mechanisms shall be of rugged design capable of standing up to robust treatment during repeated operations. Holes for fixing the mechanisms to mounting brackets

shall be provided. Operation of the handles shall be up to "close" and down to "open" and substantial means shall be provided to enable the operating handles to be locked in the "closed" or "open" positions by means of a padlock to be supplied by Spoornt Infrastructure (Electrical).

- 8.21 All ferrous parts shall be hot dip galvanised in accordance with SABS 763. The mass of galvanised coating shall be determined in accordance with the non-destructive method under clause 6.3 of that specification.
- 8.22 All bearings shall be of non-corroding material and designed to prevent seizing. Provision for greasing shall be made or bearings shall be of the self-lubricating type.

9.0 TEST CERTIFICATES

Complies/Does not comply

- 9.1 Certified records of type tests carried out on the insulators and the isolating switches will be accepted as evidence of compliance with requirements. Full details of tests performed and copies of type test certificates shall be submitted with tenders.
- 9.2 All insulators used in the construction of the isolating switches shall have passed the prescribed routine tests.
- 9.3 The routine power-frequency voltage tests on manufacturer's premises shall be successfully performed on all isolating switches after complete assembly and before delivery.

10.0 SPARES

Complies/Does not comply

- 10.1 Tenderers shall submit a list of recommended spares, showing a separate price for each item.
- 10.2 Tenderers shall state whether the spares will be held ex-stock and be readily available for purchase by Spoornt Infrastructure (Electrical) as and when required.

11.0 INSPECTION

Complies/Does not comply

Spoornt Infrastructure (Electrical) reserves the right to inspect the equipment at any stage during manufacture and to be represented at any tests.

12.0 PACKING

Complies/Does not comply

The equipment shall be adequately packed to prevent it from being damaged during handling and transport.

TENDERER'S SIGNATURE DATE

Appendix 1

TECHNICAL DATA SHEET

(To be completed by tenderers and submitted as part of their tender)

11 kV, OUTDOOR, THREE-POLE, AIR-BREAK ISOLATING SWITCHES

- 1.0 Tenderer _____
- 2.0 Manufacturer's Name and Type No. _____
- 3.0 Rated voltage (3-phase) at 50 Hz _____ kV
- 4.0 Rated normal current _____ A
- 5.0 Rated breaking current _____ A
- 6.0 Rated short-time withstand current (1 second) _____ kA
- 7.0 Rated lightning impulse withstand voltage:
- (i) To earth and between poles _____ kV (peak)
- (ii) Across the isolating distance _____ kV (peak)
- 8.0 Rated 1 minute power frequency withstand voltage:
- (i) To earth and between poles _____ kV (rms)
- (ii) Across the isolating distance _____ kV (rms)
- 9.0 Type of contacts _____
- 10.0 Minimum clearance in air:
- (i) Between live parts and earth _____ mm
- (ii) Between poles _____ mm
- (iii) For isolating distance _____ mm
- 11.0 Recommended spacing between pole centres _____ mm
- 12.0 Insulator details:
- (i) Manufacturer's Name and Type No. _____
- (ii) Creepage distance _____ mm
- (iii) Rated power frequency withstand voltage _____ kV (rms)
- (iv) Rated lightning impulse withstand voltage _____ kV (peak)
- 13.0 Test Data: Tenderers shall include with their offers full details and certificates of type tests carried out on equipment offered as well as full details of routine tests which will be carried out on the equipment. See clause 9.0 of the specification.
- 14.0 Tenderers shall advise the axial force in Newton required on the operating rod to open and close the isolators and the distance travelled in millimetres for opening and closing;
Newton _____ mm _____.

SECTION 3
CRAC JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK
ISOLATING SWITCHES - KRUGERSDORP**

QUOTATION FORM

I/We _____
(name of company, close corporation or partnership)

of (full address) _____

carrying on business under style or title of (trading as) _____

represented by _____

in my capacity as _____

being duly authorised thereto by a Resolution of the Board of Directors or Members or Certificate of Partners, as the case may be, dated _____ a certified copy of which is annexed hereto, hereby offer to supply the above-mentioned Services at the prices quoted in the schedule of prices in accordance with the terms set forth in the accompanying letter(s) reference _____ and dated _____ (if any) and the documents listed in the accompanying schedule of RFQ documents.

I/We agree to be bound by those conditions in Transnet's:

- (i) Standard Terms and Conditions of Contract, Form No. US7 - Services;
- (ii) General Tender Conditions, Form CSS5 – Services; and
- (iii) any other standard or special conditions mentioned and/or embodied in the Request for Quotation form; and;-

I/We accept that unless Transnet should otherwise decide and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence), together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

Should Transnet decide that a formal contract should be signed and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence) together

with Transnet’s letter of acceptance/intent, shall constitute a binding contract between Transnet and me/us until the formal contract is signed.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to enter into a formal contract if called upon to do so, or fail to commence the supply of Services within 4 (four) weeks, Transnet may, without prejudice to any other legal remedy which it may have, recover from me/us any expense to which it may have been put in calling for Quotations afresh and/or having to accept any less favourable Quotation.

I/We accept that any contract resulting from this offer will be for a period of as and when required only; and agree to a penalty clause to be negotiated with Transnet, which will allow Transnet to invoke a penalty (details to be negotiated) against us should the delivery of the Services be delayed due to non-performance by us.

The law of the Republic of South Africa shall govern the contract created by the acceptance of this RFQ. The *domicillium citandi et executandi* shall be a place in the Republic of South Africa to be specified by the Respondent hereunder, at which all legal documents may be served on the Respondent who shall agree to submit to the jurisdiction of the courts of the Republic of South Africa. Foreign Respondents shall, therefore, state hereunder, the name of their accredited agent in the Republic of South Africa who is empowered to sign any contract which may have to be entered into in the event of their Quotation being accepted and to act on their behalf in all matters relating to the contract.

Respondent to indicate *domicillium citandi et executandi* hereunder:

NOTIFICATION OF AWARD OF RFQ

As soon as possible after approval to award the contract/s, the successful Respondent (the Supplier) will be informed of the acceptance of its Quotation. Unsuccessful Respondents will be advised in writing of the name of the successful Supplier and the reason as to why their Quotations have been unsuccessful, for example, in the category of price, delivery period, quality, BBBEE status or for any other reason.

VALIDITY PERIOD

Transnet desires a validity period of 3 (three) months (from closing date) against this RFQ. It should be noted that Respondents may offer an earlier validity period, but that their Quotations may be disregarded for that reason. Should Respondents be unable to comply with this validity period, an alternative validity period must be stated hereunder:

This RFQ is valid until _____ (State alternative validity period/date).

TAX (VAT) REGISTRATION NUMBER

The Respondent must state hereunder the tax registration number which is applicable to Value-Added Tax:

TAX CLEARANCE CERTIFICATE

Respondents are required to forward a valid copy of their company’s Tax Clearance Certificate with their Quotation.

Indicate tax clearance certificate expiry date: _____

BANKING DETAILS

BANK: _____

BRANCH NAME / CODE: _____

ACCOUNT HOLDER: _____

ACCOUNT NUMBER: _____

NAME(S) AND ADDRESS / ADDRESSES OF DIRECTOR(S) OR MEMBER(S)


The Respondent must disclose hereunder the full name(s) and address(es) of the director(s) or members of the company or close corporation (C.C.) on whose behalf the RFQ is submitted.

(i) Registration number of company / C.C.

(ii) Registered name of company / C.C.

(iii) Full name(s) of director/member(s) Address/Addresses ID Number/s

Full name(s) of director/member(s)	Address/Addresses	ID Number/s
.....
.....
.....
.....
.....



REGISTRATION CERTIFICATE

Respondents must submit a certified copy of their company’s Registration Certificate with their Quotation.

NAME AND ADDRESS OF ACCREDITED AGENT

Provide hereunder, if applicable, details of the accredited agent in the Republic of South Africa appointed as local representative by foreign Respondents and whose address shall be regarded as the Respondent’s domicilium citandi et executandi in terms of the Standard Terms and Conditions of Contract, US7 – Services.

Name
Address

CONFIDENTIALITY

All information related to a subsequent contract, both during and after completion, is to be treated with strict confidence. Should the need however arise to divulge any information gleaned from provision of the Services, which is either directly or indirectly related to Transnet's business, written approval to divulge such information will have to be obtained from Transnet.

DISCLOSURE OF PRICES TENDERED

Respondents must indicate here **whether Transnet may disclose** their tendered prices and conditions to other Respondents:

YES	<input type="checkbox"/>
-----	--------------------------

NO	<input type="checkbox"/>
----	--------------------------

DECLARATION

Respondents to declare hereunder whether any family and/or direct relationship exists between any of the owners / members / directors / partners / shareholders (unlisted companies) of the responding company and any employee or board member of the Transnet Group:

YES	<input type="checkbox"/>
-----	--------------------------

NO	<input type="checkbox"/>
----	--------------------------

If YES, please indicate below:

FULL NAME OF OWNER/MEMBER/DIRECTOR/
PARTNER/SHAREHOLDER

ADDRESS

Indicate nature of relationship (if any):

(Failure to furnish complete and accurate information in this regard may lead to the disqualification of a response and may preclude a Respondent from future business with Transnet)

RETURNABLE DOCUMENTS

Respondents are required to submit the following returnable documents with their responses (see tick):

Notice to Bidders – Section 1	√
Background overview – Section 2	√
Quotation Form – Section 3	√
Resolution of Board of Directors (Respondent’s Representative) – Section 4	√
Certificate of Acquaintance with RFQ Documents – Section 5	√
General Tender Conditions, Form CSS5 – Section 6	√
Conditions of Contract, Form US7 – Section 7	√
Valid Tax Clearance Certificate	√
VAT Registration Certificate	√
BBBEE Accreditation Certificate	√
Non-Disclosure Agreement – Section 8	√
Supplier Code of Conduct – Section 9	√
Supplier Declaration Form – Section 10	√

NOTE: Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and Annexure A, as indicated in the footer of each page, must be signed and dated by the Respondent. By signing the RFQ documents, the Respondent is deemed to acknowledge that he / she has made himself / herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet Limited will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or otherwise.

SIGNED at _____ on this _____ day of _____ 2010.

SIGNATURE OF WITNESSES:

ADDRESS OF WITNESSES:

1 _____

1 _____

2 _____

2 _____

SIGNATURE OF RESPONDENT’S AUTHORISED REPRESENTATIVE:

NAME _____

DESIGNATION _____

SECTION 4
CRAC JHB 6742

CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

SIGNING POWER : RESOLUTION OF BOARD OF DIRECTORS

NAME OF COMPANY: _____

It was resolved at a meeting of the Board of Directors held on _____ that

FULL NAME(S)	CAPACITY	SIGNATURE
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

in his/her capacity as indicated above is/are hereby authorised to enter into, sign, execute and complete any documents relating to Tenders, Quotations and/or Contracts for the supply of Services.

FULL NAME _____

SIGNATURE CHAIRMAN

FULL NAME _____

SIGNATURE SECRETARY



SECTION 5

CRAC JHB 6742

CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF COMPANY: _____

I/We _____ do

hereby certify that I/we acquainted myself/ourselves with all the documentation comprising this RFQ and all conditions contained therein, as laid down by Transnet Limited for the carrying out of the proposed supply/service/works for which I/we submitted my/our response.

I/We furthermore agree that Transnet Limited shall recognise no claim from me/us for relief based on an allegation that I/we overlooked any RFQ/contract condition or failed to take it into account for the purpose of calculating my/our offered prices or otherwise.

SIGNED at _____ on this _____ day of _____ 2010

WITNESS : _____

SIGNATURE OF RESPONDENT

“PREVIEW COPY ONLY”

SECTION 6

CRAC JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK
ISOLATING SWITCHES - KRUGERSDORP**

GENERAL TENDER CONDITIONS - SERVICES

Refer Form CSS5 attached hereto

“PREVIEW COPY ONLY”

SECTION 7

CRAC JHB 6742

CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK ISOLATING SWITCHES - KRUGERSDORP

STANDARD TERMS AND CONDITIONS OF CONTRACT

FOR THE SUPPLY OF SERVICES TO TRANSNET

Refer Form US7 attached hereto.

Respondents should note the obligations as set out in
Clause 24 of the General Tender Conditions (Section 7) which reads as follows:

"The Supplier shall adhere to the Standard Terms and Conditions of Contract as set out in Form US7 – Services, a copy of which is attached hereto.

Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer an alternative. Please note that any alternative offered shall be compared with acceptance of the Form US7 conditions or alternatives offered by other Respondents, except penalties for late deliveries, the exclusion of which may disqualify the RFQ, save where indicated otherwise by Transnet."

SECTION 8

CRAC JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK
ISOLATING SWITCHES - KRUGERSDORP**

NON-DISCLOSURE AGREEMENT (“NDA”)

Complete and sign NDA attached hereto

“PREVIEW COPY ONLY”

SECTION 09

CRAC JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK
ISOLATING SWITCHES - KRUGERSDORP**

SUPPLIER CODE OF CONDUCT

“PREVIEW COPY ONLY”

SECTION 10

CRAC JHB 6742

**CRAC JHB 6742 SUPPLY AND DELIVERY OF 11KV OUTDOOR, THREE POLE, AIR BREAK
ISOLATING SWITCHES - KRUGERSDORP**

SUPPLIER DECLARATION FORM

“PREVIEW COPY ONLY”