



Transnet Freight Rail  
A Division of  
TRANSNET LIMITED  
(Registration No. 1990/000900/06)

## REQUEST FOR QUOTATION (“RFQ”)

RFQ NUMBER EMPSG299

PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

FOR A PERIOD OF TWO MONTHS

ISSUE DATE : 01 February 2011  
CLOSING DATE : 22 February 2011  
CLOSING TIME : 10H00  
OPTION DATE : 31 May 2011

Please note that late responses and those delivered or posted to the wrong address will be disqualified

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**RFQ NUMBER EMPGS299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**SCHEDULE OF DOCUMENTS**

**Section**

- 1. Notice to Bidders**
- 2. Background, Overview and Scope of Requirements**
- 3. Quotation Form**
- 4. Resolution of Board of Directors (Respondent's Representative)**
- 5. Certificate of Acquaintance with RFQ Documents**
- 6. Schedule of Rates**
- 7. General Tender Conditions (CSS5 – Services)**
- 8. Standard Terms and Conditions of Contract (US7 - Services)**
- 9. Certificate of Attendance of Information Briefing Session**
- 10. Schedule of Plant**
- 11. Minimum Communal Health Requirements (E4B)**
- 12. Safety Arrangements and Procedural Compliance (E4E)**
- 13. Suppliers Code of Conduct**
- 14. Non-Disclosure Agreement**
- 15. Supplier Declaration form**

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



## SECTION 1

### RFQ NUMBER EMPKG299

#### PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

#### FOR A PERIOD OF TWO MONTHS

##### NOTICE TO BIDDERS

1. Quotations are requested from selected persons, companies, close corporations or enterprises (hereinafter referred to as the "**Respondent(s)**") to supply the above-mentioned requirement to Transnet.

On or after **01 February 2011** the RFQ documents may be inspected at, and are obtainable from the office of Transnet Freight Rail Advice Centre, Inyanda House 1, Ground floor, 21 Wellington road, Parktown, Johannesburg. A non-refundable Quotation fee of **R100, 00** (inclusive of Vat) is applicable per quotation. Payment is to be made to Transnet Freight Rail, Standard Bank Account number 203158598, Branch code 004805. The deposit slip must reflect RFQ; **EMPKG299** and the Company Name. Receipt/s to be presented prior to collection of the RFQ/s.

NOTE 1.1. RFQ documents will only be available until **15h00 on 16 February 2011**.

2. A **compulsory** information briefing session will be conducted at Transnet Freight Rail, Infrastructure boardroom, 227 Mark Street, Vryheid on the **17 February 2011, at 12h00**.
  - Respondents failing to attend the compulsory information briefing session will be disqualified.
  - Respondents without a valid RFQ document in their possession will not be allowed to attend the briefing session.
  - Respondents to provide own transportation

**The briefing session will start punctually at 12h00 and Respondents arriving late will not be accommodated.**

For specific queries before the closing of the RFQ, the following Transnet Freight Rail employee(s) may be contacted by email only:

Name	:	Sophie Goldstone
Division	:	Transnet Freight Rail, (SCS) Procurement
Email	:	Sophie.Goldstone@transnet.net

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



3. Quotations **in DUPLICATE** must reach The Secretary, Transnet Acquisition Council, before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:

<b>RFQ No</b>	<b>: EMPG299</b>
<b>Description</b>	<b>: Renovations to buildings in Vryheid East</b>
<b>Closing date and time</b>	<b>: 22 February 2011 at 10h00</b>
<b>Closing address</b>	<b>: (refer options paragraph 4 below)</b>

4. **DELIVERY INSTRUCTIONS FOR THIS RFQ**

- 4.1 **If posted**, the envelope must be addressed to The Secretary, Transnet Freight Rail Acquisition Council, and P.O. Box 4244, Johannesburg 2000 and must be dispatched in time for sorting by the Post Office to reach the Secretary before the closing time of the RFQ. In the event of the late receipt of a Quotation, the Respondent's franking machine impression will not be accepted as proof that the response was posted in time.
- 4.2 **If delivered by hand**, the envelope is to be deposited in Transnet Acquisition Council tender box which is located in the foyer on the ground floor, Inyanda House 1, 21 Wellington Road, Parktown, Johannesburg and addressed as follows:

THE SECRETARY  
TRANSNET ACQUISITION COUNCIL  
GROUND FLOOR  
TENDER BOX  
INYANDA HOUSE 1  
21 WELLINGTON ROAD  
PARKTOWN  
JOHANNESBURG  
2001

The measurements of the "tender slot" are 500mm wide x 100mm high, and Respondents must please ensure that response documents or files are not larger than the above dimensions. Responses which are too bulky (i.e. more than 100mm thick) must be split into two or more files, and placed in separate envelopes.

It should also be noted that the above tender box is located at the main entrance and is accessible to the public 24 hours per day, 7 days a week.

- 4.3 **If dispatched by courier**, the envelope must be addressed as follows and delivered to The Secretary, Transnet Acquisition Freight Rail and a signature obtained from that Office.

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**THE SECRETARY  
TRANSNET ACQUISITION COUNCIL  
INYANDA HOUSE 1  
21 WELLINGTON ROAD  
PARKTOWN  
JOHANNESBURG  
2001**

5. Please note that this RFQ closes punctually at **10:00 on Tuesday 22 February 2011**.
6. If responses are not posted or delivered as stipulated herein, such responses will not be considered and will be treated as "UNRESPONSIVE".
7. NO EMAIL OR FACSIMILE RESPONSES WILL BE CONSIDERED.
8. The responses to this RFQ will be opened as soon as practicable after the expiry of the time advertised for receiving them.
9. TRANSNET shall not, at the opening of responses, disclose to any other company any confidential details pertaining to the Quotations / information received, i.e. pricing, delivery, etc. The names and location of the Respondents will, however, be divulged to other Respondents upon request.
10. Envelopes must not contain documents relating to any RFQ other than that shown on the envelope. All envelopes must reflect the return address of the respondent on the reverse side
11. No slips are to be attached to the response documents. Any additional conditions must be embodied in an accompanying letter. Subject only to clause 22 (ALTERATIONS MADE BY THE RESPONDENT TO RFQ PRICES) of the General RFQ Conditions, alterations, additions or deletions must not be made by the Respondent to the actual RFQ documents.
12. **BROAD-BASED BLACK ECONOMIC EMPOWERMENT ("BBBEE")**

Transnet fully endorses and supports the South African Government's Broad-Based Black Economic Empowerment Programme and it is strongly of the opinion that all business enterprises have an equal obligation to redress the imbalances of the past.

Transnet would therefore prefer to do business with business enterprises who share these same values and who are prepared to contribute to meaningful BBBEE initiatives (including, but not limited to enterprise development, subcontracting and Joint Ventures) as part of their RFP responses. Transnet would accordingly allow a "preference" in accordance with the 10% preference system, as per the Preferential Procurement Policy Framework Act, 5 of 2000 (as amended), to companies who provide a BBBEE Accreditation Certificate. All procurement and disposal transactions in excess of R30 000 (thirty thousand S.A. Rand) will be evaluated accordingly. All transactions below this R30 000 will, as far as possible, be set aside for Exempted Micro Enterprises (EMEs).

Transnet consequently urges Respondents (Large Enterprises and QSE's - see below) to have themselves duly accredited by any one of the Accreditation Agencies approved by SANAS (the South African National Accreditation Systems, under the auspices of the DTI).

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



In terms of Government Gazette No 32094, Notice No 354 dated 23 March 2009, as from 1 August 2009 only BBBEE Accreditation Certificates issued by SANSAS approved verification agencies will be valid.

However Accreditation Certificates issued before 23 March 2009, and which are still within their one (1) year validity period, will still be acceptable, until their expiry date provided that the accreditation was done in accordance **with the latest Codes (i.e. those promulgated on 9 February 2007).**

BBBEE Accreditation Certificates issued after the published date i.e 23 March 2009, by a Verification Agency not approved by SANSAS, will **NOT** be acceptable as from 23 March 2009.

**12.1** Enterprises will be rated by such Accreditation Agencies based on the following:

- (a) **Large Enterprises (i.e. annual turnover >R35 million):**
  - Rating level based on all 7 (seven) elements of the BBBEE scorecard
  - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (b) **Qualifying Small Enterprises – QSE (i.e annual turnover between R5 million and R35 million):**
  - Rating based on any 4 (four) of the elements of the BBBEE scorecard
  - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (c) **Exempted Micro Enterprises – EME (i.e. annual turnover <R5 million are exempted from being rated or verified):**
  - Automatic rating of Level 4 rating, irrespective of race of ownership, i.e. 100% BBBEE recognition
  - Black ownership >50% or Black Women ownership >30% automatically qualify as Level 3 BBBEE, i.e. 110% BBBEE recognition
  - EME's should only provide documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% (to be renewed annually from their Auditors / Accounting Officers)

**12.2** In addition to the above, Respondents who wish to enter into a Joint Venture (JV) or subcontract portions of the contract to BBBEE companies, must state in their RFPs the percentage, of the total contract value that would be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or subcontractor(s), as well as a breakdown of the distribution of the aforementioned percentage must also be furnished with the RFP response to enable Transnet to evaluate / adjudicate all RFPs received on a fair basis.

**12.3** Each Respondent is required to furnish proof of its BBBEE status (Certificate and Detailed Scorecard) as stipulated above to TRANSNET.

<p><b>Turnover:</b> Indicate your company's most recent annual turnover:</p> <p>R.....</p>
--

Respondents Signature

Date & Company Stamp



- If annual turnover <R5m, please attach auditors / accounting officers letter confirming annual turnover and percentage black ownership as well as Black Women ownership.
- If annual turnover >R5m please attach BBBEE certificate and detailed scorecard from an accredited rated agency.

**12.4** The DTI has created an online **B-BBEE Registry** (<http://www.dti.gov.za>) in order to provide a central and standardized source of the B-BBEE status of all entities, and to facilitate the flow of this information amongst entities by providing a Unique Profile Number (UPN) per each listing. Existing and prospective suppliers are therefore urged to list their B-BBEE status on the DTI Registry. Hence, entities verified by DTI, will receive the following benefits:

- Their BBBEE status will be verified and confirmed by the DTI, before listing on the Registry
- Listing on the Registry will provide suppliers the option to market themselves on the DTI B-BBEE Opportunities Network. This is a search engine that is designed to help businesses find B-BBEE compliant entities who match specific requirements in terms of the nature of services/goods provided, region, B-BBEE status or other search criteria.

Transnet supports this DTI initiative and will use the DTI Registry to verify prospective and existing suppliers' BBBEE credentials.

**12.5** Kindly provide Transnet with your DTI B-BBEE UNIQUE PROFILE NUMBER with all RFQ submissions.

<b>DTI BBBEE UNIQUE PROFILE NUMBER:</b> .....
--

**12.6** Failure to submit your BBBEE information in terms of 14.3 and/or 14.5 (above) will result in a score of zero being allocated for BBBEE evaluation.

### 13. COMMUNICATION

Respondents are warned that a response will be liable to disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of TRANSNET in respect of this RFQ between the closing date and the date of the award of the business.

A respondent may, however, BEFORE THE CLOSING DATE AND TIME, direct any enquiries relating to the RFQ to the TRANSNET employee as indicated in (2) above, and may also at any time after the closing date of the RFQ, communicate with the Secretary of the TRANSNET Acquisition Council, at telephone no. 011 544 9486 or fax no. 011 774 9186 on any matter relating to its RFQ response.

### 14. RFQ SCHEDULE

Respondents will be contacted as soon as practicable with a status update. At this time short-listed Respondents may be asked to meet with Transnet representatives at a location to be agreed.

### 15 INSTRUCTIONS FOR COMPLETING THE RFQ

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



- (i) Sign one set of documents (sign and date the bottom of each page). This set will serve as the legal and binding copy. A duplicate set of documents is required. This second set can be a copy of the original signed Quotation.
- (ii) Both sets of documents to be submitted to the address specified above.
- (iii) The following returnable documents must accompany all Quotations:
  - Respondent's latest BBBEE Certificate;
  - Respondent's valid Tax Clearance Certificate.

## 16. COMPLIANCE

The successful Respondent (hereinafter referred to as the "Supplier") shall be in full and complete compliance with any and all applicable State and Local Laws and Regulations.

## 17. ADDITIONAL NOTES:

- All returnable documents as indicated in the Quotation Form (Section 3) must be returned with the response
- Respondents are to note that Quotations in which firm prices are quoted for the duration of any resulting contract may receive precedence over prices which are subject to adjustment
- Changes by the Respondent to its submission will not be considered after the closing date
- The person or persons signing the Quotation must be legally authorised by the Respondent to do so (Refer Section 4). A list of those person(s) authorised to negotiate on your behalf (if not the authorised signatories) must also be submitted along with the Quotation together with their contact details.
- All prices must be quoted in South African Rands
- Transnet reserves the right to undertake post-RFQ negotiations with selected Respondents or any number of short-listed Respondents and may wish to visit the Respondent's place of manufacture (works) during this process.
- All RFQ documents must be complete in full and no correction ink (Tippex) must be used.

**NB: Unless otherwise expressly stated, all Quotations furnished pursuant to this Request shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated. TRANSNET reserves the right to reject any or all offers.**

**FAILURE TO OBSERVE ANY OF THE ABOVE-MENTIONED REQUIREMENTS**

**MAY RESULT IN A QUOTATION BEING REJECTED**

## 18. DISCLAIMERS

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



Respondents are hereby advised that Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. In particular, please note that Transnet reserves the right to:

- modify the RFQ's Service(s) and request Respondents to re-bid on any changes
- reject any Quotation which does not conform to instructions and specifications which are detailed herein
- disqualify Quotations submitted after the stated submission deadline
- not necessarily accept the lowest priced Quotation
- reject all Quotations, if it so decides
- award a contract in connection with this Quotation at any time after the RFQ's closing date
- award only a portion of the proposed Services which are reflected in the scope of this RFQ
- split the award of the contract between more than one Supplier
- make no award of a contract
- preference will be given to locally based suppliers

Kindly note that Transnet will not reimburse any Respondent for any preparatory costs or other work performed in connection with this Quotation, whether or not the Respondent is awarded a contract.

**19. LEGAL REVIEW**

Any Quotation submitted by a Respondent is subject to review and negotiation of the proposed contract by Transnet's Legal Counsel.

Respondents to complete this section:

NAME OF RESPONDENT .....
PHYSICAL ADDRESS .....
.....

“PREVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



Respondent's contact person:	Name.....
	Designation.....
	Telephone.....
	Cell Phone.....
	Facsimile.....
	Email.....
	Website.....

**Transnet urges its clients, suppliers and the general public to report any fraud or corruption on the part of Transnet's employees to**  
**TIP-OFFS ANONYMOUS : 0800 003 056**

“PREVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



## SECTION 2

### RFQ NUMBER EMPG299

### PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

#### FOR A PERIOD OF TWO MONTHS

#### BACKGROUND, OVERVIEW AND SCOPE OF REQUIREMENTS

This work covers the Renovations to buildings (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) of Transnet Freight Rail in the Rail Operations and Infrastructure (Vryheid East) as per specification.

Specification for repairs, refer to schedule of work, session 6

#### Specifications of corporative identity Paint

Paint ceiling	Two coats DURA 65 WHITE.
Wall paint ( inside)	Painted surface (ENAMEL) - Two coats Dura 65 white. Two coats Dulux eggshell enamel, Barely Beige code 3H1-1.
Wall paint(external)(Painted)	Painted surface (PVA or ENAMEL)-One coat Dura 65 white. Two coats WEATHERGUARD, Barely Beige code 3H1-1.
Wall paint(external) (raw walls)	Raw walls. One coat Dura 65 white .Two coats WEATHERGUARD, Barely Beige code 3H1-1
Wood skirting's (painted)	Skirting sanded, One coat Pink primer, Two coats Dulux code 3H1-1 colour Barley Beige.
Skirting-	75mm ANODIZED ALUMINIUM SKIRTING AROUND COLUMNS AND ON NEW DRYWALL PARTITIONING.
Skirting (wood)	19 x 75mm maranti skirting .Sand and apply two coats Dulux Woodgard timber varnish
Paint purling/rafters/sprocket ends	Painted surface - Dulux universal white undercoat. Two coats Dulux roof guard
Fascias, gutters /down pipes and barge boards.	ONE Coat primer suitable for surfaces where applicable One coat universal undercoat and Two coats high gloss enamel – colour white. Fascia boards two coats Dulux Dura 65

Respondents Signature

Date & Company Stamp



Roof	Primer - NS4 grey ( GI roofs only) Two coats cottage white heat reflective paint Dulux Roof Guard
Window sills and plinths	Painted surface - Two coats Dura 65 white. Two coats Weather guard, Barely Beige code3H1-1.
Window frames inside/outside	(Painted) One coat white universal under coat and one coat Dulux Pearl glo Lockness code - 3L1-5 Paint burglar bars One coat universal, Undercoat one coat Dulux high gloss enamel. Colour – white
Door frames inside/outside steel	Paint door frames one coat white Dulux universal under coat and Two coats Dulux Pearl glo Lockness code - 3L1-5
Door frames(wood finish)	Sand frame, Two coats clear varnish (satin) finish
Doors (wood finish)	Sand door, Two coats clear varnish (satin) finish
Doors( inside)	Paint doors two sides, One coat white universal under coat and two coats Dulux Pearl glo Lockness code - 3L1-5
Doors( outside)	Paint doors two sides, One coat white universal under coat and two coats Dulux Pearl glo Lockness code - 3L1-5
Outside pipes paint all dia	One coat white universal undercoat and one coat Dulux Pearl glo Lockness code - 3L1-5

**21. GENERAL INFORMATION**

The service provider(s) shall be fully responsible to TRANSNET for the acts and omissions of persons directly or indirectly employed by them.

The service provider(s) must provide the identified information requested and comply with the requirements stated in the RFQ.

**22. NATIONAL RAILWAY SAFETY REGULATOR ACT**

In compliance with the **National Railway Safety Regulator Act, 16 of 2002**, the successful Respondent (the “Supplier”) shall ensure that the Services to be supplied to Transnet, under the terms and conditions of a contract between the parties, comply fully with the specifications as set forth in this RFP, and shall thereby adhere to railway safety requirements and/or regulations. Permission for the engagement of a subcontractor by the Supplier, as applicable, both initially and during the course of a contract, shall be subject to a review of the capability of the proposed subcontractor to comply with the specified railway safety requirements and/or regulations. The Supplier and/or its subcontractor shall grant Transnet access, during the term of the contract, to review any safety-related activities, including the coordination of such activities across all parts of the organization.

**Accepted:**

YES	
-----	--

NO	
----	--

Respondents Signature

Date & Company Stamp



**23. SERVICE LEVELS**

- Experienced national account representative/s to work with Transnet’s sourcing/procurement department (no sales representatives are needed for individual department/locations). Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- Transnet will have quarterly reviews with the Supplier’s account representative on an ongoing basis.
- Transnet reserves the right to request that any member of the Supplier’s team involved on the Transnet account be replaced if deemed not to be adding value for Transnet.
- Supplier guarantees that it will achieve a 95% service level on the following measures. If the Supplier does not achieve this level as an average over each quarter, Transnet will receive a 1.5% rebate on quarterly fees payable in the next quarter:
  - On-time deliverables
- Supplier must provide a toll-free number or alternative number for customer service calls.
- Failure of the Supplier to comply with stated service level requirements will give Transnet the right to cancel the contract in whole, without penalty, giving 30 (thirty) days’ notice to the Supplier.

**Accepted:**

YES	NO
-----	----

**24. CONTINUOUS IMPROVEMENT INITIATIVES AND VALUE ADD**

Respondents shall indicate whether they are committed to participate in the continuous improvement initiatives of Transnet to reduce the overall cost of transportation within South Africa during the duration of the contract.

**Accepted:**

YES	NO
-----	----

If “yes”, please specify.

Respondents must briefly describe their commitment to the continuous improvement initiatives and give examples of specific areas and strategies where cost reduction initiatives can be introduced. Specific areas and proposed potential savings percentages should be included. Additional information can be appended to the Respondent’s Quotation if there is insufficient space available.

\_\_\_\_\_  
 Respondents Signature

\_\_\_\_\_  
 Date & Company Stamp





**25. RISK**

Respondents must elaborate on the control measures put in place by their company, which mitigate the risk to Transnet, pertaining to potential non-performance by a Supplier in relation to -

(i) quality of the Service(s) provided:

.....  
.....  
.....  
.....

(ii) continuity of provision of the Service(s) (refer clause 6.9 of Form US7)::

.....  
.....  
.....  
.....

(iii) compliance with the Occupational Health and Safety Act, 85 of 1993 (refer clause 8.1(f) of Form US7)

.....  
.....  
.....  
.....

(iv) compliance with the National Railway Safety Regulator Act, 16 of 2002 (refer clause 23 above)

.....  
.....  
.....  
.....

“PREVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp





whether belonging to them, their servants or agents or any third party, or for the death of or injury to any person, which may either directly or indirectly be cause by or arise out of the service.

**29. INDEMNITY CLAUSE:**

Transnet will not be held responsible for any losses and / or injuries suffered by the Contractor while rendering the service, which may result from whatever nature.

“PRIEVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



### SECTION 3

#### RFQ NUMBER EMPG299

#### PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

#### FOR A PERIOD OF TWO MONTHS

#### QUOTATION FORM

I/We \_\_\_\_\_  
(name of company, close corporation or partnership)

\_\_\_\_\_ of (full address)

carrying on business under style or title of  
\_\_\_\_\_  
\_\_\_\_\_

represented by \_\_\_\_\_

in my capacity as \_\_\_\_\_

being duly authorised thereto by a Resolution of the Board of Directors or Members or Certificate of Partners, as the case may be, dated \_\_\_\_\_ a certified copy of which is annexed hereto, hereby offer to supply the above-mentioned Services at the prices quoted in the schedule of prices in accordance with the terms set forth in the accompanying letter(s) reference \_\_\_\_\_ and dated \_\_\_\_\_ (if any) and the documents listed in the accompanying schedule of RFQ documents.

I/We agree to be bound by those conditions in Transnet's :

- (i) Standard Terms and Conditions of Contract, Form No. US7 - Services;
- (ii) General Tender Conditions, Form CSS5 – Services; and

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



- (iii) any other standard or special conditions mentioned and/or embodied in the Request for Quotation form; and;-

I/We accept that unless Transnet should otherwise decide and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence), together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

Should Transnet decide that a formal contract should be signed and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence) together with Transnet's letter of acceptance, shall constitute a binding contract between Transnet and me/us until the formal contract is signed.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to enter into a formal contract if called upon to do so, or fail to commence the service, within 4 (four) weeks, Transnet may, without prejudice to any other legal remedy which it may have, recover from me/us any expense to which it may have been put in calling for Quotations afresh and/or having to accept any less favourable Quotation.

I/We accept that any contract resulting from this offer will be for a period of two **(2) MONTHS** only; and agree to a penalty clause to be negotiated with Transnet, which will allow Transnet to invoke a penalty (details to be negotiated) against us should the delivery of the Services be delayed due to non-performance by us.

The law of the Republic of South Africa shall govern the contract created by the acceptance of this RFQ. The *domicillium citandi et executandi* shall be a place in the Republic of South Africa to be specified by the Respondent hereunder, at which all legal documents may be served on the Respondent who shall agree to submit to the jurisdiction of the courts of the Republic of South Africa. Foreign Respondents shall, therefore, state hereunder, the name of their accredited agent in the Republic of South Africa who is empowered to sign any contract which may have to be entered into in the event of their Quotation being accepted and to act on their behalf in all matters relating to the contract.

Respondent to indicate *domicillium citandi et executandi* hereunder:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NOTIFICATION OF AWARD OF RFQ**

As soon as possible after approval to award the contract/s, the successful Respondent (the Supplier) will be informed of the acceptance of its Quotation. Unsuccessful Respondents will be advised in writing of the name of the successful Supplier and the reason as to why their Quotations have been unsuccessful, for example, in the category of price, deliverables, quality, BBBEE status or for any other reason.

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**VALIDITY PERIOD**

Transnet desires a validity period of 3 (three) months (from closing date) against this RFQ. It should be noted that Respondents may offer an earlier validity period, but that their Quotations may be disregarded for that reason. Should Respondents be unable to comply with this validity period, an alternative validity period must be stated hereunder:

This RFQ is valid until \_\_\_\_\_ (State alternative validity period/date).

**TAX (VAT) REGISTRATION NUMBER**

The Respondent must state hereunder the tax registration number which is applicable to Value-Added Tax:

\_\_\_\_\_

**TAX CLEARANCE CERTIFICATE**

Respondents are required to forward a valid copy of their company's Tax Clearance Certificate with their Quotation.

Indicate tax clearance certificate expiry date: \_\_\_\_\_

**BANKING DETAILS**

BANK: \_\_\_\_\_

BRANCH NAME / CODE: \_\_\_\_\_

ACCOUNT HOLDER: \_\_\_\_\_

ACCOUNT NUMBER: \_\_\_\_\_

**NAME(S) AND ADDRESS / ADDRESSES OF DIRECTOR(S) OR MEMBER(S)**

The Respondent must disclose hereunder the full name(s) and address(s) of the director(s) or members of the company or close corporation (C.C.) on whose behalf the Quotation is submitted.

- (i) Registration number of company / C.C. ....
- (ii) Registered name of company / C.C. ....
- (iii) Full name(s) of director/member(s)      Address/Addresses      ID Number/s

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



.....	.....	.....
.....	.....	.....
.....	.....	.....
.....	.....	.....
.....	.....	.....

**REGISTRATION CERTIFICATE**

Respondents must submit a certified copy of their company's Registration Certificate with their Quotation.

**NAME AND ADDRESS OF ACCREDITED AGENT**

Provide hereunder, if applicable, details of the accredited agent in the Republic of South Africa appointed as local representative by foreign Respondents and whose address shall be regarded as the Respondent's domicilium citandi et executandi in terms of the Standard Terms and Conditions of Contract, US7 – Services.

Name	.....
Address	.....
	.....

**CONFIDENTIALITY**

All information related to a subsequent contract, both during and after completion, is to be treated with strict confidence. Should the need however arise to divulge any information gleaned from provision of the Services, which is either directly or indirectly related to Transnet's business, written approval to divulge such information will have to be obtained from Transnet

**DISCLOSURE OF PRICES TENDERED**

Respondents must indicate here **whether TRANSNET may disclose** their tendered prices and conditions to other Respondents:

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



<b>YES</b>	
------------	--

<b>NO</b>	
-----------	--

**DECLARATION**

Respondents to declare hereunder whether any family and/or direct relationship exists between any of the owners / members / directors / partners / shareholders (unlisted companies) of the responding company and any employee or board member of the TRANSNET Group:

<b>YES</b>	
------------	--

<b>NO</b>	
-----------	--

If YES, please indicate below:

FULL NAME OF OWNER/MEMBER/DIRECTOR/  
 PARTNER/SHAREHOLDER

ADDRESS

---



---

Indicate nature of relationship (if any):

---



---

*(Failure to furnish complete and accurate information in this regard may lead to the disqualification of a response and may preclude a Respondent from future business with TRANSNET)*

**PRICE REVIEW**

The successful Respondent(s) will be obliged to submit to an annual price review. Transnet will be benchmarking this price offering(s) against the lowest price received as per the benchmarking exercise. If the Respondent's price(s) is/are found to be higher than the benchmarked price(s), then the Respondent shall match or better such price(s) within 30 days - failing which the Contract may be terminated at Transnet's discretion or the particular Service(s) purchased outside the contract.



\_\_\_\_\_  
 Respondents Signature

\_\_\_\_\_  
 Date & Company Stamp



**RETURNABLE DOCUMENTS**

Respondents are required to submit the following returnable documents with their responses:

<b>Notice to Bidders – Section 1</b>
<b>Background overview – Section 2</b>
<b>Quotation Form – Section 3</b>
<b>Resolution of Board of Directors (Respondent’s Representative) - Section 4</b>
<b>Certificate of Acquaintance with RFQ Documents – Section 5</b>
<b>Schedule of Rates - Section 6</b>
<b>General Tender Conditions - Form CSS5 – Section 7</b>
<b>Conditions of Contract - Form US7 – Section 8</b>
<b>Certificate of attendance of Information Briefing – Section 9</b>
<b>Schedule of Plant and Equipment – Section 10</b>
<b>E4B – Minimum Health Requirements – Section 11</b>
<b>E4E – Safety arrangements and Procedural compliance – Section 12</b>
<b>Supplier code of conducts – Section 13</b>
<b>Non-Disclosure Agreement – Section 14</b>
<b>Transnet Supplier Declaration/Application – Section 15</b>
<b>Copy of cancelled cheque or letter from the bank verifying banking details (with bank stamp)</b>
<b>Certified Copy of Identity document of Shareholders/Directors/Members (where applicable)</b>
<b>Copy of Certificate of Incorporation and CM29/ and C/CK2 (if CC)</b>
<b>Certified Copy of Share Certificates of Shareholders, CK1</b>
<b>A Letter with the company’s letterhead confirming physical and postal addresses</b>
<b>Original or certified copy of SARS Tax Clearance Certificate and VAT registration certificate</b>
<b>A Signed letter from the Auditor/Accountant confirming most recent annual turnover and percentage black ownership in the company AND/OR BBEE certificate and detailed scorecard from an accredited rating agency (ABVA Member)</b>
<b>Satisfactory proof of company qualifications</b>
<b>Letter of Good Standing with the Compensation Commissioner</b>

**NOTE: Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 and 15 as indicated in the footer of each page, must be signed and dated by the Respondent.**

By signing the RFQ documents, the Respondent is deemed to acknowledge that he / she has made himself / herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet Limited will recognize no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or otherwise.

\_\_\_\_\_  
 Respondents Signature

\_\_\_\_\_  
 Date & Company Stamp



SIGNED a \_\_\_\_\_ this \_\_\_\_\_ day of \_\_\_\_\_ 2011.

SIGNATURE OF WITNESSES:

ADDRESS OF WITNESSES:

1. \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

2. \_\_\_\_\_

SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE:

NAME: \_\_\_\_\_

DESIGNATION: \_\_\_\_\_

“PREVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 4**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**SIGNING POWER : RESOLUTION OF BOARD OF DIRECTORS**

Name of Company \_\_\_\_\_

It was resolved at a meeting of the Board of Directors held on \_\_\_\_\_ that

FULL NAME(S)	CAPACITY	SIGNATURE
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

in his/her capacity as indicated above is/are hereby authorised to enter into, sign, execute and complete any documents relating to RFQs, Quotations and/or Contracts for the supply of Services.

FULL NAME \_\_\_\_\_

\_\_\_\_\_  
SIGNATURE CHAIRMAN

FULL NAME \_\_\_\_\_

\_\_\_\_\_  
SIGNATURE SECRETARY

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 5**

**RFQ NUMBER EMP299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS**

NAME OF COMPANY: \_\_\_\_\_

I/We \_\_\_\_\_ do

hereby certify that I/we acquainted myself/ourselves with all the documentation comprising this RFQ and all conditions contained therein, as laid down by Transnet Limited for the carrying out of the proposed supply/service/works for which I/we submitted my/our response.

I/We furthermore agree that Transnet Limited shall recognize no claim from me/us for relief based on an allegation that I/we overlooked any RFQ/contract condition or failed to take it into account for the purpose of calculating my/our offered prices or otherwise.

SIGNED at \_\_\_\_\_ on this \_\_\_\_\_ day of \_\_\_\_\_ 2011.

WITNESS : \_\_\_\_\_

\_\_\_\_\_  
SIGNATURE OF RESPONDEN

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



## SECTION 6

### RFQ NUMBER EMPG299

### PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

FOR A PERIOD OF TWO MONTHS

### SCHEDULE OF RATES

SCHEDULE OF WORK AND PRICES					
	Description	Qty	Unit	Price	Amount
	<b>Repairs and painting to Mess and Ablution at Vryheid East</b>				
	<b>NB: CONTRACTORS PLEASE NOTE: DO NOT TAKE ANY INSTRUCTIONS FROM CLIENTS ON SITE ONLY FROM CIVIL MAINTENANCE SUPERVISORS.</b>				
	<b>Infra 02 AF 084</b>				
	<b>Exterior</b>				
1	Wash roof surface with brooms and detergent and rinse clean.	± 1	Sum	R	R
2	Paint roof as per paint specifications	± 349.32	M <sup>2</sup>	R	R
3	Sandpaper and clean sprockets and paint as per paint specifications ± 0.20mm	± 20	Each	R	R
4	Sandpaper and clean purlins and paint as per paint specifications	± 49,20	M	R	R
5	Sandpaper and clean sprockets and paint as per paint specifications ± 0.80 mm	± 36	Each	R	R
6	Replace Gutters and down pipes complete aluminum	± 1	Job	R	R
7	Paint gutters as per paint specifications	± 49.20	M	R	R
8	Paint fascia boards as per paint specifications	± 49.20	M	R	R
9	Paint barge boards as per paint specifications	± 28,40	M	R	R
10	Paint down pipes as per paint specifications	± 4	Each	R	R
11	Replace window pain 0.93x0.56	± 1	Each	R	R
	<b>INTERIOR (Sleeping quarters)</b>				
1	Prepare floor by chipping up to ±75% and clean all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 69.30	M <sup>2</sup>	R	R
2	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting all from Tile Africa.	± 69.30	M <sup>2</sup>	R	R
3	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	± 36.20	M	R	R
4	Clean and sandpaper ceiling refit cornice to wall & ceiling. Paint ceiling as per paint specification	± 69.30	M <sup>2</sup>	R	R
5	Clean, sandpaper and paint all walls as per paint specification	± 26.10	M <sup>2</sup>	R	R
	<b>Verandah</b>				
1	Clean, sandpaper and Paint ceiling as per paint specification	± 15.82	M <sup>2</sup>	R	R

Respondents Signature

Date & Company Stamp



2	Clean, sandpaper and paint all walls as per paint specification	± 19.91	M <sup>2</sup>	R	R
<b>Kitchen and Locker Room</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 68.02	M <sup>2</sup>	R	R
2	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting all from Tile Africa.	± 68.02	M <sup>2</sup>	R	R
3	Remove existing skirting and replace with new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles skirting ±80mm in height to floor tiles along with grey bull nose edging	± 33.32	M	R	R
4	Clean, sandpaper and paint ceiling as per paint specification	± 68.02	M <sup>2</sup>	R	R
5	Clean, sandpaper and paint all walls as per paint specification	± 27	M <sup>2</sup>	R	R
6	Provide a dry wall partition 9.00 x 2.7mm in height with studs at 600mm intervals, joints fiber taped and skimmed fitted with aluminum skirting	1	Job	R	R
7	Provide and fit 75mm insulation material between partitions for sound proofing	1	Job	R	R
8	Provide one aluminum door frame	1	Job	R	R
9	Provide one Sapili Polished Door fitted with Union Cylinder Mortise lock	1	each	R	R
<b>Ablution</b>					
1	Remove existing urinal and make good	± 1	Job	R	R
2	Provide new ceramic urinals complete with flush master and outlet	± 3	Each	R	R
3	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 108.02	M <sup>2</sup>	R	R
4	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting all from Tile Africa.	± 108.02	M <sup>2</sup>	R	R
5	Provide aluminum door frames and pivot doors with obscure glass to showers	± 14	Each	R	R
6	Provide Mosaic tiles to showers	± 8.77	M <sup>2</sup>	R	R
7	Replace all loose and broken cornice	± 1	Job	R	R
8	Sandpaper, clean and paint ceiling as per paint specification	± 113.00	M <sup>2</sup>	R	R
9	Sandpaper, clean and paint all walls as per paint specification	± 38	M <sup>2</sup>	R	R
<b>Painting of walls includes Doors, Door frames, fanlights, windows not painted and Air-con. Architraves, skirting's and D.B. Boxes.</b>					

“PREVIEW COPY”

<b><u>GROSS TOTAL</u></b>	R _____
<b><u>14% V.A.T.</u></b>	R _____
<b><u>AMOUNT DUE</u></b>	R _____

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SCHEDULE OF WORK AND PRICES**

<b>Repairs and Painting to Mess and Ablution at Vryheid East</b>					
<b>Control 333</b>					
<b>02 AF 046</b>					
		<b>Quantity</b>	<b>Unit</b>	<b>Price</b>	<b>Amount</b>
1	Wash roof surface with brooms and detergent and rinse clean	± 1	Sum	R	R
2	Paint roof as per paint specifications	± 378	M <sup>2</sup>	R	R
3	Sandpaper, clean and paint sprockets 0.85mm as per paint specifications	± 42	Each	R	R
4	Sandpaper, clean and paint sprockets 0.25 as per paint specifications	± 12	Each	R	R
5	Sandpaper clean and paint purlins as per paint specifications	± 120	M	R	R
6	Paint gutters as per paint specifications	± 60	M	R	R
7	Paint fascia boards as per paint specifications	± 60	M	R	R
8	Paint barge boards as per paint specifications	± 25.20	M	R	R
9	Paint down pipes as per paint specifications	± 4	Each	R	R
10	Sandpaper clean and paint windows 0.66x0.52	± 9	Each	R	R
11	Sandpaper clean and paint windows 1.00x0.65	± 16	Each	R	R
12	Sandpaper clean and paint windows 1.30x1.10	± 11	Each	R	R
13	Replace inspection eye cover on drain pipe	1	Each	R	R
14	Replace window Paine 0.56x0.44	1	Each	R	R
<b>Verandah / Stoop</b>					
1	Refit all loose cornice to wall and ceilings	1	Job	R	R
2	Clean, sandpaper and Paint ceiling as per paint specification	± 23.00	M <sup>2</sup>	R	R
3	Sandpaper, clean and paint all walls as per paint specification	± 42.01	M <sup>2</sup>	R	R
<b>Interior /Locker Room</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 100	M <sup>2</sup>	R	R
2	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting all from Tile Africa.	± 100	M <sup>2</sup>	R	R
3	Remove existing skirting and replace with new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tile skirting ±80mm in height along with grey bull nose edging	± 41.56	M	R	R
4	Refit all loose cornice to ceiling and walls	1	Job	R	R
5	Clean, sandpaper and paint ceiling as per paint specification	± 100.00	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint all walls as per paint specification	± 19.12	M <sup>2</sup>	R	R
<b>Kitchen</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 79.00	M <sup>2</sup>	R	R
2	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting	± 79.00	M <sup>2</sup>	R	R

DRAFT COPY

Respondents Signature

Date & Company Stamp



	all from Tile Africa.				
3	Remove existing skirting and replace with new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tile skirting ±80mm in height along with grey bull nose edging	± 39.00	M	R	R
4	Remove existing ceramic wall tiles and provide plaster for new (WTR4) ceramic wall tiles	± 18	M <sup>2</sup>	R	R
5	Provide new first grade (WTR4) white ceramic wall tiles to the same height as existing wall tiles including key coat, tile ,adhesive and white tile grout	± 18	M <sup>2</sup>	R	R
<b>Kitchen</b>					
6	Replace double rebated flash panel doors at geyser room	1	Job	R	R
7	Refit all loose cornice to ceiling and walls	1	Job	R	R
8	Sandpaper, clean and paint ceiling as per paint specification	± 79.00	M <sup>2</sup>	R	R
9	Sandpaper, clean and paint all walls as per paint specification	± 17.00	M <sup>2</sup>	R	R
10	Sandpaper, clean and paint all doors as per paint specification	1	Job	R	R
<b>Men's Toilet and Ablution</b>					
1	Remove existing urinal and make good	± 1	Job	R	R
2	Provide new ceramic urinals complete with flush master and outlet	± 2	Each	R	R
3	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	± 36	M <sup>2</sup>	R	R
4	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles with 3mm spacing and dove grey grouting all from Tile Africa.	± 36	M <sup>2</sup>	R	R
5	Remove existing skirting and replace with new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tile skirting ±80mm in height along with grey bull nose edging	± 32.00	M	R	R
6	Remove existing ceramic wall tiles and provide plaster for new (WTR4) ceramic wall tiles	± 15	M <sup>2</sup>	R	R
7	Provide new first grade (WTR4) white ceramic wall tiles to the same height as existing wall tiles including key coat, tile ,adhesive and white tile grout	± 15	M <sup>2</sup>	R	R
8	Fix shower floors by chopping out cracks and fill with cement mortar and make good	2	Each	R	R
9	Provide Mosaic tiles to showers	± 6.44	M <sup>2</sup>	R	R
10	Provide aluminium door frames and pivot doors with obscure glass	± 4	Each	R	R
11	Sandpaper, clean and paint ceiling as per paint specification	± 48	M <sup>2</sup>	R	R
12	Sandpaper, clean and paint all walls as per paint specification	± 14	M <sup>2</sup>	R	R
<b>Ladies Toilet's and Ablution</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	± 9.00	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint all walls as per paint specification	± 7.06	M <sup>2</sup>	R	R
3	Remove existing ceramic wall tiles and provide plaster for new (WTR4) ceramic wall tiles	± 6.19	M <sup>2</sup>	R	R

Respondents Signature

Date & Company Stamp



4	Provide new first grade (WTR4) white ceramic wall tiles to the same height as existing wall tiles including key coat, tile ,adhesive and white tile grout	± 6.19	M <sup>2</sup>	R	R
<b><u>GROSS TOTAL</u></b>		R _____			
<b><u>14% V.A.T.</u></b>		R _____			
<b><u>AMOUNT DUE</u></b>		R _____			

“PREVIEW COPY ONLY”

\_\_\_\_\_  
 Respondents Signature

\_\_\_\_\_  
 Date & Company Stamp



**SCHEDULE OF WORK AND PRICES**

	<b><u>Repairs and painting to Rail Operations Office at Vryheid East</u></b>	<b><u>Quantity</u></b>	<b><u>Unit</u></b>	<b><u>Price</u></b>	<b><u>Amount</u></b>
	<b><u>Blue Building 02WF001A</u></b>				
	<b><u>NB: CONTRACTORS PLEASE NOTE: DO NOT TAKE ANY INSTRUCTIONS FROM CLIENTS ON SITE. ONLY FROM CIVIL MAINTENANCE SUPERVISORS.</u></b>				
	<b><u>Painting of walls includes Doors, Door frames, fanlights, Windows, Windows not painted and Aircon-Architraves, skirting's and D. B. Boxes</u></b>				
	<b><u>Exterior</u></b>				
1	Sandpaper, clean and paint side-sheeting as per paint specification	239.04	M <sup>2</sup>	R	R
2	Replace rotten timber and broken under eave sheeting	1	Job	R	R
3	Sandpaper, clean and paint under eaves as per paint specification	127.44	M <sup>2</sup>	R	R
4	Sandpaper, clean and paint windows as per paint specification	113	Each	R	
	<b><u>Verandah</u></b>				
1	Sandpaper, clean and paint ceiling as per paint specification	29.93	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	26.42	M <sup>2</sup>	R	R
	<b><u>Interior - Passage</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	50.00	M <sup>2</sup>	R	R
2	Remove existing wood skirting	98.00	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	50.00	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	98.00	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	50.00	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	314.00	M <sup>2</sup>	R	R
	<b><u>Office 09 – Store Room</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	44.98	M <sup>2</sup>	R	R
2	Remove existing wood skirting	32.92	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	44.98	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	32.92	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	44.98	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	40.16	M <sup>2</sup>	R	R

DRAFT COPY ONLY

Respondents Signature

Date & Company Stamp



<b>Office 11</b>					
1	Remove existing vinyl floor tiles and glue Remove all debris ready for laying new carpets	20.55	M <sup>2</sup>	R	R
2	Provide new carpets to floor including aluminium edge at door frames	20.55	M <sup>2</sup>	R	R
3	Sandpaper, clean and paint ceiling as per paint specification	20.55	M <sup>2</sup>	R	R
4	Sandpaper, clean and paint walls as per paint specification	58.47	M <sup>2</sup>	R	R
5	Remove and replace carpets with Berber Point full carpet from Top Carpets	20.55	M <sup>2</sup>	R	R
<b>Board Room</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	46.27	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	93.11	M <sup>2</sup>	R	R
3	Remove existing carpet and all debris ready for laying new NEXUS RANGE; WESTMINSTER. colour BERRY carpet complete with under lay and aluminium strip at door	± 46.27	M <sup>2</sup>	R	R
4	Provide new NEXUS RANGE; WESTMINSTER. colour BERRY carpet complete with under lay	± 46.27	M <sup>2</sup>	R	R
<b>Room 07 – Store Room</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	10.60	M <sup>2</sup>	R	R
2	Remove existing wood skirting	12.56	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	10.60	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	12.56	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	10.60	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	42.00	M <sup>2</sup>	R	
<b>Office 06</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	15.77	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	52.03	M <sup>2</sup>	R	R
<b>Office 05</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	14.53	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	49.32	M <sup>2</sup>	R	R
<b>Office 04</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	15.12	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	51.21	M <sup>2</sup>	R	R
3	Remove all existing vinyl floor tiles and glue. Remove all debris ready	15.12	M <sup>2</sup>	R	R

Respondents Signature

Date & Company Stamp



	for laying new Berber Point full carpet from Top Carpets				
4	Provide new Berber Point full carpet to floor complete with aluminium strip at door from Top Carpets	15.12	M <sup>2</sup>	R	R
<b>Office 03</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	19.72	M <sup>2</sup>	R	R
2	Remove existing wood skirting	18.32	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	19.72	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	18.32	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	19.72	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	59.00	M <sup>2</sup>	R	R
<b>Toilet 01</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	12.46	M <sup>2</sup>	R	R
2	Remove existing skirting	14.12	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	12.46	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	14.12	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	12.46	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	17.51	M <sup>2</sup>	R	R
7	Redo all loose ceramic wall tiles	1	Job	R	R
<b>Toilet 02</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	21.77	M <sup>2</sup>	R	R
2	Remove existing skirting	23.31	M	R	R
3	Remove existing urinal and concrete platform Complete and make good ready for Laying ceramic floor and wall tiles	1	Job	R	R
4	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	21.77	M <sup>2</sup>	R	R
5	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	23.31	M	R	R
6	Provide new first grade (WTR 4) white ceramic wall tiles to the same height as existing wall tiles including key coat, tile adhesive and white		M <sup>2</sup>	R	R

Respondents Signature

Date & Company Stamp



	tile grout.				
7	Provide new Johnson ceramic urinals complete with Cobra FJ 6000 Flush Masters, outlets CP. Bottle traps with 50mm PVC drain pipe connected to existing drain	2	Each	R	R
8	Provide mosaic tiles to showers	2.70	M <sup>2</sup>	R	R
9	Replace indicators to shower doors	± 2	Each	R	R
10	Replace shower pipes and swivel neck shower roses	3	Each	R	R
11	Replace all broken wall tiles	1	Job	R	R
12	Sandpaper, clean and paint ceiling as per paint specification	21.77	M <sup>2</sup>	R	R
13	Sandpaper, clean and paint walls as per paint specification	23.31	M <sup>2</sup>	R	R
<b>Office 01</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	30.64	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	72.06	M <sup>2</sup>	R	R
3	Remove existing carpet and all debris ready for laying new Berber Point full carpet from Top Carpets	30.64	M <sup>2</sup>	R	R
4	Provide new Berber Point full carpet to floor complete with aluminium strip at door from Top Carpets	30.64	M <sup>2</sup>	R	R
<b>Toilet 03 Male &amp; Female</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	12.46	M <sup>2</sup>	R	R
2	Remove existing skirting	14.12	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	12.46	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	14.12	M <sup>2</sup>	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	12.46	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	17.51	M <sup>2</sup>	R	R
7	Refit all loose ceramic wall tiles	1	Job	R	R
<b>Office 15 A</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	21.84	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	63.02	M <sup>2</sup>	R	R
3	Remove existing carpet and all debris ready for laying new Berber Point full carpet from Top Carpets	21.84	M <sup>2</sup>	R	R
4	Provide new Berber Point full carpet to floor complete with aluminium strip at door from Top Carpets	21.84	M <sup>2</sup>	R	R
<b>Office 19 A</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	44.94	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	122.10	M <sup>2</sup>	R	R
3	Remove existing carpet and all debris ready for laying new Berber	44.94	M <sup>2</sup>	R	R

Respondents Signature

Date & Company Stamp



	Point full carpet from Top Carpets				
4	Provide new Berber Point full carpet to floor complete with aluminium strip at door from Top Carpets	44.94	M <sup>2</sup>	R	R
	<b><u>Kitchen</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	2.82	M <sup>2</sup>	R	R
2	Remove existing skirting	6.76	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	2.82	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	6.76	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	2.82	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	7.44	M <sup>2</sup>	R	R
7	Replace wall tiles	4	Each	R	R
	<b><u>Stairs &amp; Passage</u></b>				
1	Sandpaper, clean and paint ceiling as per paint specification	15.56	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	25.20	M <sup>2</sup>	R	R
	<b><u>Locker Room</u></b>			R	R
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	29.45	M <sup>2</sup>	R	R
2	Remove existing skirting	21.90	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	29.45	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	21.90	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	29.45	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	56.10	M <sup>2</sup>	R	R
	<b><u>Toilet</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	3.10	M <sup>2</sup>	R	R
2	Remove existing skirting	7.10	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	3.10	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	7.10	M	R	R

Respondents Signature

Date & Company Stamp



5	Sandpaper, clean and paint ceiling as per paint specification	3.10	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	3.93	M <sup>2</sup>	R	R
<b>Office 19 B</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	25.54	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	28.93	M <sup>2</sup>	R	R
<b>Office 20</b>					
1	Sandpaper, clean and paint ceiling as per paint specification	28.10	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	30.73	M <sup>2</sup>	R	R
<b>Office 21</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	15.57	M <sup>2</sup>	R	R
2	Remove existing skirting	17.34	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	15.57	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	17.34	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	15.57	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	42.30	M <sup>2</sup>	R	R
<b>Office 23</b>					
1	Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	10.00	M <sup>2</sup>	R	R
2	Remove existing skirting	12.66	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	10.00	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	12.66	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	10.00	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint walls as per paint specification	11.50	M <sup>2</sup>	R	R
<b><u>GROSS TOTAL</u></b>				R _____	
<b><u>14% V.A.T.</u></b>				R _____	
<b><u>AMOUNT DUE</u></b>				R _____	

Respondents Signature

Date & Company Stamp



**SCHEDULE OF WORK AND PRICES**

Description 02AF062	Quantity	Unit	Price	Amount
<b>Repairs and Paint to Yard Masters Office &amp; Ablution</b>				
<b>NB: CONTRACTORS PLEASE NOTE: DO NOT TAKE ANY INSTUCTIONS FROM CLIENTS ON SITE ONLY FROM CIVIL MAINTENANCE SUPERVISORS.</b>				
<b>Exterior</b>				
<b>Painting of walls includes Doors ,Door frames, fanlights, Windows, Windows not painted and Aircon.Architraves,skirting and D. B. Boxes</b>				
Sand paper, clean and paint facia boards as per paint specification	22.00	M	R	R
Sand paper, clean and paint barge boards as per paint specification	16.80	M	R	R
Sandpaper, clean and paint sprockets 0.10mm as per paint specification	12	Each	R	R
Sandpaper, Clean and paint sprockets 0.90mm as per paint specification	16	Each	R	R
Sandpaper, clean and paint purloins as per paint specification	22.00	M	R	R
Sandpaper, clean and paint tilting battens as per paint specification	22.00	M	R	R
Sandpaper, clean and paint windows as per paint specification	15	Each	R	R
Sandpaper, clean and paint windows as per paint specification	5	Each	R	R
Sandpaper, clean and paint window sills as per paint specification 1.10mm	11	Each	R	R
Sandpaper, clean and paint window sills as per paint specification 0.51mm	3	Each	R	R
<b>Verandah</b>		Each	R	R
Sandpaper, clean and paint ceiling as per paint specification	4.13	M <sup>2</sup>		
Sandpaper, clean and paint walls as per paint specification	7.73	M <sup>2</sup>	R	R
<b>Interior</b>			R	R
<b>Locker Room</b>			R	R
Remove all existing vinyl floor tiles and glue and chip up to ± 70%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	15.81	M <sup>2</sup>	R	R
Remove existing wood skirting	15.92	M	R	R
Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	15.81	M <sup>2</sup>	R	R
Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	15.92	M	R	R
Remove and replace broken ceiling board complete with cornice and cover stripes 1.90 x 0.70	1	Job	R	R

Respondents Signature

Date & Company Stamp



Sandpaper, clean and paint ceiling as per paint specification	15.81	M <sup>2</sup>	R	R
Sandpaper, clean and paint walls as per paint specification	7.96	M <sup>2</sup>	R	R
<b>Office &amp; Kitchen</b>				
Remove all existing vinyl floor tiles and glue and chip up to ± 70%. Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tiles	15.86	M <sup>2</sup>	R	R
Remove existing wood skirting	16.72	M	R	R
Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	15.86	M <sup>2</sup>	R	R
Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	16.72	M	R	R
Remove and replace broken wall tiles	4	Each	R	R
<b>Office &amp; Kitchen</b>				
Sandpaper, clean and paint ceiling as per paint specification	33.61	M <sup>2</sup>	R	R
Sandpaper, clean and paint walls as per paint specification	8.53	M <sup>2</sup>	R	R
Remove and replace zink cupboard doors complete with handles	1	Job	R	R
Replace blinds Beige in color	6	Each	R	R
<b>Ladies Ablution</b>				
Sandpaper, clean and paint ceiling as per paint specification	33.61	M <sup>2</sup>	R	R
Sandpaper, clean and paint walls as per paint specification	5.83	M <sup>2</sup>	R	R
Replace flush panel door complete with indicator	1	Each	R	R
<b>Men's Ablution</b>				
Sandpaper, clean and paint ceiling as per paint specification	5.71	M <sup>2</sup>	R	R
Sandpaper, clean and paint walls as per paint specification	5.05	M <sup>2</sup>	R	R
<b>Entrance to Ablution</b>				
Sandpaper, clean and paint ceiling as per paint specification	0.86	M <sup>2</sup>	R	R
Sandpaper, clean and paint walls as per paint specification	1.89	M <sup>2</sup>	R	R
<b>GROSS TOTAL</b>				
			R	_____
<b>14% VAT.</b>				
			R	_____
<b>AMOUNT DUE</b>				
			R	_____

"PREVIEWED COPY ONLY"

Respondents Signature \_\_\_\_\_

Date & Company Stamp \_\_\_\_\_



**SCHEDULE OF WORK AND PRICES**

	<b>Description</b>	<b>Quantity</b>	<b>Unit</b>	<b>Price</b>	<b>Amount</b>
	<b>Repairs and Painting to Mess and Ablution at Infra Electrical Vryheid East</b>				
	<b>NB: CONTRACTORS PLEASE NOTE: DO NOT TAKE ANY INSTRUCTIONS FROM CLIENTS ON SITE ONLY FROM CIVIL MAINTENANCE SUPERVISORS.</b>				
	<b>Painting of walls includes Doors, Door frames, fanlights, windows not painted and Air-con. Architraves, skirting's and D.B. Boxes.</b>				
	<b>Infra 02 AF 068</b>				
	<b>Exterior</b>			R	R
1	Sandpaper and clean and paint sprockets as per paint specifications 0.80mm	40	Each	R	R
2	Sandpaper and clean and paint sprockets as per paint specifications 0.20mm	12	Each	R	R
3	Sandpaper and clean and paint purlons as per paint specifications	116	M	R	R
4	Paint fascia boards as per paint specifications	116	M	R	R
5	Paint barge boards as per paint specifications	25.20	M	R	R
6	Clean the roof and all gutters and down pipes	1	Job	R	R
7	Paint all windows 1.30 x 0.63	± 47	Each	R	R
8	Paint all windows 0.60 x 0.46	± 8	Each	R	R
9	Replace cracked and missing putty to all window pains	1	Job	R	R
10	Replace all broken window pains	±7	Each	R	R
11	Trim all tree branches hanging over and on to the roof				
	<b>Verandah</b>				
1	Sandpaper clean, refit corners and paint ceiling as per paint specification	15.07	M <sup>2</sup>	R	R
2	Sandpaper, clean and paint walls as per paint specification	18.31	M <sup>2</sup>	R	R
3	Repair all cracks in walls	1	Job	R	R
4	Paint burglar bars and door at entrance to ablution			R	R
5					
	<b>Kitchen</b>				
1	Prepare floor by chipping up to ± 75%.Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles	100.00	M <sup>2</sup>	R	R
2	Remove existing skirting	40.00	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	100.00	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to	40.00	M	R	R

Respondents Signature

Date & Company Stamp



	all floor tiles at ± 80mm in height along with grey bull nose edging				
5	Replace broken ceiling panel 3.00 x 1.20mm	1	Panel	R	R
6	Repair all wall cracks	1	Job	R	R
7	Replace ceiling fans	2	Each	R	R
8	Replace all wall tiles	10.92	M <sup>2</sup>	R	R
9	Replace double rebated Sapili Polished Door complete fitted with Union Cylinder Mortise lock	1	Job	R	R
10	Paint all window sills as per paint specification 0.90 x 0.23mm	15	Each	R	R
11	Sandpaper, clean and paint ceiling as per paint specification	100.00	M <sup>2</sup>	R	R
12	Sandpaper, clean and paint walls as per paint specification	30.41	M <sup>2</sup>	R	R
	<b><u>Locker Room</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 75% Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles.	71.67	M <sup>2</sup>	R	R
2	Remove existing skirting	34.06	M	R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	71.67	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging	34.06	M	R	R
5	Sandpaper, clean and paint ceiling as per paint specification	71.67	M <sup>2</sup>	R	R
6	Sandpaper, clean and paint all walls as per paint specification	23.16	M <sup>2</sup>	R	R
7	Provide double rebated Sapili Polished Door complete fitted with Union Cylinder Mortise lock	1	Job	R	R
8	Paint all window sills as per paint specification 0.90 x 0.23mm	10	Each	R	R
	<b><u>Ablution</u></b>				
1	Remove all existing vinyl floor tiles and glue and chip up to ± 75% Remove all debris ready for laying new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige floor tiles.	70.00	M <sup>2</sup>	R	R
2	Remove existing skirting			R	R
3	Provide new first grade 300 x 300 x 8.5mm Johnson Themis full body porcelain beige tile with 3mm spacing and dove grey grouting all from Tile Africa.	70.00	M <sup>2</sup>	R	R
4	Provide new first grade tile skirting from Johnson Themis to all floor tiles at ± 80mm in height along with grey bull nose edging			R	R

Respondents Signature

Date & Company Stamp



5	Remove existing plastic urinals and provide new ceramic urinals complete with flush master and outlet	3	Each	R	R
6	Sandpaper, clean and paint ceiling as per paint specification	70.00	M <sup>2</sup>	R	R
7	Sandpaper, clean and paint all walls as per paint specification	19.24	M <sup>2</sup>	R	R
8	Provide aluminum door frames and pivot doors with obscure glass to showers	7	Each	R	R
9	Provide Mosaic tiles to showers	7.80	M <sup>2</sup>	R	R
10	Replace all broken soap dishes at showers	± 6	Each	R	R
11	Replace all toilet seats	4	Each	R	R
12	Paint all window sills as per paint specification 0.90 x 0.23mm	7	Each	R	R
13	Paint all window sills as per paint specification 0.46 x 0.28mm	8	Each	R	R
14	Provide Union Cylinder Mortise lock to double rebated entrance doors to ablution	1	Each	R	R
	<b><u>GROSS TOTAL</u></b>			R	_____
	<b><u>14% V.A.T.</u></b>			R	_____
	<b><u>AMOUNT DUE</u></b>			R	_____

“PREVIEW COPY ONLY”

\_\_\_\_\_  
 Respondents Signature

\_\_\_\_\_  
 Date & Company Stamp



## SECTION 7

RFQ NUMBER EMP5G299

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

### GENERAL TENDER CONDITIONS - SERVICES

Refer Form CSS5 attached hereto.

“PREVIEW COPY ONLY”

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



## SECTION 8

RFQ NUMBER EMPG299

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**STANDARD TERMS AND ONDITIONS OF CONTRACT**

**FOR THE SUPPLY OF SERVICES TO TRANSNET**

**Refer Form US7 attached hereto.**

**Respondents should note the obligations as set out in Clause 19 of the General Tender Conditions (Section 7) which reads as follows:**

*"The Supplier shall adhere to the Standard Terms and Conditions of Contract as set out in Form US7 - Services), a copy of which is attached hereto. Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer an alternative. Please note that any alternative offered shall be compared with acceptance of the Form US7 conditions or alternatives offered by other Respondents."*

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 9**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**CERTIFICATE OF ATTENDANCE OF INFORMATION BRIEFING SESSION**

It is hereby certified that -

- 1. ....
- 2. ....

Representative(s) of .....  
(name of company)

attended the information briefing session in respect of the proposed Service to be rendered in terms of this RFQ on .....2011.

.....  
TRANSNET'S REPRESENTATIVE  
DATE.....

.....  
RESPONDENT'S REPRESENTATIVE  
DATE.....

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



## SECTION 10

### RFQ NUMBER EMPKG299

#### PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST

#### FOR A PERIOD OF TWO MONTHS

#### SCHEDULE OF PLANT

Schedule of major plant and equipment to be used in the execution of this contract in terms of the Contract Conditions and specifications. The respondent must state which plant is immediately available and which will have to be acquired

(i) **Plant immediately available for work tendered for :**

---

---

---

---

(ii) **Plant on order and which will be available for work tendered for :**

---

---

---

---

(iii) **Plant to be acquired for the work tendered for :**

---

---

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 11**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**MINIMUM COMMUNAL HEALTH REQUIREMENTS**

**Refer Form E4B attached hereto.**

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 12**

**RFQ NUMBER EMP5G299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE**

Refer Form E4E attached hereto.

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 13**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**Suppliers Code Of Conduct**

**Refer to Annexure attached hereto.**

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 14**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**Non-Disclosure Agreement (“NDA”)**

**Complete and sign NDA attached hereto**

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp



**SECTION 15**

**RFQ NUMBER EMPG299**

**PROVISION OF RENOVATIONS TO BUILDINGS (02AF062A, 02AF046A, 02AF068A, 02AF084A, 02WF001A) OF TRANSNET FREIGHT RAIL IN THE RAIL OPERATIONS AND INFRASTRUCTURE, AT VRYHEID EAST**

**FOR A PERIOD OF TWO MONTHS**

**Supplier Declaration form**

**Complete and sign Supplier Declaration form attached hereto**

**“PREVIEW COPY ONLY”**

\_\_\_\_\_  
Respondents Signature

\_\_\_\_\_  
Date & Company Stamp