

RFQ / TENDER

Tender No: HAM09
Date : 04.02.2010

Vendor No: 72063557

BOARD LIST
BOARDL
BOARDL
2000

Purchaser : Helena Mauger
Telephone : 011 584 0604
Fax Number:

Please quote reference:
DD3/6000553909

Deliver to:
TFR Head Office
Supply Chain Services
2000 Johannesburg

Closing Date :16.02.2010
Validity Date :11.05.2010
RFQ No :6000553909

1. RETURN OF QUOTATION/S:

1.1 QUOTATION/S MUST BE SUBMITTED PUNCTUALLY AT 10:00 ON THE CLOSING DATE AND LATE QUOTATIONS WILL NOT BE CONSIDERED, AND MUST BE ENCLOSED IN A SEALED ENVELOPE WHICH MUST HAVE INSCRIBED ON THE OUTSIDE:TENDER NO: HAM 09, DESCRIPTION:RF Equi, CLOSING DATE AND TIME: 16 FEBRUARY 2010 AT 10H00.

1.2 IF POSTED:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
PO BOX 4244
JOHANNESBURG
2000

1.3 IF DELIVERED BY HAND:

SECRETARY (TRANSNET ACQUISITION COUNCIL)
INYANDA HOUSE 1 GROUND FLOOR
21 WELLINGTON ROAD
PARKTOWN
2193

2. CONDITIONS:

2.1, ANY PURCHASE ORDER PLACED AS A RESULT OF YOUR QUOTATION WILL BE SUBJECT TO THE STANDARD TERMS AND CONDITIONS OF CONTRACT, FORM US7, (LATEST), GENERAL TENDER CONDITIONS, FORM CSS5 (LATEST) AND CONDITIONS MENTIONED HEREIN.

2.2,TENDERERS MAY OFFER AN EARLIER VALIDITY DATE, BUT THEIR QUOTATION MAY, IN THAT EVENT, BE DISREGARDED FOR THIS REASON.

2.3,TENDERERS ARE REQUIRED TO OFFER ONLY FIRM PRICES.

2.4, BEST DELIVERY TIME MUST BE OFFERED.

2.5,DISCOUNT (TRADE DISCOUNT) VALUE ADDED TAX (VAT) MUST BE SHOWN SEPARATELY.

2.6,TRANSNET RESERVES THE RIGHT TO NEGOTIATE PRICES AND COMMERCIAL ASPECTS AFTER THE CLOSING DATE OF THE QUOTATION.

DATE:

SIGNATURE OF TENDERER(S):

CONTACT PERSON: TEL No:

RFQ / TENDER

Tender No: HAM09 Page
Date : 04.02.2010 2

BOARD LIST
BOARDL
BOARDL

2.7. DIRECT DELIVERY INTIMATES DELIVERY BEING EFFECTED TO THE ACTUAL POINT OF SUPPLY AND SHOULD THEREFORE INCLUDE ANY TRANSPORTATION MODE DEEMED NECESSARY IN EXECUTING THIS METHOD OF DELIVERY BASIS IN ORDER TO MEET THE REQUIRED DELIVERY DATE.

TAX CLEARANCE CERTIFICATES:

The Regulations in terms of the Public Finance Management Act, 1999: Framework for Supply Chain Management as published in Government Gazette No. 25767 dated 5 December 2003, Clause 9 (1) (d), stipulates that the accounting officer or accounting authority of an institution to which these regulations apply must reject any bid from a supplier who fails to provide written proof from the South African Revenue that the supplier either has no outstanding tax obligations or has made arrangements to meet outstanding tax obligations. Tenderers will be disqualified if a valid tax clearance certificate or written proof from the South African Revenue Service that supplier has made arrangements to meet outstanding tax obligations is not submitted with the tender.

BROAD BASED BLACK ECONOMIC EMPOWERMENT (BBBEE)

Transnet fully endorses and supports the Government's Broad-based Black Economic Empowerment Programme and it is strongly of the opinion that all South African Business Enterprises have an equal obligation to redress the imbalances of the past. Transnet will therefore prefer to do business with local business enterprises who share these same values. Transnet will endeavour to do business with local business enterprises that possess a BBBEE "recognition level" of at least a level 5. Transnet urges Tenderers (large enterprises and QSE's - see below) to have themselves accredited by any one of the various Accreditation Agencies available, who do their BBBEE ratings in accordance with the latest Codes (i.e. those promulgated on 9 February 2007) and whose names appear on the present ABVA (Association of BEE Verification Agencies) - "List of Full Members" as displayed on the ABVA website (www.abva.co.za). Although no agencies have, as yet, been accredited by SANAS (SA National Accreditation System), Transnet will, in the interim, accept rating certificates of tenderers who have been verified by any of the listed agencies.

Enterprises will be rated by such agency based on the following:

1. Large Enterprises (i.e. annual turnover >R35million:
Rating level based on all seven elements of the BBBEE scorecard.
2. Qualifying Small Enterprises - (QSE) (i.e. annual turnover >R5million but <R35million:
Rating based on any four elements of the BBBEE scorecard.

NB:

3. Emerging Micro Enterprises - (EME) (i.e. annual turnover <R5m) are exempted from being rated/verified:
Automatic rating of Level 4 BBBEE irrespective of race of ownership, i.e. 100% BBBEE recognition
Black ownership >50% or Black Women ownership >30% automatically qualifies as Level 3 BBBEE, i.e. 110% BBBEE recognition
EME's should provide certified documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% from the EME's Auditor/Accounting Officer.

4. In addition to the above, Tenderers who wish to enter into a Joint Venture or subcontract portions of the contract to BBBEE companies, must state in their tenders the percentage of the total contract value that will be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and / or sub-contractor/s, as well as a breakdown of the distribution of the aforementioned percentage must also be furnished

In view of the high emphasis which Transnet places on Broad-based Black Economic Empowerment, Transnet will allow certain preference points for BBBEE in the evaluation of all responses. Depending upon the value of the ensuing business award (i.e. below or in excess of R2m), the 80/20 or 90/10 point preference systems will be utilized where BBBEE will count out of 20 or 10 respectively in the evaluation process.

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM09 Page
Date : 04.02.2010 3

BOARD LIST
BOARDL
BOARDL

EACH RESPONDENT IS REQUIRED TO FURNISH PROOF OF THE ABOVE TO TRANSNET. FAILURE TO DO SO WILL RESULT IN A SCORE OF ZERO BEING ALLOCATED FOR BBEE.

Turnover: Kindly indicate your company's annual turnover for the past year R_____

If annual turnover <R5m, please attach certified confirmation from your Auditor/Accounting Officer

If annual turnover >R5m please attach original or certified copy of accreditation certificate and detailed scorecard by an ABVA accreditation agency (registered as a "Full Member")

PAYMENT TERMS

The following payment terms will apply as from 1 October 2008.

All suppliers will be paid 30 days from receipt of month end statement, i.e. payment term F055.

All CIDB suppliers will be paid 21 days from date of invoice, i.e. payment term F057.

CONDITIONS:

This quotation is subject to the provisions of the Standard Terms and Conditions of Contract, Form US7, (Latest) and the General Tender Conditions, Form CSS5 (Latest) and any other standard or special conditions mentioned and/or embodied in the quotation request.

PRIEVIEW COPY ONLY

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM09 Page
Date : 04.02.2010 4

BOARD LIST
BOARDL
BOARDL

SCHEDULE OF REQUIREMENTS

TENDERERS SHOULD INSERT THEIR PRICE/S UNDER THE APPROPRIATE HEADINGS HEREUNDER.

IN THIS REGARD THE TENDERER'S ATTENTION IS DIRECTED TO PARAGRAPH 16 OF FORM CSS5 (LATEST).

NB. TENDERERS OFFERING GOODS FROM IMPORTED SUPPLIES MUST SUBMIT THEIR PRICES ON THE DELIVERY BASIS APPEARING UNDER COLUMN (C) OF THIS SCHEDULE OF REQUIREMENTS.

Prices in South African currency including the cost of packing and packing materials for delivery as follows:
 A: B: C:
 DIRECT DIRECT EX OVERSEAS
 by rail to by other WORKS
 destination means to
 point destination
 (Railage a/c point
)

Item	Qty	Material	Description
------	-----	----------	-------------

00010	8	43U43U 19" Indoor Equipment cabinet	R..... R..... R..... Each Each Each
-------	---	-------------------------------------	--

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

43U 19" Indoor Equipment Cabinets as per Technical Requirement attached. Please substitute Transtel with Transnet Freight Rail, wherever it appears.

00020	12	Audio Line Branching unit	R..... R..... R..... Each Each Each
-------	----	---------------------------	--

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

Audio Line Branching Unit as per Specification SPC-00647 dated January 2007 Revision 2.00. Compliance to Specification is required. Please substitute Transtel with Transnet Freight Rail wherever it appears.

00030	20	450-470 MHz band Duplexer	R..... R..... R..... Each Each Each
-------	----	---------------------------	--

Delivery Date: 20.03.2010

DATE: SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM09
Date : 04.02.2010

Page
5

BOARD LIST
 BOARDL
 BOARDL

Prices in South African currency including the cost of packing and packing materials for delivery as follows:
 A: DIRECT by rail to destination point (Rallage a/c)
 B: DIRECT by other means to destination point
 C: EX OVERSEAS WORKS

Item	Qty	Material	Description
------	-----	----------	-------------

FULL DETAILS OF DESCRIPTION

450-470 MHz Band Duplexers as per Specification SPC-01282 dated October 2006. Compliance to Specification is required. Please substitute Transtel wherever it appears, and replace it with Transnet Freight Rail.

00040	12	12V 160 AH Sealed Lead acid batteries	R.....	R.....	R.....
			Each	Each	Each

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

12V 160A/H Sealed Lead Acid Battery.

00050	12	12V 30A 19" rack mount Power	R.....	R.....	R.....
			Each	Each	Each

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

12V 30A 19" Rack Mount Power Supply in accordance with Specification SPC 00140 dated November 2006, attached. Compliance to Specification is required. Please substitute Transtel wherever it appears and replace it Transnet Freight Rail.

00060	10	450-470 MHZ 25W UHF repeater	R.....	R.....	R.....
			Each	Each	Each

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

DATE: SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM09 Page
Date : 04.02.2010 6

BOARD LIST
BOARDL
BOARDL

Prices in South African currency
including the cost of packing and packing
materials for delivery as follows:

A:	B:	C:
DIRECT	DIRECT	EX OVERSEAS
by rail to	by other	WORKS
destination	means to	
point	destination	
(Railage a/c	point	
.....)		

Item	Qty	Material	Description
------	-----	----------	-------------

450-4701 MHz 25W UHF Repeater Stations as per Specification SPC-00851 dated January 2007 attached. Compliance to Specification is required. Please substitute Transtel wherever it appears, and replace it with Transnet Freight Rail.

00070	10	450-470 MHZ 1W UHF Link repeater duplex	R.....	R.....	R.....
			Each	Each	Each

Delivery Date: 20.03.2010

FULL DETAILS OF DESCRIPTION

450-470MHz 1W UHF Link repeater duplex/simplex working. As per Specification SPC 01233 dated October 2006 attached. Compliance to Specification is required. Please substitute Transtel with Transnet Freight Rail, wherever it appears.

PREVIEW COPY ONLY

DATE:

SIGNATURE OF TENDERER(S):

RFQ / TENDER

Tender No: HAM09
Date : 04.02.2010

Page
7

BOARD LIST
BOARDL
BOARDL

3. ADDITIONAL INFORMATION REQUIRED: (WHERE APPLICABLE)

3.1 THE FOLLOWING ADDITIONAL INFORMATION IS REQUIRED:

- (A) TRADE DISCOUNT:.....
- (B) PRICE/S FIRM:
- (C) PRICE/S FIRM UNTIL THEREAFTER SUBJECT TO REVIEW.

(D) DELIVERY DATE:

TENDERERS MUST FURNISH THEIR ACTUAL DELIVERY AND MANUFACTURING PERIOD HEREUNDER NOTWITHSTANDING THE DELIVERY DATES SPECIFIED BY TRANSNET.

THE FOLLOWING MUST ALSO BE FURNISHED IN REGARD TO THE ABOVE:

- 1. PERIOD REQUIRED TO OBTAIN RAW MATERIAL.(DAYS)
- 2. MANUFACTURING PERIOD.(DAYS)
- 3. PERIOD TO TRANSPORT MATERIAL TO DESTINATION.(DAYS)

MATERIAL NO.	1.(PERIOD)	2.(PERIOD)	3.(PERIOD)
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PRIEVIEW COPY ONLY

DATE:

SIGNATURE OF TENDERER(S):

CONDENSED REQUIREMENT
2U 19" RACK POWER SUPPLY & CHARGER

- Input Voltage: 180-250V AC with power surge protection
- Output Voltage: 12V DC at 30A
- Output continuously rated
- Fully fused
- LED Output indicator
- Output over-voltage Crowbar protection
- IEC chassis plug with 2M mains cable
- Separate battery and load connections
- Low Voltage Disconnect circuit (Load-shed). Factory adjusted to: Switch off 11.1V
Switch on 13V
- Compatible with external battery / batteries for float charging (13.5 – 13.8V)
- Internal adjustments for "Load-shed", "Output-low" and "Load-shed Warning" thresholds.
- Ripple voltage 100mV P-P maximum
- RF radiation field strength in the VHF and UHF frequency band: Not to exceed –119dBm

Alarms:

Local (Front panel indication)

- Mains Fail
- 12V Available
- 12V Fail

Remote (Potential-free contacts with front panel indication)

- Mains-Fail
- Battery Low Non-urgent (Factory adjusted to 11.8V)
- Battery Low Urgent (Factory adjusted to 11.4V)

NOTE: Tolerance for factory Voltage adjustments $\pm 100\text{mV}$

Dimensions:

- Width: 19" or 485mm (430mm excl. mounting flange)
- Depth: 200mm
- Height: 2U (85mm)

General:

- Color: Light Gray
- Environmental conditions:

Altitude	:	0 – 1 800 m above sea level.
Ambient temperature	:	Minimum : -10 °C.
	:	Maximum : +60 °C.
Relative humidity	:	As high as 86%.
Lightning conditions	:	Severe.
- Component numbering and position indicated with silk screening
- All connectors and sockets to be durable and anti-corrosive.
- Service manual on CD to be provided: Circuit schematic with description
Fault finding and setup procedure
- One-year guarantee on electronic and mechanical failure.
- Sample to be provided for evaluation prior to ordering of units.